

The ProofOfModel

MONAD BLITZ PUNE · VOL. II

THE AGENT ECONOMY

TESTNET · CHAIN 10143

THE INVESTIGATION

A 93% discount that shouldn't exist

Someone is selling Claude for a fraction of its price. The catch: you may not get the model you paid for — and your own key may be draining while you sleep.

\$15

ANTHROPIC · 1M OPUS TOKENS



\$1

BLACK-MARKET RESELLER

The math is impossible — unless the model is swapped, the credential is stolen, or your prompts are being resold. **Usually all three.**

The token black market

A grey economy of "transit stations" resells frontier models at 70 to 95 percent below list. It runs on stacked fraud: advertise Opus but quietly serve a cheaper model; route your prompts through a proxy and resell them as training data; pay with stolen cards and pooled subscriptions.

The victims are researchers running experiments on fake models, agents overpaying for downgraded output, and ordinary developers whose subscriptions are quietly siphoned. A 2026 audit found nearly half of these resellers misrepresent the model behind the endpoint.

70–95%	45.8%	83.8→37	17 / 187
below official price	of shadow APIs lie about the model	Med-QA accuracy when swapped	fake APIs found in published papers

How your tokens get stolen

Supply-chain worms hijack a developer's subscription and pipe the stolen tokens through the same transit stations. The root cause is the credential itself.

✗ Today: an unlimited bearer key A long-lived API key sits in ~/.claude. A worm reads it and drains your entire quota — silently, unbounded, until the weekly limit is gone. <i>Nothing caps it. Nothing shows it. Nothing revokes it.</i>	✓ Ours: a scoped session The real key lives server-side — the worm can't steal it. All it finds is a capped, expiring, revocable session, and every use is an on-chain debit you can see. <i>Theft becomes bounded and visible, not silent and unlimited.</i>
--	---

We don't stop malware from landing on your machine — we make sure it finds nothing worth stealing.

Two modules, one trust layer

MODULE I · AUTHENTICITY

Proof of Model

A behavioural probe battery fingerprints which model an endpoint really serves, then writes the verdict and a reputation score to Monad.

- Self-ID, refusal style, reasoning quirks, tokenizer tells
- Cheating endpoints earn a permanent on-chain red flag
- Any agent checks reputation before it pays

MODULE II · ANTI-THEFT

Prepaid Gateway

Replaces the stealable key with scoped, prepaid, per-call access — settled on Monad.

- Real provider key held server-side; agents never touch it
- Session = spend cap + expiry + instant revoke()
- Every inference debited on-chain — auditable, bounded

Where Monad comes in

Everything that needs trust between parties who don't trust each other lives on-chain. The fingerprinting stays off-chain — it must call the models. The chain is the trust and settlement layer, not the compute.

ON-CHAIN	CONTRACT CALL	WHY A CHAIN, NOT A DATABASE
Reputation ledger	attest · reputation	Public and tamper-proof — a cheating proxy can't erase its history; anyone verifies before paying
Prepaid balance	deposit · withdraw	Self-custody — you control the funds, withdraw anytime; no reseller to rug you
Scoped session	openSession · revoke	Cap, expiry and revoke enforced by code — even the operator can't overcharge you
Per-call settlement	debit	Public metering — every charge is an auditable event; kills invisible pooling

ETHEREUM L1	MONAD
Block time ~12 s	Block time ~1 s
Per-call gas > token cost	Throughput ~10,000 TPS
Micropayments impossible	Micropayments viable

Monad's throughput is the enabling condition, not decoration: per-call on-chain LLM billing is only possible on a fast, near-free chain.

What we neutralize

ATTACK	NEUTRALIZED BY	STATUS
Shadow-API model swap	Authenticity oracle + on-chain reputation	SOLVED
Worm hijacks subscription	Scoped session: cap + expiry + revoke	SOLVED
Stolen or leaked API key	Provider key held server-side	SOLVED
Account or Max pooling	Per-call on-chain metering + attribution	SOLVED
Stolen credit cards	Prepaid balance replaces card billing	SOLVED
Prompt data harvesting	First-party gateway; custody proof next	PARTIAL

The demonstration

I Catch the swap

Verify an endpoint claiming `claude-opus-4.8` → authentic, recorded on Monad. Point it at a proxy secretly serving GPT or Kimi → substitution detected, reputation drops.

II Meter a real call

Deposit MON, open a small-cap session, call real Claude through the gateway — debited live on Monad. Show the transaction.

III Pull the kill switch

Revoke the session; the next call is blocked on-chain. That is the worm defense — bounded and revocable.

On the record — live on Monad

AttestationRegistry · <i>authenticity oracle</i>	0x21f082...a0a1d92 ↗
--	--------------------------------------

PrepaidGateway · <i>secure access</i>	0x7ed90e...73a6ec ↗
---------------------------------------	-------------------------------------

Sample attestation transaction	0x397631...b8de851 ↗
--------------------------------	--------------------------------------

Sample per-call debit transaction	0x079c35...010a3e9d ↗
-----------------------------------	---------------------------------------

Validated live against a real LiteLLM proxy fronting Anthropic, Azure-OpenAI and Moonshot. Built with Next.js, viem and solc.