

Microsoft Windows [Version 10.0.22631.5335]  
(c) Microsoft Corporation. All rights reserved.

C:\Users\kanya>ipconfig

Windows IP Configuration

Wireless LAN adapter Local Area Connection\* 1:

Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :

Wireless LAN adapter Local Area Connection\* 2:

Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2401:4900:7b72:57f:e82c:f851:a0bc:69c0  
Temporary IPv6 Address. . . . . : 2401:4900:7b72:57f:dc2e:f4d3:5ff1:6373  
Link-local IPv6 Address . . . . : fe80::f407:e723:148a:1727%6  
IPv4 Address. . . . . : 192.168.99.134  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . : fe80::3ccc:7bff:feb2:eccl%6  
192.168.99.100

C:\Users\kanya>nmap -sS 192.168.1.0/24 -oN scan\_results.txt

Starting Nmap 7.97 ( <https://nmap.org> ) at 2025-05-26 11:15 +0530  
Stats: 0:02:19 elapsed; 0 hosts completed (0 up), 256 undergoing Ping Scan  
Ping Scan Timing: About 16.65% done; ETC: 11:29 (0:11:36 remaining)  
Stats: 0:02:26 elapsed; 0 hosts completed (0 up), 256 undergoing Ping Scan  
Ping Scan Timing: About 17.19% done; ETC: 11:29 (0:11:43 remaining)  
Stats: 0:04:24 elapsed; 3 hosts completed (64 up), 64 undergoing SYN Stealth Scan  
SYN Stealth Scan Timing: About 65.22% done; ETC: 11:20 (0:00:44 remaining)  
Nmap scan report for 192.168.1.0  
Host is up (1.3s latency).  
All 1000 scanned ports on 192.168.1.0 are in ignored states.  
Not shown: 784 filtered tcp ports (time-exceeded), 216 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.1  
Host is up (0.042s latency).  
All 1000 scanned ports on 192.168.1.1 are in ignored states.  
Not shown: 962 filtered tcp ports (no-response), 38 filtered tcp ports (net-unreach)

Nmap scan report for 192.168.1.2  
Host is up (0.051s latency).  
All 1000 scanned ports on 192.168.1.2 are in ignored states.  
Not shown: 978 filtered tcp ports (no-response), 22 filtered tcp ports (net-unreach)

Nmap scan report for 192.168.1.3  
Host is up (1.4s latency).  
All 1000 scanned ports on 192.168.1.3 are in ignored states.  
Not shown: 543 filtered tcp ports (time-exceeded), 445 filtered tcp ports (no-response), 12 filtered tcp ports (net-unreach)

Nmap scan report for 192.168.1.5  
Host is up (1.3s latency).  
All 1000 scanned ports on 192.168.1.5 are in ignored states.  
Not shown: 771 filtered tcp ports (time-exceeded), 229 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.8  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.8 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.9  
Host is up (0.044s latency).  
All 1000 scanned ports on 192.168.1.9 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.10  
Host is up (0.050s latency).  
All 1000 scanned ports on 192.168.1.10 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.11  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.11 are in ignored states.

Nmap scan report for 192.168.1.13  
Host is up (0.044s latency).  
All 1000 scanned ports on 192.168.1.13 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.14  
Host is up (0.043s latency).  
All 1000 scanned ports on 192.168.1.14 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.15  
Host is up (0.047s latency).  
All 1000 scanned ports on 192.168.1.15 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.16  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.16 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.17  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.17 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.18  
Host is up (0.034s latency).  
All 1000 scanned ports on 192.168.1.18 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.19  
Host is up (0.047s latency).  
All 1000 scanned ports on 192.168.1.19 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.20  
Host is up (0.040s latency).  
All 1000 scanned ports on 192.168.1.20 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.21  
Host is up (0.038s latency).  
All 1000 scanned ports on 192.168.1.21 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.22  
Host is up (0.041s latency).  
All 1000 scanned ports on 192.168.1.22 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.23  
Host is up (0.038s latency).  
All 1000 scanned ports on 192.168.1.23 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.24  
Host is up (0.037s latency).  
All 1000 scanned ports on 192.168.1.24 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.25  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.25 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.26  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.26 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.27  
Host is up (0.043s latency).  
All 1000 scanned ports on 192.168.1.27 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.28  
Host is up (0.040s latency).  
All 1000 scanned ports on 192.168.1.28 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Not shown: 1000 filtered tcp ports (no response)

Nmap scan report for 192.168.1.34  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.34 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.35  
Host is up (0.041s latency).  
All 1000 scanned ports on 192.168.1.35 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.36  
Host is up (0.048s latency).  
All 1000 scanned ports on 192.168.1.36 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.37  
Host is up (0.047s latency).  
All 1000 scanned ports on 192.168.1.37 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.38  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.38 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.39  
Host is up (0.039s latency).  
All 1000 scanned ports on 192.168.1.39 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.40  
Host is up (0.042s latency).  
All 1000 scanned ports on 192.168.1.40 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.41  
Host is up (0.042s latency).  
All 1000 scanned ports on 192.168.1.41 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.42  
Host is up (0.047s latency).  
All 1000 scanned ports on 192.168.1.42 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.43  
Host is up (0.040s latency).  
All 1000 scanned ports on 192.168.1.43 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.44  
Host is up (0.042s latency).  
All 1000 scanned ports on 192.168.1.44 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.45  
Host is up (0.041s latency).  
All 1000 scanned ports on 192.168.1.45 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.46  
Host is up (0.041s latency).  
All 1000 scanned ports on 192.168.1.46 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.47  
Host is up (0.042s latency).  
All 1000 scanned ports on 192.168.1.47 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.48  
Host is up (0.038s latency).  
All 1000 scanned ports on 192.168.1.48 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.49  
Host is up (0.045s latency).  
All 1000 scanned ports on 192.168.1.49 are in ignored states.

```
Host is up (0.035s latency).
All 1000 scanned ports on 192.168.1.240 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.241
Host is up (0.038s latency).
All 1000 scanned ports on 192.168.1.241 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.242
Host is up (0.038s latency).
All 1000 scanned ports on 192.168.1.242 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.243
Host is up (0.037s latency).
All 1000 scanned ports on 192.168.1.243 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.244
Host is up (0.043s latency).
All 1000 scanned ports on 192.168.1.244 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.245
Host is up (0.035s latency).
All 1000 scanned ports on 192.168.1.245 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.246
Host is up (0.046s latency).
All 1000 scanned ports on 192.168.1.246 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.247
Host is up (0.046s latency).
All 1000 scanned ports on 192.168.1.247 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.248
Host is up (0.043s latency).
All 1000 scanned ports on 192.168.1.248 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.249
Host is up (0.041s latency).
All 1000 scanned ports on 192.168.1.249 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.250
Host is up (0.041s latency).
All 1000 scanned ports on 192.168.1.250 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.251
Host is up (0.040s latency).
All 1000 scanned ports on 192.168.1.251 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.252
Host is up (0.040s latency).
All 1000 scanned ports on 192.168.1.252 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.253
Host is up (0.039s latency).
All 1000 scanned ports on 192.168.1.253 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.254
Host is up (0.042s latency).
All 1000 scanned ports on 192.168.1.254 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap scan report for 192.168.1.255
Host is up (0.040s latency).
All 1000 scanned ports on 192.168.1.255 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 256 IP addresses (253 hosts up) scanned in 687.62 seconds
```