

6.1.2 Patterns of inheritance

Isolating mechanisms can lead to the accumulation of different genetic information in populations, potentially leading to new species. Over a prolonged period of time, organisms have changed and some

have become extinct. The theory of evolution explains these changes. Humans use artificial selection to produce similar changes in plants and animals.

Learning outcomes		Additional guidance
<i>Learners should be able to demonstrate and apply their knowledge and understanding of:</i>		
(a)	(i) the contribution of both environmental and genetic factors to phenotypic variation	To include examples of both genetic and environmental contributions (e.g. diet in animals and etiolation in plants).
	(ii) how sexual reproduction can lead to genetic variation within a species	Meiosis and the random fusion of gametes at fertilisation.
(b)	(i) genetic diagrams to show patterns of inheritance	To include monogenic inheritance, dihybrid inheritance, multiple alleles, sex linkage and codominance.
	(ii) the use of phenotypic ratios to identify linkage (autosomal and sex linkage) and epistasis	To include explanations of linkage and epistasis. <i>M0.3, M1.4</i> HSW2, HSW8

(c) using the chi-squared (χ^2) test to determine the significance of the difference between observed and expected results

The formula for the chi-squared (χ^2) test will be provided.

$$\chi^2 = \sum \frac{(f_o - f_e)^2}{f_e}$$

M0.3, M1.4, M1.9, M2.1

(d) the genetic basis of continuous and discontinuous variation

To include reference to the number of genes that influence each type of variation.

(e) the factors that can affect the evolution of a species

To include stabilising selection and directional selection, genetic drift, genetic bottleneck and founder effect.

(f) the use of the Hardy–Weinberg principle to calculate allele frequencies in populations

The equations for the Hardy–Weinberg principle will be provided where needed in assessments and do not need to be recalled.

$$p^2 + 2pq + q^2 = 1$$

$$p + q = 1$$

M0.2, M2.1, M2.2, M2.3

(g) the role of isolating mechanisms in the evolution of new species

To include geographical mechanisms (allopatric speciation) and reproductive mechanisms (sympatric speciation).

(h) (i) the principles of artificial selection and its uses

To include examples of selective breeding in plants and animals

AND

an appreciation of the importance of maintaining a resource of genetic material for use in selective breeding including wild types.

(ii) the ethical considerations surrounding the use of artificial selection.

To include a consideration of the more extreme examples of the use of artificial selection to ‘improve’ domestic species e.g. dog breeds.

HSW2, HSW8, HSW10, HSW12