Local Git setup

got to test-git dir and explain ,

- git init .
- create a file as main.py add print statement in it
- create a .env file
- uv init .
- uv venv
- git status
- create .gitignore file and add .env file exception
- git branch -a
- git branch -m main
- git branch -a
- git status # notice .env file is not visible in git status
- git add . or git add filename
- git status
- git commit -m "commit message" , # you can refer our CONTRIBUTING.md to know how to create commit messages professionally
- git log, git log –oneline
- Install git plugin → mhutchie.git-graph
- Edit a file and repeat steps to get second commit when you do git log –oneline

Git on web UI

Login to Git or create an account with git
- click on new
- repo name → git_flask_prac, description → this repo is related to,
Choose visibility for now I am choosing public
- copy ssh remote url
- git remote -v
- git remote add origin git@github.com:Kapil987/git_flask_prac.git
- do ssh-keygen on your local system to create an ssh key, copy the public key to github add you github ssh key → https://github.com/settings/keys
- once done you can now pull and push to your own repository

- git push origin main , if this fails your ssh key most likely have an issue
- once pushed verify on the github web repo if .env has been pushed accidentally ?, it should not be, as we have added file name to .gitignore
- on remote machine you may use http

git clone https://github.com/Kapil987/git_flask_prac.git
- once cloned you can do git pull for latest changes,
- if it's a uv based project to a uv sync
- flask --app main run --host=0.0.0.0
- inspect web page and got to network tab and observe the response and headers



- later generate an HTML animated page with AI and add it to flask

Addition collaborator in github



Then you will receive an email, accept the invitation



On the admin repo side

How to Configure the Rule

In the **Branch rules** section of your screen:

1. **Check "Require a pull request before merging":** This is the primary toggle. Once enabled, any attempt to git push directly to the main branch will be rejected by GitHub.
2. **Required Approvals (Optional):** After checking the box above, a sub-option will appear (usually a dropdown or a number field). You can set this to 1 or more to ensure at least one other person reviews the code before it can be merged.
3. **Block Force Pushes:** Ensure the **"Block force pushes"** box (which is already checked in your image) remains selected. This prevents anyone from overwriting the branch history.
4. **Click Create:** Scroll to the bottom and hit the green **Create** button to activate the ruleset.

Now if you try to push to main directly from collaborator side it will be rejected, you will have to create a new branch and push that branch to remote

```
ubuntu@ip-172-31-19-109:~/as_hrs9/git_flask_prac$ git checkout -b feature
Switched to a new branch 'feature'
ubuntu@ip-172-31-19-109:~/as_hrs9/git_flask_prac$ git branch -a
* feature
  main
  remotes/origin/HEAD -> origin/main
  remotes/origin/main
ubuntu@ip-172-31-19-109:~/as_hrs9/git_flask_prac$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 300 bytes | 300.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: error: GH013: Repository rule violations found for refs/heads/main.
remote: Review all repository rules at https://github.com/Kapil987/git_flask_prac/rules?ref=refs%2Fheads%2Fmain
remote:
remote: - Changes must be made through a pull request.
remote:
To github.com:Kapil987/git_flask_prac.git
 ! [remote rejected] main -> main (push declined due to repository rule violations)
error: failed to push some refs to 'github.com:Kapil987/git_flask_prac.git'
ubuntu@ip-172-31-19-109:~/as_hrs9/git_flask_prac$ git push origin feature
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 300 bytes | 300.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:      https://github.com/Kapil987/git_flask_prac/pull/new/feature
remote:
To github.com:Kapil987/git_flask_prac.git
 * [new branch]      feature -> feature
ubuntu@ip-172-31-19-109:~/as_hrs9/git_flask_prac$
```

Postman plugin in vscode

Crud Operations

Letter	Full Form	API (HTTP) Method	Description
C	**Create**	POST	Used to add new resources to a system (e.g., creating a new user profile).
R	**Read**	GET	Used to retrieve or view existing data without modifying it.
U	**Update**	PUT / PATCH	Used to modify existing data. PUT usually replaces the entire resource, while PATCH applies partial updates.
D	**Delete**	DELETE	Used to remove a specific resource from the system.