

Product Requirements Document (PRD)

AI Project Correspondence Agent

Document version: 1.0

Date: August 2026

Product stage: Prototype / MVP Definition

Document purpose: Product specification for design, engineering and AI development teams

1. Executive Summary

The AI Project Correspondence Agent is a project intelligence platform designed to solve the fragmentation of project information across communication channels.

Modern project teams communicate through email, WhatsApp, SMS, Microsoft Teams, Slack, telephone calls, online meetings and shared documents. Important information is therefore distributed across multiple systems rather than maintained as a single coherent project record.

A technical question may be raised by email, discussed during a Teams call, clarified through WhatsApp and eventually resolved in a revised drawing. A project team member currently has to remember, search and manually reconstruct this sequence to understand what happened and what the latest valid position is.

The AI Project Correspondence Agent will automatically collate authorised communication against the relevant project and create a unified chronological correspondence record.

The AI layer will then continuously interpret that correspondence to identify:

- questions;
- issues;
- decisions;
- proposed decisions;
- approvals;
- actions;
- commitments;
- submissions;
- outstanding information;
- changes;
- superseded information;
- resolved issues;
- potential contradictions;
- information requiring the user's input.

The system must understand the individual user's role, discipline, responsibilities and current work within each project so it can determine what specifically requires their attention.

The central product promise is:

Open a project and immediately understand everything that has happened, what matters to you, what has been decided, what remains unresolved and the complete correspondence trail supporting the current position.

The product is not intended to replace existing communication platforms. Email, WhatsApp, Teams, Slack and other systems remain the original communication environments.

The AI Project Correspondence Agent sits above them as the project's intelligence and memory layer.

2. Problem Statement

Project communication has become increasingly fragmented.

An individual working on a project may receive relevant information through:

- Outlook or Gmail;
- WhatsApp;
- SMS;
- Microsoft Teams;
- Slack;
- telephone calls;
- Teams/Zoom/Meet meetings;
- documents;
- drawings;
- specifications;
- spreadsheets;
- photographs;
- shared cloud files.

These systems organise information according to communication channel rather than project context.

This creates several problems.

2.1 Fragmented correspondence

There is no single chronological record containing everything relevant to a project.

Users must repeatedly search different systems to reconstruct events.

2.2 Information overload

High communication volume makes it difficult to determine which messages actually require attention.

Unread messages do not necessarily correspond to unresolved work.

2.3 Superseded information

Earlier instructions, designs or decisions may remain visible alongside newer information.

Users can therefore unknowingly act on information that is no longer valid.

2.4 Missing decisions

Important project decisions are frequently made informally during calls, meetings or messages rather than recorded in a formal decision register.

2.5 Unanswered questions

Questions requiring the user's input can become buried inside long email threads or group conversations.

2.6 Lack of resolution tracking

An issue may be raised through one channel and solved through another.

The original recipient may therefore continue believing that action is required when the issue has already been resolved.

2.7 Weak auditability

When someone later asks:

"When did we decide this?"

the answer often requires manually reconstructing multiple conversations.

2.8 Cognitive burden

Project professionals are effectively required to maintain a mental model of:

- what has happened;
- which information is current;
- what they need to respond to;
- what other people owe them;
- which decisions are final;
- which issues remain unresolved.

The proposed product transfers a large part of this coordination burden to an AI agent.


3. Product Vision

Create a persistent AI intelligence layer above project communication.

The system must continuously transform fragmented correspondence into a structured and evidence-backed understanding of each project.

The Project, rather than the communication channel, becomes the organising unit.

Conceptually:



The user should not need to remember where information originated.

They should primarily think:

"Project C"

rather than:

"Was that information in Outlook, WhatsApp or Teams?"

4. Product Principles

The following principles are foundational requirements.

4.1 Project-first

The Project is the primary product object.

Communication channels are data sources.

4.2 Correspondence-first interface

The complete chronological project correspondence record is the central interface.

AI intelligence supplements the correspondence rather than replacing it.

4.3 Evidence before interpretation

Every important AI conclusion must link back to its original evidence.

4.4 Preserve history

The system must never silently overwrite previous project information.

4.5 Understand change over time

The AI must understand when information is:

- proposed;
- discussed;
- confirmed;
- approved;
- changed;
- superseded;
- rejected;
- resolved.

4.6 Understand the individual user

The AI must know:

- who the user is;
- their role;
- their discipline;
- what they are responsible for;
- what they can approve;
- what they are currently working on.

4.7 Attention, not notifications

The system should identify what genuinely needs the user's attention rather than simply reproducing unread-message counts.

4.8 AI must expose uncertainty

The system must not present uncertain interpretation as confirmed fact.

4.9 Existing communication systems remain authoritative evidence

The product is not intended to replace Outlook, WhatsApp, Teams, Slack or other communication platforms.

Where technically possible, users should be able to navigate from the project record back to the original communication.

5. Target Users

The initial product should target project-based professional environments where decisions, technical information and responsibilities are distributed across multiple communication channels.

Initial target sectors include:

- engineering;
- construction;
- architecture;
- infrastructure;
- consulting;
- technical contracting;
- project management;
- industrial projects;
- data centres;
- facilities and building services.

Example users:

- project managers;
- mechanical engineers;
- electrical engineers;
- civil engineers;
- structural engineers;
- architects;
- quantity surveyors;
- contractors;
- design consultants;
- client representatives;
- construction managers.

6. Primary User Persona

Example user:

Role: Mechanical Engineer

Project: Data Centre Cooling Upgrade

The user is responsible for:

- HVAC design;
- chillers;
- pumps;
- mechanical pipework;
- cooling systems;
- mechanical controls;
- mechanical equipment review.

The user is not responsible for:

- structural design;
- architectural finishes;
- electrical cable sizing.

The system should use this context when evaluating incoming communication.

For example:

"Can Martin approve the revised pump curve?"

should generate a high-confidence item under:

Needs My Input

Whereas:

"Please confirm reinforcement requirements for the plinth."

should not automatically become the mechanical engineer's responsibility.

7. Primary User Journey

7.1 User opens application

The user sees a concise cross-project overview showing:

- Needs My Input;
- Waiting on Others;
- Outstanding Decisions;
- Recently Resolved;
- Important Changes;
- Potential Conflicts;
- Active Projects.

7.2 User opens Project C

The user immediately sees:

Current position

A short AI-generated explanation of the project's present state.

Needs my input

Questions, reviews, decisions and actions requiring the user's attention.

Outstanding

Items still awaiting information or resolution.

Decisions

Important decisions made within the project.

Recently resolved

Issues resolved since the user's previous review.

Correspondence timeline

The complete chronological project record.

8. Project Correspondence Timeline

The unified chronological project correspondence timeline is the core user interface.

Example:

PROJECT C – CORRESPONDENCE

20 AUGUST

08:42 | OUTLOOK | James Foster

Asked whether the revised pump selection can be approved.

09:17 | WHATSAPP | Sarah Adams

Consultant has concerns regarding pump duty.

10:35 | TEAMS CALL

James / Sarah / Martin

Discussed increasing P-03 from 75 kW to 90 kW.

11:22 | WHATSAPP | Sarah Adams

Confirmed that 90 kW is acceptable.

14:05 | OUTLOOK | James Foster

Issued M-402 Rev C showing the 90 kW pump.

Each timeline item must support:

- timestamp;
- source;
- sender;
- participants;
- subject where relevant;
- original message/transcript;
- attachments;
- AI summary;

- detected issue;
- detected actions;
- decision association;
- original-source link where technically available.

Users must be able to filter the timeline by:

- All;
- Email;
- WhatsApp;
- SMS;
- Teams;
- Slack;
- Calls;
- Meetings;
- Documents;
- Questions;
- Decisions;
- My Attention.

9. Original Communication Navigation

The application should maintain links or provider references to original communications wherever integrations permit this.

Examples:

Open in Outlook

Open in Slack

Open in Teams

Open original email

View call transcript

View document

The project timeline serves as the index.

The source platform remains the evidence origin.

10. Project Context Model

The AI requires a persistent understanding of each project.

Project context should include:

- project name;
 - project code;
 - description;
 - client;
 - location;
 - project participants;
 - organisations involved;
 - disciplines;
 - known document numbering conventions;
 - project keywords;
 - active design areas;
 - current project state.
-

11. User Context Model

The system must maintain user context globally and within each project.

11.1 Global user context

Store:

- name;
- company;
- job title;
- professional discipline;
- known communication identities;
- general responsibilities.

11.2 Project-specific context

Store:

- project role;
- responsibilities;
- current work/design scope;
- approval authority;
- technical disciplines;

- areas explicitly outside responsibility.

Example:

Project: DC01

User role:

Mechanical Engineer

Current work:

Cooling plant redesign

Pump P-03

Chilled-water bypass

Responsible for:

Pumps

Chillers

Pipework

Mechanical controls

Approval authority:

Mechanical equipment submissions

Excluded:

Electrical distribution

Structural design

Architecture

This information must form part of AI reasoning.

12. Cross-Channel Identity Resolution

One person may appear differently across communication platforms.

Example:

John Smith

john.smith@company.com

+27 82 000 0000

WhatsApp +27 82 000 0000

Slack U29813
Teams john.smith@company.com

The system must create a canonical Contact and associate external identities with that contact.

The system may suggest identity matches.

Low-confidence identity matches must require user confirmation.

13. Project Assignment

Incoming communication must be automatically evaluated against known projects.

Signals may include:

- project name;
- project code;
- subject;
- conversation participants;
- companies;
- email domains;
- communication thread history;
- documents;
- drawing numbers;
- technical terms;
- previous project assignments;
- Slack/Teams channel;
- semantic similarity.

Classification should generate:

- selected project;
- confidence;
- classification reasoning.

Possible outcomes:

High confidence

Automatically assign.

Medium confidence

Assign provisionally and request confirmation.

Low confidence

Place under:

Unassigned Correspondence

The user must be able to manually correct assignment.

14. Issue Trails

An **Issue** is a core product object.

The AI must identify when communications across different channels relate to the same underlying question, problem, design issue or decision.

Example:

Issue: Pump P-03 Sizing

Timeline:

10 Aug — Email
75 kW specified.

12 Aug — Teams
90 kW proposed.

13 Aug — WhatsApp
Consultant asks for revised curve.

14 Aug — Email
Revised curve submitted.

14 Aug — WhatsApp
90 kW approved.

15 Aug — Drawing
M-402 Rev C issued showing 90 kW.

The Issue should show:

Original issue

Whether the original 75 kW pump is adequate.

Current position

90 kW pump approved.

Status

Resolved.

Decision

Increase pump to 90 kW.

Relevant correspondence

6 items.

Evidence

Linked communications and drawing.

An Issue Trail must retain the full thought and correspondence progression.

15. Issue Statuses

Recommended states:

- New;
- Open;
- Awaiting My Input;
- Awaiting Other Party;
- Under Discussion;
- Proposed Resolution;
- Decision Required;
- Resolved;
- Closed;
- Reopened.

Status may be AI-proposed but must be user-correctable.

16. Needs My Input

The AI must identify communications or issues that specifically require the logged-in user's participation.

Examples:

- direct question;
- approval request;
- design decision;

- technical review;
- document review;
- information submission;
- action;
- clarification.

The engine should consider:

- explicit recipient;
- person's name;
- project role;
- discipline;
- responsibilities;
- current work;
- approval authority;
- technical topic;
- issue context;
- previous ownership.

Example:

"Martin, can you approve the revised 90 kW pump curve?"

System result:

Needs My Input

Reason:

Direct approval request relating to mechanical equipment within your project responsibility.

17. Automatic Resolution of User Attention

The system must understand when an issue initially assigned to the user has subsequently been resolved by other project participants.

Example:

09:00 — Question directed to Martin:

Is DN150 sufficient?

10:00 — Sarah provides technical answer.

10:45 — James agrees.

11:15 — Consultant says:

Proceed with DN150.

The system should update:

Previous:

Needs Martin's Input

To:

Resolved — no further input currently required

and show:

The question was originally directed to you but was subsequently answered and approved by other participants.

The user should be able to open:

View Resolution Trail

and see the complete communication sequence.

18. Decisions

The system must create and maintain a decision register.

Each decision should include:

- title;
- decision;
- project;
- issue;
- decision date;
- people involved;
- decision status;
- source evidence;
- previous decision if relevant;
- whether superseded.

Decision states may include:

- Proposed;
- Discussed;
- Provisionally Agreed;
- Confirmed;
- Approved;
- Rejected;
- Withdrawn;
- Superseded.

The AI must distinguish discussion from approval.

Example:

"DN200 may work better."

is a proposal.

"Proceed with DN200."

may constitute a confirmed decision depending on authority and context.

19. Project Facts and Superseded Information

The application must maintain the current valid state of important project facts.

Example:

Pump P-03

Current:

90 kW

Status:

Approved.

Previous:

75 kW.

Superseded:

14 August.

Evidence:

- WhatsApp approval;
- Drawing M-402 Rev C.

Historical information must never be deleted.

The user must be able to inspect the full value history.

20. Outstanding Information

The AI should identify requested information that has not yet been supplied.

Examples:

- drawing;
- pump curve;
- quotation;
- design clarification;
- calculation;
- specification;
- approval;
- response.

Each outstanding item should contain:

- description;
- requested by;
- responsible person;
- date requested;
- due date if explicitly provided;
- source;
- project;
- issue;
- current status.

Never invent a due date.

21. Commitments and Actions

The system should detect explicit commitments.

Examples:

"I will send this tomorrow."

"We will issue Rev D by Friday."

"Sarah will review the drawing."

The system should track:

- action;
- owner;
- due date;
- source evidence;
- status;
- completion evidence.

Relative dates may be calculated where unambiguous using the source timestamp.

22. Resolution Tracking

Resolved information is as important as outstanding information.

The application should maintain a:

Recently Resolved

section.

Example:

Chilled-water bypass diameter

Resolved today.

Original question: Is DN150 sufficient?

Resolution: DN150 approved.

Resolved by: Consultant confirmation.

Participants: Martin, Sarah, James.

Communication trail: 7 messages across Outlook, WhatsApp and Teams.

This allows users to understand what happened even where they were not actively involved in the final resolution.

23. Contradiction Detection

The system must detect potential contradictions.

Example:

Current approved decision:

DN150 bypass.

Later message:

"I think we should change to DN200."

The system must NOT automatically replace DN150.

It should create:

Potential Conflict / Proposed Change

The AI must differentiate:

- proposal;
- discussion;
- confirmed decision;
- superseding decision.

24. Documents and Revisions

Documents must be included in the project intelligence model.

Track:

- document title;
- document number;
- document type;
- revision;
- issue date;
- current version;

- previous versions;
- source communication.

Example:

M-402

Rev A

Rev B

Rev C ← Current

The AI should be capable of linking document changes to relevant Issue Trails and decisions.

25. AI Project Overview

Each project requires a concise AI-generated status summary.

Example:

Pump P-03 has been revised from 75 kW to 90 kW and the change has been approved and incorporated into M-402 Rev C. The revised pump curve was submitted today and requires your review. The DN150 bypass issue has been resolved and no further input is currently required from you. Final contractor pricing remains outstanding.

This summary must be generated primarily from structured project state rather than repeatedly summarising the entire correspondence archive.

Every material statement must be evidence-backed.

26. Ask Project AI

Users should be able to ask natural-language questions such as:

- What needs my attention?
- What happened while I was away?
- What decisions were made today?
- What changed this week?
- What am I waiting for?
- What are other people waiting for from me?
- Did we approve the 90 kW pump?
- Why was the 75 kW pump changed?
- What is the latest pipe diameter?

- Who made this decision?
- Has this issue been solved?
- Show me the full correspondence trail for P-03.
- What happened after Sarah raised the concern?
- What is the latest valid drawing?
- What information has been superseded?

Responses must reference stored project information rather than general model knowledge.

Material assertions require evidence.

27. Primary Interface Structure

Global Navigation

Recommended:

- Overview
- Projects
- My Attention
- Correspondence
- People
- Search
- AI Assistant
- Settings

Supporting registers such as Decisions, RFIs and Documents may be available globally but should not dominate primary navigation unless user testing demonstrates a need.

28. Project Interface

Opening a project should prioritise:

Header

Project name
Project code
Client
My role
Project status

Project intelligence summary

Current Position

Needs My Input

Outstanding

Decisions

Recently Resolved

Potential Conflicts

Main correspondence area

All Project Correspondence

This should occupy the majority of the project interface.

Possible desktop layout:

PROJECT C			Mechanical Eng.
Current Position			
Need Me: 3	Outstanding	Decisions	Resolved: 2
PROJECT CORRESPONDENCE		AI PROJECT AWARENESS	
08:42 Email			
09:17 WhatsApp		Needs attention	
10:35 Teams			
11:22 WhatsApp		Recent changes	
14:05 Email		Ask AI	

The chronological correspondence record should remain visually dominant.

29. Search

The user must be able to search across project communication.

Support:

- keyword search;
- people;
- dates;
- project;
- issue;
- document;
- semantic/concept search.

Example:

Searching:

"pump operating temperature"

should potentially return correspondence using related wording such as:

"45°C operating condition."

30. Communication Integrations

The architecture should support integration with:

Initial priority

- Gmail;
- Microsoft Outlook;
- Slack;
- Microsoft Teams;
- WhatsApp Business/API;
- SMS;
- telephone systems/call transcripts.

Additional

- Zoom;
- Google Meet;
- Google Drive;
- OneDrive;

- SharePoint;
- document uploads;
- third-party meeting transcription systems.

Each provider must map into the same internal normalised communication architecture.

31. AI Processing Architecture

Recommended logical pipeline:

1. Ingest communication
2. Preserve original evidence
3. Normalise communication
4. Deduplicate
5. Resolve participants
6. Identify project
7. Identify or update issue
8. Extract structured information
9. Evaluate user relevance/responsibility
10. Reconcile against existing project state
11. Update decisions/questions/actions/facts
12. Check supersession
13. Check contradictions
14. Determine whether issue is resolved
15. Update user attention
16. Generate semantic representation
17. Update project overview
18. Audit AI changes

32. AI Extraction Output

The AI layer should preferably produce validated structured output.

Illustrative structure:

```
{
  "summary": "...",
  "project": "...",
  "project_confidence": 0.95,
  "topics": [],
  "issues": [],
```

```
"questions": [],
"decisions": [],
"actions": [],
"commitments": [],
"facts": [],
"documents": [],
"approvals": [],
"possible_conflicts": [],
"requires_user_input": false,
"user_input_reason": "",
"importance": "normal"
}
```

The AI should not be allowed to write directly into authoritative project state without reconciliation.

33. Two-Stage AI Reasoning

This separation is mandatory.

Stage 1 — Interpretation

What does this individual communication mean?

Stage 2 — Reconciliation

What does it change about the project's existing state?

Example:

Current state:

Pump = 75 kW approved.

New communication:

"Perhaps consider 90 kW."

Interpretation:

90 kW proposed.

Reconciliation:

No change to current approved pump.

This separation prevents the common failure mode where the latest message automatically becomes the latest truth.

34. Evidence and Provenance

Every important derived object must support evidence relationships.

Examples:

Decision → Email + Teams transcript.

Resolution → WhatsApp + confirmation email.

Current fact → Decision + drawing revision.

Outstanding action → Original request.

The user must be able to move from:

AI conclusion

to:

Why?

to:

Original evidence.

35. Data Integrity Requirements

Original correspondence must be immutable from the AI layer.

User corrections modify interpretations or project state, never historical evidence.

Duplicate provider events must not create duplicate project records.

External source IDs must be stored.

All significant AI/user state changes should be auditable.

36. Permissions and Security

Project correspondence may contain commercially and technically sensitive information.

Requirements:

- authenticated access;
- organisation isolation;
- project-level permissions;
- Row Level Security or equivalent;
- secure provider credential handling;
- encrypted transport;
- restricted attachment access;
- audit logs;
- no AI API keys exposed client-side.

AI retrieval must respect exactly the same permissions as normal application access.

37. MVP Scope

The MVP should prove the project's core intelligence rather than immediately provide every communication integration.

MVP 1 — Project Memory Foundation

- authentication;
- user/project roles;
- projects;
- contacts;
- manual communication ingestion;
- chronological project correspondence;
- source evidence;
- AI extraction;
- Issues;
- decisions;
- questions;
- actions;
- Needs My Input;
- Outstanding;
- Resolved;
- evidence navigation.

MVP 2 — State Intelligence

- project-state reconciliation;
- superseded information;
- contradiction detection;
- issue resolution;
- document revision intelligence;
- Ask Project AI;
- current project brief.

MVP 3 — Live Communications

- Gmail;
- Outlook;
- Slack;
- Teams;
- WhatsApp;
- SMS;
- calls;
- meetings.

38. Out of Scope for Initial MVP

The initial version is not intended to become:

- a replacement email client;
- a messaging platform;
- a CRM;
- a full project scheduling application;
- an ERP;
- a construction cost-management system;
- a generic task-management system;
- a document-authoring platform;
- an autonomous agent that sends communication without approval.

The first product must remain focused on:

project correspondence intelligence and situational awareness.

39. Core Acceptance Scenario

Project:

DC01 Cooling Upgrade

User:

Mechanical Engineer

Responsibility:

Pumps, chillers, pipework and mechanical controls.

Event 1 — Email

Please use the 75 kW pump shown on Rev B.

Expected:

75 kW identified as current information.

Event 2 — Teams

We should consider increasing this to 90 kW.

Expected:

90 kW recognised as proposal.

75 kW remains current.

Event 3 — WhatsApp

90 kW is approved. Please update the drawing.

Expected:

90 kW becomes approved/current.

75 kW becomes superseded.

Drawing-update action created.

Event 4 — Email

Please find M-402 Rev C showing the 90 kW pump.

Expected:

Rev C becomes current document.

90 kW receives additional evidence.

Event 5 — Email

Can you confirm whether the 90 kW pump curve is acceptable?

Expected:

Needs My Input.

Event 6 — Before user responds, Teams discussion occurs

Another mechanical engineer confirms the pump curve and consultant approves it.

Expected:

The system recognises the issue as resolved.

Needs My Input is removed/downgraded.

System shows:

This question was initially directed to you but was subsequently resolved.

User can open the complete resolution trail.

This scenario represents the essential intelligence the product must demonstrate.

40. Functional Success Criteria

The MVP is successful when the system can reliably demonstrate that:

1. Communications from multiple channels appear in one chronological project record.
2. Every correspondence item retains its original source and evidence.
3. The AI understands which communication relates to which project.
4. The system understands who the user is and their project responsibility.
5. Questions requiring the user's input can be identified.
6. Questions no longer requiring the user's input can be automatically recognised when resolved elsewhere.
7. Communications relating to the same issue can be grouped into an Issue Trail.
8. Decisions can be distinguished from proposals and general discussion.
9. Superseded information remains historically visible.

10. The system can identify the latest valid project position.
 11. Outstanding items and commitments are visible.
 12. Resolved issues remain visible with their complete reasoning trail.
 13. AI conclusions can always be traced back to evidence.
 14. Users can correct AI interpretation without changing source evidence.
 15. Project AI can answer questions about project history using evidence.
-

41. Non-Functional Requirements

Performance

Recent project correspondence should load quickly without reprocessing the entire project history.

Long project histories must support pagination or virtualisation.

Reliability

Communication ingestion must be idempotent.

AI processing failures must be retryable.

Original evidence must never be lost because AI processing fails.

Scalability

Architecture must support projects containing thousands or potentially hundreds of thousands of communications over time.

Explainability

Material AI conclusions require explainable evidence relationships.

Security

Strict project and organisation isolation is mandatory.

Extensibility

Adding another communication provider should not require changing the project intelligence model.

42. Product Metrics

Initial product validation should measure:

Classification accuracy

Percentage of communications correctly assigned to projects.

Attention precision

Percentage of "Needs My Input" items users agree genuinely require their attention.

Resolution accuracy

Percentage of issues correctly recognised as resolved.

Decision accuracy

Percentage of detected decisions confirmed by users.

Supersession accuracy

Percentage of project-state changes correctly identified.

Evidence coverage

Percentage of AI conclusions with valid evidence links.

User correction rate

Frequency with which users need to correct AI interpretation.

Time to project awareness

Time required for a user to understand project status after returning after an absence.

Information retrieval success

Percentage of project questions users can answer through the system without manually searching external communication platforms.

43. Key Technical Challenge

The technical differentiation of this product is not message summarisation.

The core technical problem is:

Cross-channel project classification + identity resolution + issue linking + temporal reasoning + user responsibility reasoning + evidence-grounded project-state reconciliation.

The product must understand not only what individual messages say, but how information evolves across people, platforms and time.

44. Product Definition

One-sentence definition

An AI Project Correspondence Agent that collates every project-related communication into a single chronological project record and continuously understands the questions, issues, decisions, changes, resolutions and outstanding information relevant to each project participant.

Product promise

Open a project and immediately know what happened, what matters to you, what has been decided, what remains unresolved and exactly how each issue reached its current position.

Long-term vision

The application should become the persistent memory and situational-awareness layer for project-based organisations.

Communication platforms capture conversations.

Project-management tools capture tasks.

Document-management systems capture files.

The AI Project Correspondence Agent captures and maintains:

what the project currently knows, how it came to know it, and what each person needs to do next.