

Ser No	Nomenclature	A/U	
1	Ordinary Portland cement 43 grade in HDPE Bags of 50Kg each, confirming to IS 269-1976	Bags	720.00
2	Portland Pozzolana Cement (PPC) in 50 Kg bags ISI marked	Bags	682.00
3	Fine aggregate (Natural sand) conforming to IS : 383 -1978.	Cum	2,227.00
4	Coarse aggregate (Crushed stone) 12.5mm graded conforming to IS 383-1979	Cum	5,900.00
5	Coarse aggregate (Crushed stone) 20mm graded conforming to IS 383-1979	Cum	4,600.00

6	Coarse aggregate (Crushed stone) 40mm graded conforming to IS 383-1979	Cum	4,450.00
7	Broken stone aggregate 63 to 40mm (Hard core)	Cum	3,950.00
8	Stone rubble/ broken boulder for masonry	Cum	3,505.00
9	Bricks sub class 'B' old size best locally available (minimum compressive strength 75 kg/sqcm, water absorption not more than 20%)	Nos	22.00
10	Aluminium strips 32 x 6 mm	Rm	350.00

11	Air terminal single pointed aluminium rod of 12mm dia, 300mm long with 50mm threading at the bottom including GI nut	Nos	455.00
12	Aluminium conductor 25mm x 3.15mm complete with saddle fixing screws	Rm	139.00
13	Anaerobic FRP/PE septic tank 2000Ltrs capacity Make : Sintex/ SGIPL/ United/ Supreme/ Polycon	Nos	71,500.00
14	APP water proofing membrane 3 mm thick 1m wide 10 m long Make : STP/ Tikitar/ IWL	Roll	4,576.00

15	Cement based paint Make : Snowcem/ Durocem/ JK/ Birla	Kg	105.00
16	Cement based wall care putty	Kg	95.00
17	Charcoal for earthing pit	Kg	92.00
18	Chequered cement concrete tiles 300mm x 300mm , 20mm thick conforming to IS	Nos	120.00
19	CI earth pit cover 5mm thick (300x300mm size) hinged to CI frame	Nos	775.00
20	Common salt commercial	Kg	30.00
21	CP toilet paper holder standard pattern	Nos	425.00
22	Distemper oil emulsion/ acrylic distemper Make : Asian/ Berger/ ICI/ Shalimar/ Narolac	Kg	160.00

23	Funnel of PGI sheet with 4" dia at top and 40mm dia at bottom fitted with wire mesh at bottom for earthing pit	Nos	183.00
24	Galvanised made of mild steel chain link fence fabric of mesh size 100mm x 100mm (+/- 4mm) of 4.00mm nominal diameter of wire conforming to IS : 4826.	Sqm	440.00
25	Galvanised Mild steel chain link fence fabric of mesh size 125mm x 125mm (+/-) 4mm of 4.00mm nominal diameter of wire conforming to IS : 4826.	Sqm	354.00

26	Galvanised steel two strand barbed wire 2.24mm dia of wire, 2 mm dia barbs at 75 mm spacing confirming to IS:278 of 1978	Rm	19.00
27	GI binding wire 1.20mm dia	Kg	178.00
28	GI Pipe 20mm dia 1.80mtr long light grade ISI marked Make : Jindal/ TATA/ Swastik)	Nos	563.00
29	GI Pipe 50mm dia 1.80mtr long light grade ISI marked Make : Jindal/ TATA/ Swastik)	Nos	1,500.00

30	GI plate 600mm x 600mm, 6mm thick for earthing , drilled for and provided with 2 Nos holes of 10mm dia 25mm long near one edge of plate	Nos	3,100.00
31	GI Strip 32x6mm for earthing	Rm	290.00
32	GI wire 4mm dia	Kg	170.00
33	Glazed ceramic coloured tiles of size 300mm x 200mm x 6-7mm thick Make : Kajaria/ Asian/ Orient Bell/ H&R Johnson/ Somany	Nos	75.00
34	Glazed ceramic coloured tiles of size 300mm x 300mm x 7-8mm thick Make : Kajaria/ Asian/ Orient Bell/ H&R Johnson/ Somany	Nos	85.00

35	Glazed ceramic coloured tiles of size 600mm x 600mm x 9-10mm thick Make : Kajaria/ Asian/ Orient Bell/ H&R Johnson/ Somany	Nos	415.00
36	HDPE water storage tank cylindrical vertical with Closed top 500ltrs capacity conforming to IS specification Make : Sintex/ Polycon/ Ganga or equivalent.	Nos	5,955.00



37	HDPE water storage tank cylindrical vertical with Closed top 1000ltrs capacity conforming to IS specification Make : Sintex/ Polycon/ Ganga or equivalent.	Nos	11,780.00
38	HDPE water storage tank cylindrical vertical with Closed top 2000ltrs capacity conforming to IS specification Make : Sintex/ Polycon/ Ganga or equivalent.	Nos	24,300.00

39	HDPE water storage tank cylindrical vertical with Closed top 5000ltrs capacity conforming to IS specification Make : Sintex/ Polycon/ Ganga or equivalent.	Nos	62,015.00
40	Integral water proofing compound ( WPC) Make : Sika/ Seco/ Tata/ ICC or equeivalent	Kg	125.00
41	LED security light fitting 45 watt with suitable GI bracket pipe of light grade 25 mm dia with fixing accessories Make : Surya/ Havells/ Syska/ Philips	Nos	10,000.00
42	Lime unslacked	Kg	60.00

43	Liquid polymer based water proofing admixture Make : Dr Fixit/ Fosroc/ Pidilite	Ltr	162.00
44	Mild steel (annealed) binding wire 0.90 mm	Kg	165.00
45	Mild steel bolts machine made with hexagonal head at one end and screwed on the other end, fitted with nut and washer	Kg	234.00
46	Mild steel corrugated galvanised (CGI) Sheet 8' x 3', 0.63 mm thick ISI marked make TATA/ SAIL/ Bhushan/ Jindal or equivalent	Nos	1,952.00

47	Mild steel corrugated galvanised (CGI) Sheet 10' x 3', 0.63 mm thick ISI marked make TATA/SAIL/Bhushan/Jindal or equivalent	Nos	2,210.00
48	Mild steel corrugated galvanised (CGI) Sheet 12' x 3', 0.63 mm thick ISI marked make TATA/SAIL/Bhushan/Jindal or equivalent	Nos	2,615.00
49	Mild steel plain galvanised (PGI) Sheet 0.8mm thick ISI marked make TATA/SAIL/Bhushan/Jindal or equivalent	Sqm	945.00

50	Mild steel flat iron 40 x 6mm, 2.4m long incl drilling holes for fencing and one coat of red oxide primer and two coats of synthetic enamel paint ISI marked	Nos	574.00
51	Mild steel holding down bolts fitted with 3mm thick washer and hexagonal nuts	Kg	185.00
52	Mild steel plate for sturctural work	Kg	158.00

53	Mild steel rolled angle iron section 65 x 65 x 6mm fencing post 2.90mtr long conforming to IS : 2062-1984 including drilling holes for fencing, fabrication of 0.75m long for swan neck on top at 45° to vertical, welding of two nos of 12mm MS rod 200mm length to bottom for anchorage painted with one coat of red oxide primer and two coats of synthetic enamel paint for the exposed surface of angle above GL and two coats of bituminous paint to embedded portion (0.60m), weight of each picket not less than 17.17Kg	Nos	2,588.00
----	--	-----	----------

54	Mild steel rolled angle iron section 65 x 65 x 6mm fencing post 3.75mtr long conforming to IS : 2062-1984 including drilling holes for fencing, fabrication of 0.75m long for swan neck on top at 45° to vertical, welding of two nos of 12mm MS rod 200mm length to bottom for anchorage painted with one coat of red oxide primer and two coats of synthetic enamel paint for the exposed surface of angle above GL and two coats of bituminous paint to embedded portion (0.60m), weight of each picket not less than 22.10Kg	Nos	3,520.00
55	Mild steel rolled sections such as angle iron, flat iron, beam, column section etc	Kg	138.00

56	Mild steel round bars 10mm dia and over including one coat of red oxide primer and two coats of synthetic enamel paint	Kg	140.00
57	Mild steel square and rectangular tubular section for structural work, ISI marked	Kg	155.00
58	Mild steel TMT bars 10mm dia and over for reinforcement ISI marked	Kg	139.00
59	Mild steel TMT bars upto 8mm dia for reinforcement ISI marked	Kg	135.00
60	Mild Steel wire nails assorted size	Kg	140.00



61	Mono-block electric operated centrifugal pump with starter and control panel, bore of suction/ delivery 50mm/ 40mm, power rating 2 HP (1.5KW), 230V, 50Hz, operating head 8m to 26m capacity 5 ltr/ sec at 8m head – 2.2 ltr/ sec at 26m head Make : Crompton Greaves/ CRI/ Kirloskar	Nos	27,800.00
----	---	-----	-----------

62	MS prefabricated loop hole shutter of size 600 mm x 330mm with downward opening, Frame made of angle iron 40 x 40 x5mm with 2mm thick MS sheet welded to angle iron 35 x 35 x 4mm thick in shutter including angle iron holdfasts, 4 Nos 100mm MS hinges medium weight and locking arrangement complete including one coat Red Oxide primer.	Nos	3,425.00
----	--	-----	----------

63	MS prefabricated steel door of size 900 mm x 1800mm, frame made of angle iron 40 x 40 x 5mm, shutter made of angle iron 35 x 35 x 4mm and panels of 2mm thick MS sheet, 4 Nos MS angle iron holdfast 300mm long welded either side of the angle iron incl 3 Nos 100 mm long MS hinges medium weight welded two the frame. 03 Nos MS flat of size 50 x 5mm to be provided as sash bar and along the stile/ rail of the door at equal spacing to provide additional reinforcement/ support to panel sheet including one coat of red oxide primer	Nos	10,000.00
64	Polished granite stone slab 2.1 x 0.6 Mtr 18 to 20mm thick	Nos	8,321.00
65	Powder coated aluminium brackets for drapery rod 25mm dia	Pair	160.00
66	Powder coated aluminium drapery rod 25mm dia	Rm	236.00

67	Powder coated aluminium end cap/ studs for drapery rod 25mm dia	Pair	190.00
68	Precast cement concrete (1:3:6) block of size 300x200x200mm	Nos	140.00
69	Precast cement concrete (1:3:6) block of size 400x200x200mm	Nos	170.00
70	PVC flushing cistern of 10ltr capacity with flushing pipe and fittings complete Make : Parryware/ Cera/ Hindware/ Waterbird/ Slimline	Nos	2,350.00
71	PVC frame looking mirror 15" x 18" (Select quality glass)	Nos	523.00

72	PVC frame looking mirror 18" x 24" (Select quality glass)	Nos	742.00
73	PVC Strips of size 38mm x 3mm	Rm	88.00
74	Rawl plug 35 mm (Pkt of 100 Nos)	Pkt	142.00
75	Soak pit chamber (Ready made PVC or FRP/PE) of 1000Ltrs capacity made SGIPL, United, Supreme with complete fitting assembly Make : Sintex /SGIPL/ United/ Supreme/ Polycon	Nos	11,350.00

76	Solar security/ street lighting with photo-voltaic system comprising of a LED lamp, pin type pin 45 W, output 110 lumens per watt, electrolite type tubular plate 12 V/ 120 AH battery with MS sheet enclosure, PV module 150 W, 80 mm bore GI pipe medium grade, 6m long pole, lamped housed in weather proof assembly having reflector on its back	Set	51,488.00
----	--	-----	-----------

77	Staging for HDPE water storage tank 1000ltr capacity size 1200mm x 1200mm of ht 3m made of angle iron 50 x 50 x 6mm, bracing of angle iron 50x50x6mm and fixing with nuts and bolts provided with wooden platform of 40mm thick second class hard wood boarding	Nos	28,545.00
----	---	-----	-----------

78	Stainless steel body open well submersible pump with starter and control panel, bore of delivery pipe - 25mm, power rating 1 HP (0.75KW), 230V, 50Hz, operating head 6m to 30m capacity 2.4 ltr/sec at 6m head – 0.45 ltr/sec at 30m head Make : CG/ CRI/ Kirloskar	Nos	26,020.00
----	---	-----	-----------



79	Stainless steel kitchen sink of size 26" x 22" ISI Marked with CP waste coupling and waste pipe along with suitable angle iron brackets Make : Neelkanth/ SAIL/ Nirali or equivalent	Nos	3,855.00
80	Testing point terminal block made of gun metal or phosphorus bronze of size 75 x 75 x 25mm drilled and screwed incl 03 Nos 8mm dia 25mm long hexagonal head screws.	Nos	1,960.00

81	Vitreous China pedestal pattern water closet European type (EWC) including PVC seat and cover Make : Parryware/Cera/Hindware	Nos	3,850.00
82	Vitreous China urinal pot bowl type including spreader, CP waste coupling and PVC waste pipe Make : Parryware/ Cera/ Hindware	Nos	2,345.00
83	Vitreous China wash hand basin of size 550mm x 440mm with CP waste coupling and PVC waste pipe including suitable cast iron/ mild steel brackets Make : Hindware/ Parryware/ Cera	Nos	3,750.00

84	Vitreous China water closet Orissa pattern with integrated foot rests and 'P' trap Make : Hindware/ Parryware/ Cera	Nos	2,458.00
85	Vitrified ceramic coloured tiles of size 600mm x 600mm x 9-10mm thick Make : Kajaria/ Asian/ Orient Bell/ H&R Johnson/ Somany	Nos	520.00
86	Weapon stand made of second class hardwood suitable for pipe 5 rifles	Nos	975.00
87	White cement Make : Birla/ JK	Kg	60.00

88	Wooden block (second class hardwood) as per sample for fixing of aluminium strip	Nos	80.00
----	--	-----	-------