




Plan de corte 1D

COMPRA-POSTE-V · Perfil

Largo: 6000.00 mm · Barras: 1 · stock 0722f560-12fe-5989-9684-4ae26b3b7db4

Barra 1 · COMPRA-POSTE-V · 6000.00 mm · retazo reutilizable 2418.00 mm · aprovechamiento 59.0%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M17	P03	u1 · —	POSTE-V	1380.00	90.0° / 90.0°	—
2	P01-U01-M17 · P01-U02-M17	P01	u1 · —	POSTE-V	1080.00	90.0° / 90.0°	—
3	P01-U01-M17 · P01-U02-M17	P01	u1 · —	POSTE-V	1080.00	90.0° / 90.0°	—

COMPRA-MARCO · Perfil

Largo: 6000.00 mm · Barras: 5 · stock 39e4aeb3-0712-5063-806e-3a34a4d830ad


Barra 1 · COMPRA-MARCO · 6000.00 mm · retazo reutilizable 340.00 mm · aprovechamiento 93.6%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M01 · P03-U01-M04	P03	u1 · —	MARCO	2406.00	45.0° / 45.0°	—


SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
2	P03-U01-M01 · P03-U01-M04	P03	u1 · —	MARCO	2406.00	45.0° / 45.0°	—
3	P02-U01-M02 · P02-U01-M03	P02	u1 · —	MARCO	806.00	45.0° / 45.0°	—

Barra 2 · COMPRA-MARCO · 6000.00 mm · retazo reutilizable 230.00 mm · aprovechamiento 95.4%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M01 · P01-U01-M04 · P01-U02-M01 · P01-U02-M04	P01	u1 · —	MARCO	1606.00	45.0° / 45.0°	—
2	P01-U01-M01 · P01-U01-M04 · P01-U02-M01 · P01-U02-M04	P01	u1 · —	MARCO	1606.00	45.0° / 45.0°	—
3	P01-U01-M01 · P01-U01-M04 · P01-U02-M01 · P01-U02-M04	P01	u1 · —	MARCO	1606.00	45.0° / 45.0°	—
4	P04-U01-M02 · P04-U01-M03	P04	u1 · —	MARCO	906.00	45.0° / 45.0°	—

Barra 3 · COMPRA-MARCO · 6000.00 mm · retazo reutilizable 130.00 mm · aprovechamiento 97.1%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M01 · P01-U01-M04 · P01-U02-M01 · P01-U02-M04	P01	u1 · —	MARCO	1606.00	45.0° / 45.0°	—

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
2	P03-U01-M02 · P03-U01-M03	P03	u1 · —	MARCO	1506.00	45.0° / 45.0°	—
3	P03-U01-M02 · P03-U01-M03	P03	u1 · —	MARCO	1506.00	45.0° / 45.0°	—
4	P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03	P01	u1 · —	MARCO	1206.00	45.0° / 45.0°	—

Barra 4 · COMPRA-MARCO · 6000.00 mm · retazo reutilizable 220.00 mm · aprovechamiento 95.5%

5 · P04-U01-M02 · P04-U01-M03 · 906.00

3 · P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03 · 1206.00

1 · P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03 · 1206.00

2 · P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03 · 1206.00

4 · P04-U01-M01 · P04-U01-M04 · 1206.00

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03	P01	u1 · —	MARCO	1206.00	45.0° / 45.0°	—
2	P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03	P01	u1 · —	MARCO	1206.00	45.0° / 45.0°	—
3	P01-U01-M02 · P01-U01-M03 · P01-U02-M02 · P01-U02-M03	P01	u1 · —	MARCO	1206.00	45.0° / 45.0°	—
4	P04-U01-M01 · P04-U01-M04	P04	u1 · —	MARCO	1206.00	45.0° / 45.0°	—
5	P04-U01-M02 · P04-U01-M03	P04	u1 · —	MARCO	906.00	45.0° / 45.0°	—

Barra 5 · COMPRA-MARCO · 6000.00 mm · retazo reutilizable 2730.00 mm · aprovechamiento 53.7%

3 · P02-U01-M01 · P02-U01-M04 · 606.00

1 · P04-U01-M01 · P04-U01-M04 · 1206.00

2 · P02-U01-M02 · P02-U01-M03 · 806.00


4 · P02-U01-M01 · P02-U01-M04 · 606.00

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P04-U01-M01 · P04-U01-M04	P04	u1 · —	MARCO	1206.00	45.0° / 45.0°	—
2	P02-U01-M02 · P02-U01-M03	P02	u1 · —	MARCO	806.00	45.0° / 45.0°	—
3	P02-U01-M01 · P02-U01-M04	P02	u1 · —	MARCO	606.00	45.0° / 45.0°	—
4	P02-U01-M01 · P02-U01-M04	P02	u1 · —	MARCO	606.00	45.0° / 45.0°	—

COMPRA-JQ-10 · Perfil


Largo: 6000.00 mm · Barras: 6 · stock d2a9b6f7-4ccd-52fa-be60-e30425c814f0

Barra 1 · COMPRA-JQ-10 · 6000.00 mm · retazo reutilizable 23.00 mm · aprovechamiento 98.8%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M06 · P03-U01-M07	P03	u1 · V-04	JQ-10	1419.00	45.0° / 45.0°	—
2	P03-U01-M06 · P03-U01-M07	P03	u1 · V-04	JQ-10	1419.00	45.0° / 45.0°	—
3	P03-U01-M14 · P03-U01-M15	P03	u1 · V-05	JQ-10	1285.00	45.0° / 45.0°	—
4	P03-U01-M14 · P03-U01-M15	P03	u1 · V-05	JQ-10	1285.00	45.0° / 45.0°	—
5	P02-U01-M05 · P02-U01-M08	P02	u1 · V-03	JQ-10	519.00	45.0° / 45.0°	—

Barra 2 · COMPRA-JQ-10 · 6000.00 mm · retazo reutilizable 315.00 mm · aprovechamiento 93.9%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M05 · P03-U01-M08	P03	u1 · V-04	JQ-10	1139.00	45.0° / 45.0°	—
2	P03-U01-M05 · P03-U01-M08	P03	u1 · V-04	JQ-10	1139.00	45.0° / 45.0°	—
3	P01-U01-M06 · P01-U01-M07 · P01-U02-M06 · P01-U02-M07	P01	u1 · V-01	JQ-10	1119.00	45.0° / 45.0°	—
4	P01-U01-M06 · P01-U01-M07 · P01-U02-M06 · P01-U02-M07	P01	u1 · V-01	JQ-10	1119.00	45.0° / 45.0°	—
5	P01-U01-M06 · P01-U01-M07 · P01-U02-M06 · P01-U02-M07	P01	u1 · V-01	JQ-10	1119.00	45.0° / 45.0°	—



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M06 · P01-U01-M07 · P01-U02-M06 · P01-U02-M07	P01	u1 · V-01	JQ-10	1119.00	45.0° / 45.0°	—
2	P04-U01-M05 · P04-U01-M08	P04	u1 · V-06	JQ-10	1119.00	45.0° / 45.0°	—
3	P04-U01-M05 · P04-U01-M08	P04	u1 · V-06	JQ-10	1119.00	45.0° / 45.0°	—
4	P03-U01-M13 · P03-U01-M16	P03	u1 · V-05	JQ-10	1005.00	45.0° / 45.0°	—
5	P03-U01-M13 · P03-U01-M16	P03	u1 · V-05	JQ-10	1005.00	45.0° / 45.0°	—
6	P02-U01-M05 · P02-U01-M08	P02	u1 · V-03	JQ-10	519.00	45.0° / 45.0°	—

Barra 4 · COMPRA-JQ-10 · 6000.00 mm · retazo reutilizable 368.00 mm · aprovechamiento 93.0%

5 · P04-U01-M06 · P04-U01-M07 · 819.00

3 · P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15 · 985.00

1 · P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15 · 985.00

2 · P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15 · 985.00

4 · P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15 · 985.00

6 · P04-U01-M06 · P04-U01-M07 · 819.00

1

2

3

4

5

6

retazo

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15	P01	u1 · V-02	JQ-10	985.00	45.0° / 45.0°	—
2	P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15	P01	u1 · V-02	JQ-10	985.00	45.0° / 45.0°	—
3	P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15	P01	u1 · V-02	JQ-10	985.00	45.0° / 45.0°	—
4	P01-U01-M14 · P01-U01-M15 · P01-U02-M14 · P01-U02-M15	P01	u1 · V-02	JQ-10	985.00	45.0° / 45.0°	—
5	P04-U01-M06 · P04-U01-M07	P04	u1 · V-06	JQ-10	819.00	45.0° / 45.0°	—
6	P04-U01-M06 · P04-U01-M07	P04	u1 · V-06	JQ-10	819.00	45.0° / 45.0°	—

Barra 5 · COMPRA-JQ-10 · 6000.00 mm · retazo reutilizable 334.00 mm · aprovechamiento 93.4%

7 · P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08 · 739.00

3 · P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08 · 739.00

1 · P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08 · 739.00

2 · P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08 · 739.00

4 · P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08 · 739.00

8 · P01-U01-M16 · P01-U01-M16 · P01-U02-M16 · P01-U02-M16 · 605.00

1

2

3

4

5

6

7

8

retazo

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08	P01	u1 · V-01	JQ-10	739.00	45.0° / 45.0°	—

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
2	P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08	P01	u1 · V-01	JQ-10	739.00	45.0° / 45.0°	—
3	P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08	P01	u1 · V-01	JQ-10	739.00	45.0° / 45.0°	—
4	P01-U01-M05 · P01-U01-M08 · P01-U02-M05 · P01-U02-M08	P01	u1 · V-01	JQ-10	739.00	45.0° / 45.0°	—
5	P02-U01-M06 · P02-U01-M07	P02	u1 · V-03	JQ-10	719.00	45.0° / 45.0°	—
6	P02-U01-M06 · P02-U01-M07	P02	u1 · V-03	JQ-10	719.00	45.0° / 45.0°	—
7	P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16	P01	u1 · V-02	JQ-10	605.00	45.0° / 45.0°	—
8	P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16	P01	u1 · V-02	JQ-10	605.00	45.0° / 45.0°	—

Barra 6 · COMPRA-JQ-10 · 6000.00 mm · retazo reutilizable 4752.00 mm · aprovechamiento 20.2%

1 · P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16 · 605.00




2 · P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16 · 605.00

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16	P01	u1 · V-02	JQ-10	605.00	45.0° / 45.0°	—
2	P01-U01-M13 · P01-U01-M16 · P01-U02-M13 · P01-U02-M16	P01	u1 · V-02	JQ-10	605.00	45.0° / 45.0°	—

COMPRA-HOJA · Perfil


Largo: 6000.00 mm · Barras: 3 · stock f4f00e1f-f126-5572-8bae-6dd6c6378607

Barra 1 · COMPRA-HOJA · 6000.00 mm · retazo reutilizable 180.00 mm · aprovechamiento 96.2%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M10 (mec.) · P03-U01-M11	P03	u1 · V-05	HOJA	1402.00	45.0° / 45.0°	—
2	P03-U01-M10 (mec.) · P03-U01-M11	P03	u1 · V-05	HOJA	1402.00	45.0° / 45.0°	—
3	P03-U01-M09 · P03-U01-M12	P03	u1 · V-05	HOJA	1122.00	45.0° / 45.0°	—
4	P03-U01-M09 · P03-U01-M12	P03	u1 · V-05	HOJA	1122.00	45.0° / 45.0°	—
5	P01-U01-M09 · P01-U01-M12 · P01-U02-M09 · P01-U02-M12	P01	u1 · V-02	HOJA	722.00	45.0° / 45.0°	—

Barra 2 · COMPRA-HOJA · 6000.00 mm · retazo reutilizable 94.00 mm · aprovechamiento 97.5%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M10 (mec.) · P01-U01-M11 · P01-U02-M10 (mec.) · P01-U02-M11	P01	u1 · V-02	HOJA	1102.00	45.0° / 45.0°	—
2	P01-U01-M10 (mec.) · P01-U01-M11 · P01-U02-M10 (mec.) · P01-U02-M11	P01	u1 · V-02	HOJA	1102.00	45.0° / 45.0°	—

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
3	P01-U01-M10 (mec.) · P01-U01-M11 · P01-U02-M10 (mec.) · P01-U02-M11	P01	u1 · V-02	HOJA	1102.00	45.0° / 45.0°	—
4	P01-U01-M10 (mec.) · P01-U01-M11 · P01-U02-M10 (mec.) · P01-U02-M11	P01	u1 · V-02	HOJA	1102.00	45.0° / 45.0°	—
5	P01-U01-M09 · P01-U01-M12 · P01-U02-M09 · P01-U02-M12	P01	u1 · V-02	HOJA	722.00	45.0° / 45.0°	—
6	P01-U01-M09 · P01-U01-M12 · P01-U02-M09 · P01-U02-M12	P01	u1 · V-02	HOJA	722.00	45.0° / 45.0°	—

Barra 3 · COMPRA-HOJA · 6000.00 mm · retazo reutilizable 5244.00 mm · aprovechamiento 12.0%

1 · P01-U01-M09 · P01-U01-M12 · P01-U02-M09 · P01-U02-M12 · 722.00




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M09 · P01-U01-M12 · P01-U02-M09 · P01-U02-M12	P01	u1 · V-02	HOJA	722.00	45.0° / 45.0°	—

COMPRA-ACERO-POSTE-V · Refuerzo

Largo: 6000.00 mm · Barras: 1 · stock 135880b2-2cf3-5664-8511-80784728518f

Barra 1 · COMPRA-ACERO-POSTE-V · 6000.00 mm · retazo reutilizable 2448.00 mm · aprovechamiento 58.5%

3 · P01-U01-M17·R · P01-U02-M17·R · 1070.00




PROYECTO	CLIENTE	DOCUMENTO	REV.	FECHA	HUELLA BOM	PÁGINA
P-000001	Vivienda Particular SpA	DOC-05	A	29-09-2026	6d6bc78c109ba440e327fca6...	9 / 14

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M17-R	P03	u1 · —	ACERO- POSTE-V	1370.00	90.0° / 90.0°	—
2	P01-U01-M17-R · P01-U02-M17-R	P01	u1 · —	ACERO- POSTE-V	1070.00	90.0° / 90.0°	—
3	P01-U01-M17-R · P01-U02-M17-R	P01	u1 · —	ACERO- POSTE-V	1070.00	90.0° / 90.0°	—

COMPRA-ACERO-MARCO · Refuerzo


Largo: 6000.00 mm · Barras: 5 · stock 97e7e8b2-7220-537e-90ed-89d11816027d

Barra 1 · COMPRA-ACERO-MARCO · 6000.00 mm · retazo reutilizable 48.00 mm · aprovechamiento 98.5%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M01-R · P03-U01-M04-R	P03	u1 · —	ACERO- MARCO	2370.00	90.0° / 90.0°	—
2	P03-U01-M01-R · P03-U01-M04-R	P03	u1 · —	ACERO- MARCO	2370.00	90.0° / 90.0°	—
3	P01-U01-M02-R · P01-U01-M03-R · P01-U02-M02-R · P01-U02-M03-R	P01	u1 · —	ACERO- MARCO	1170.00	90.0° / 90.0°	—

Barra 2 · COMPRA-ACERO-MARCO · 6000.00 mm · retazo reutilizable 74.00 mm · aprovechamiento 98.0%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M01·R · P01-U01-M04·R · P01-U02-M01·R · P01-U02-M04·R	P01	u1 · —	ACERO-MARCO	1570.00	90.0° / 90.0°	—
2	P01-U01-M01·R · P01-U01-M04·R · P01-U02-M01·R · P01-U02-M04·R	P01	u1 · —	ACERO-MARCO	1570.00	90.0° / 90.0°	—
3	P01-U01-M01·R · P01-U01-M04·R · P01-U02-M01·R · P01-U02-M04·R	P01	u1 · —	ACERO-MARCO	1570.00	90.0° / 90.0°	—
4	P01-U01-M02·R · P01-U01-M03·R · P01-U02-M02·R · P01-U02-M03·R	P01	u1 · —	ACERO-MARCO	1170.00	90.0° / 90.0°	—

Barra 3 · COMPRA-ACERO-MARCO · 6000.00 mm · retazo reutilizable 274.00 mm · aprovechamiento 94.7%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M01·R · P01-U01-M04·R · P01-U02-M01·R · P01-U02-M04·R	P01	u1 · —	ACERO-MARCO	1570.00	90.0° / 90.0°	—
2	P03-U01-M02·R · P03-U01-M03·R	P03	u1 · —	ACERO-MARCO	1470.00	90.0° / 90.0°	—
3	P03-U01-M02·R · P03-U01-M03·R	P03	u1 · —	ACERO-MARCO	1470.00	90.0° / 90.0°	—
4	P01-U01-M02·R · P01-U01-M03·R · P01-U02-M02·R · P01-U02-M03·R	P01	u1 · —	ACERO-MARCO	1170.00	90.0° / 90.0°	—



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M02-R · P01-U01-M03-R · P01-U02-M02-R · P01-U02-M03-R	P01	u1 · —	ACERO-MARCO	1170.00	90.0° / 90.0°	—
2	P04-U01-M01-R · P04-U01-M04-R	P04	u1 · —	ACERO-MARCO	1170.00	90.0° / 90.0°	—
3	P04-U01-M01-R · P04-U01-M04-R	P04	u1 · —	ACERO-MARCO	1170.00	90.0° / 90.0°	—
4	P04-U01-M02-R · P04-U01-M03-R	P04	u1 · —	ACERO-MARCO	870.00	90.0° / 90.0°	—
5	P04-U01-M02-R · P04-U01-M03-R	P04	u1 · —	ACERO-MARCO	870.00	90.0° / 90.0°	—
6	P02-U01-M01-R · P02-U01-M04-R	P02	u1 · —	ACERO-MARCO	570.00	90.0° / 90.0°	—

Barra 5 · COMPRA-ACERO-MARCO · 6000.00 mm · retazo reutilizable 3848.00 mm · aprovechamiento 35.2%




SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P02-U01-M02-R · P02-U01-M03-R	P02	u1 · —	ACERO-MARCO	770.00	90.0° / 90.0°	—
2	P02-U01-M02-R · P02-U01-M03-R	P02	u1 · —	ACERO-MARCO	770.00	90.0° / 90.0°	—

SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
3	P02-U01-M01-R · P02-U01-M04-R	P02	u1 · —	ACERO-MARCO	570.00	90.0° / 90.0°	—

COMPRA-ACERO-HOJA · Refuerzo


Largo: 6000.00 mm · Barras: 3 · stock ccecca33-4dac-508f-a45e-1447d0ee6cea

Barra 1 · COMPRA-ACERO-HOJA · 6000.00 mm · retazo reutilizable 360.00 mm · aprovechamiento 93.2%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P03-U01-M10-R · P03-U01-M11-R	P03	u1 · V-05	ACERO-HOJA	1366.00	90.0° / 90.0°	—
2	P03-U01-M10-R · P03-U01-M11-R	P03	u1 · V-05	ACERO-HOJA	1366.00	90.0° / 90.0°	—
3	P03-U01-M09-R · P03-U01-M12-R	P03	u1 · V-05	ACERO-HOJA	1086.00	90.0° / 90.0°	—
4	P03-U01-M09-R · P03-U01-M12-R	P03	u1 · V-05	ACERO-HOJA	1086.00	90.0° / 90.0°	—
5	P01-U01-M09-R · P01-U01-M12-R · P01-U02-M09-R · P01-U02-M12-R	P01	u1 · V-02	ACERO-HOJA	686.00	90.0° / 90.0°	—


Barra 2 · COMPRA-ACERO-HOJA · 6000.00 mm · retazo reutilizable 310.00 mm · aprovechamiento 93.9%



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M10·R · P01-U01-M11·R · P01-U02-M10·R · P01-U02-M11·R	P01	u1 · V-02	ACERO-HOJA	1066.00	90.0° / 90.0°	—
2	P01-U01-M10·R · P01-U01-M11·R · P01-U02-M10·R · P01-U02-M11·R	P01	u1 · V-02	ACERO-HOJA	1066.00	90.0° / 90.0°	—
3	P01-U01-M10·R · P01-U01-M11·R · P01-U02-M10·R · P01-U02-M11·R	P01	u1 · V-02	ACERO-HOJA	1066.00	90.0° / 90.0°	—
4	P01-U01-M10·R · P01-U01-M11·R · P01-U02-M10·R · P01-U02-M11·R	P01	u1 · V-02	ACERO-HOJA	1066.00	90.0° / 90.0°	—
5	P01-U01-M09·R · P01-U01-M12·R · P01-U02-M09·R · P01-U02-M12·R	P01	u1 · V-02	ACERO-HOJA	686.00	90.0° / 90.0°	—
6	P01-U01-M09·R · P01-U01-M12·R · P01-U02-M09·R · P01-U02-M12·R	P01	u1 · V-02	ACERO-HOJA	686.00	90.0° / 90.0°	—

Barra 3 · COMPRA-ACERO-HOJA · 6000.00 mm · retazo reutilizable 5280.00 mm · aprovechamiento 11.4%

1 · P01-U01-M09·R · P01-U01-M12·R · P01-U02-M09·R · P01-U02-M12·R · 686.00



SEC.	PIEZA FÍSICA	POSICIÓN	VANO / HOJA	SKU TALLER	CORTE MM	ÁNGULOS	FLECHA MM
1	P01-U01-M09·R · P01-U01-M12·R · P01-U02-M09·R · P01-U02-M12·R	P01	u1 · V-02	ACERO-HOJA	686.00	90.0° / 90.0°	—