

P16 - FUENTE SINTETICA, SIN CERTIFICACION

Sistemas

system_code: P16-193532

name: Serie de revision P16

system_family: CASEMENT

material: PVC

depth_mm: 60.00

chamber_count: 5

sash_overlap_mm: 8.00

glass_clearance_white_mm: 3.00

glass_clearance_foil_mm: 5.00

corner_bracket_loss_mm: 0.00

hook_depth_mm: 0.00

door_threshold_mm: 30.00

door_bottom_clearance_mm: 20.00

door_leaf_side_clearance_mm: 7.00

rebate_depth_mm: 15.00

end_milling_overlap_mm: 4.00

finishes: ["WHITE","FOILED"]

version: 1

is_active: true

source: Fixture sintetico P16; sin certificacion

manufacturer: Proveedor sintetico de prueba

Fuente sintetica P16; faltante = Sin dato

P16 - FUENTE SINTETICA, SIN CERTIFICACION

Perfiles

system_code: P16-193532

sku: P16-MARCO

name: Marco de revision P16

role: FRAME

material: PVC

face_width_mm: 60.00

commercial_length_mm: 6000.00

weight_kg_m: 1.1535

steel_weight_kg_m: 1.7000

welding_loss_mm: 6.00

reinforcement_gap_mm: 20.00

source: Fixture sintetico P16; sin certificacion

```
section: {"source":"POLYGON","depth_mm":"60.00","orientation":"EXTERIOR_DOWN","local_origin":"TOP_LEFT","polygon":[{"x_mm":"0","y_mm":"0"},{"x_mm":"55.01","y_mm":"0"},{"x_mm":"55.01","y_mm":"60.00"},{"x_mm":"0","y_mm":"60.00"}],"axes":[{"name":"GLAZING","y_mm":"30.00"}]}
```

P16 - FUENTE SINTETICA, SIN CERTIFICACION

Roles y reglas de corte

system_code: P16-193532

sku: P16-MARCO

role: FRAME

angle_degrees: 45

welding_loss_per_end_mm: 3.00

joint_deduction_per_end_mm: 0.00

meeting_deduction_mm: 0.00

cut_step_mm: 0.01

rounding: UP

source: Fixture sintetico P16; sin certificacion