

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\Sender\Sender\bin\Debug\Sender.exe

Publisher started

Sent: Message0

Sent: Message1

Sent: Message2

Sent: Message3

Sent: Message4

Sent: Message5

Sent: Message6

Sent: Message7

Sent: Message8

Sent: Message9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\ReceiverA\ReceiverA\bin\Debug\ReceiverA.exe

SubscriberA started

SubscriberA received: Message0

SubscriberA received: Message1

SubscriberA received: Message2

SubscriberA received: Message3

SubscriberA received: Message4

SubscriberA received: Message5

SubscriberA received: Message6

SubscriberA received: Message7

SubscriberA received: Message8

SubscriberA received: Message9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\Sender\Sender\bin\Debug\Sender.exe

Publisher started

Sent: Message0

Sent: Message1

Sent: Message2

Sent: Message3

Sent: Message4

Sent: Message5

Sent: Message6

Sent: Message7

Sent: Message8

Sent: Message9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\ReceiverA\ReceiverA\bin\Debug\ReceiverA.exe

SubscriberA started

SubscriberA received: Message0. First header: value1. Second header: value2

SubscriberA received: Message1. First header: value1. Second header: value2

SubscriberA received: Message2. First header: value1. Second header: value2

SubscriberA received: Message3. First header: value1. Second header: value2

SubscriberA received: Message4. First header: value1. Second header: value2

SubscriberA received: Message5. First header: value1. Second header: value2

SubscriberA received: Message6. First header: value1. Second header: value2

SubscriberA received: Message7. First header: value1. Second header: value2

SubscriberA received: Message8. First header: value1. Second header: value2

SubscriberA received: Message9. First header: value1. Second header: value2

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\Sender\Sender\bin\Debug\Sender.exe

Publisher started

Sent: Message0

Sent: Message1

Sent: Message2

Sent: Message3

Sent: Message4

Sent: Message5

Sent: Message6

Sent: Message7

Sent: Message8

Sent: Message9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\ReceiverB\ReceiverB\bin\Debug\ReceiverB.exe

SubscriberB started

SubscriberB received: Message0. First header: value1. Second header: value2. Counter: 1

SubscriberB received: Message1. First header: value1. Second header: value2. Counter: 2

SubscriberB received: Message2. First header: value1. Second header: value2. Counter: 3

SubscriberB received: Message3. First header: value1. Second header: value2. Counter: 4

SubscriberB received: Message4. First header: value1. Second header: value2. Counter: 5

SubscriberB received: Message5. First header: value1. Second header: value2. Counter: 6

SubscriberB received: Message6. First header: value1. Second header: value2. Counter: 7

SubscriberB received: Message7. First header: value1. Second header: value2. Counter: 8

SubscriberB received: Message8. First header: value1. Second header: value2. Counter: 9

SubscriberB received: Message9. First header: value1. Second header: value2. Counter: 10

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\Sender\Sender\bin\Debug\Sender.exe

Publisher started

Sent: Message0 and MessageSecondType0

Sent: Message1 and MessageSecondType1

Sent: Message2 and MessageSecondType2

Sent: Message3 and MessageSecondType3

Sent: Message4 and MessageSecondType4

Sent: Message5 and MessageSecondType5

Sent: Message6 and MessageSecondType6

Sent: Message7 and MessageSecondType7

Sent: Message8 and MessageSecondType8

Sent: Message9 and MessageSecondType9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\ReceiverC\ReceiverC\bin\Debug\ReceiverC.exe

SubscriberC started

SubscriberC received: MessageSecondType0

SubscriberC received: MessageSecondType1

SubscriberC received: MessageSecondType2

SubscriberC received: MessageSecondType3

SubscriberC received: MessageSecondType4

SubscriberC received: MessageSecondType5

SubscriberC received: MessageSecondType6

SubscriberC received: MessageSecondType7

SubscriberC received: MessageSecondType8

SubscriberC received: MessageSecondType9

C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\Sender\Sender\bin\Debug\Sender.exe

Publisher started

Sent: Message0 and MessageSecondType0 and 1MessageThirdType0 2MessageThirdType0  
Sent: Message1 and MessageSecondType1 and 1MessageThirdType1 2MessageThirdType1  
Sent: Message2 and MessageSecondType2 and 1MessageThirdType2 2MessageThirdType2  
Sent: Message3 and MessageSecondType3 and 1MessageThirdType3 2MessageThirdType3  
Sent: Message4 and MessageSecondType4 and 1MessageThirdType4 2MessageThirdType4  
Sent: Message5 and MessageSecondType5 and 1MessageThirdType5 2MessageThirdType5  
Sent: Message6 and MessageSecondType6 and 1MessageThirdType6 2MessageThirdType6  
Sent: Message7 and MessageSecondType7 and 1MessageThirdType7 2MessageThirdType7  
Sent: Message8 and MessageSecondType8 and 1MessageThirdType8 2MessageThirdType8  
Sent: Message9 and MessageSecondType9 and 1MessageThirdType9 2MessageThirdType9

Select C:\Users\mipig\Desktop\KSR\8\_MassTransitLab1\ReceiverB\ReceiverB\bin\Debug\ReceiverB.exe

SubscriberB started

SubscriberB received: 1MessageThirdType0 2MessageThirdType0. First header: 3value1. Second header: 3value2. Counter: 1  
SubscriberB received: 1MessageThirdType1 2MessageThirdType1. First header: 3value1. Second header: 3value2. Counter: 2  
SubscriberB received: 1MessageThirdType2 2MessageThirdType2. First header: 3value1. Second header: 3value2. Counter: 3  
SubscriberB received: 1MessageThirdType3 2MessageThirdType3. First header: 3value1. Second header: 3value2. Counter: 4  
SubscriberB received: 1MessageThirdType4 2MessageThirdType4. First header: 3value1. Second header: 3value2. Counter: 5  
SubscriberB received: 1MessageThirdType5 2MessageThirdType5. First header: 3value1. Second header: 3value2. Counter: 6  
SubscriberB received: 1MessageThirdType6 2MessageThirdType6. First header: 3value1. Second header: 3value2. Counter: 7  
SubscriberB received: 1MessageThirdType7 2MessageThirdType7. First header: 3value1. Second header: 3value2. Counter: 8  
SubscriberB received: 1MessageThirdType8 2MessageThirdType8. First header: 3value1. Second header: 3value2. Counter: 9  
SubscriberB received: 1MessageThirdType9 2MessageThirdType9. First header: 3value1. Second header: 3value2. Counter: 10