


Mule Domain

Link: <https://docs.mulesoft.com/mule-runtime/latest/shared-resources>

When you deploy Mule on premises, you can define global configurations such as shared properties, scheduler pools, and connector configurations to be shared among all applications/projects deployed under the same domain. To do so, create a Mule domain and then reference it from each application. As a result, each app now associated with the Mule domain can access shared resources in the domain.


Note that Mule apps are associated with only one domain at a time.

Create mule domain:



>> mydomain is a mile domain project.


>> we cannot configure flows, only global elements can be configured.




By default, there will be no dependency in pom.xml. We need to add everything like HTTP listner and all




To add the dependency, click on manage modules



>> click on + symbol > from exchange



>> search for HTTP connector, db, secure etc. and add.



Now we can dependency are added

```

17         <classifier>mule-plugin</classifier>
18     </dependency>
19 </dependencies>
20 <dependency>
21     <groupId>com.mulesoft.modules</groupId>
22     <artifactId>mule-secure-configuration-property-module</artifactId>
23     <version>1.2.6</version>
24     <classifier>mule-plugin</classifier>
25 </dependency>
26 </dependencies>
27
28 <repositories>
29     <repository>
30         <id>anypoint-exchange-v3</id>
31         <name>Anypoint Exchange</name>
32         <url>https://maven.anypoint.mulesoft.com/api/v3/maven</url>
33         <layout>default</layout>
34     </repository>
35 </repositories>

```

>> the create http listener and database connector configurations.



Connect it with other projects:

>> copy env.yaml (app-prod.yaml, app-dev.yaml etc,,) files to mydomain project under src/main/resources

>> right click on our project > properties > mule project > domain -mydomain

