

CURRENT IMPLEMENTATION · READ-ONLY AUDIT

Complete Web Application Wireframe

Screen-by-screen reference for comparing the existing Perfusion web application with a separately developed mobile application. Route pages, dialogs, sheets and conditional states are distinguished explicitly.

Public and authentication

Care Seeker

Care Provider

Administrator

QA comparison

Scope rule

This document describes the current web implementation. It does not redesign the product or treat backlog items as active behavior.

Document contents


1. Role-based navigation flow diagrams
2. Detailed active route and subflow wireframes
3. Authentication and permission conditions
4. Inactive/unregistered screen inventory
5. Manual interaction test checklist
6. Role differences and end-to-end journeys

Generated from


Current routes, layouts, pages and major child components in artifacts/perfusion-web.

Navigation and user-flow diagrams


Public and authentication




Care Seeker




Care Provider



Administrator







SCREEN INVENTORY


Public and Authentication

13 documented views

A01**Landing**

/

Public

**PURPOSE**

Introduce Perfusion and direct visitors into service discovery.

LAYOUT AND HIERARCHY

Standalone marketing page with hero, interactive service cards, explanatory sections, contact information, and footer.

HEADER AND NAVIGATION

Internal landing navigation and calls to action; no role shell.

MAIN CONTENT

Hero; consultation, laboratory, and other service cards; product explanation; contact and footer.

CONTROLS

Consultants and lab-test calls to action; telephone and email links; home/login/registration entry points.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Consultants opens /consultants; Lab Tests opens /lab-tests; telephone and email links open device handlers; footer can open /home.

IMPORTANT STATES

Static page; no network loading, empty, or error state identified.

AUTHENTICATION AND PERMISSIONS

Public; remains accessible when authenticated.

JOURNEY RELATIONSHIP

Entry point. Next: public catalogs, /home, login, or registration.

A02

Compact Home

/home

Public

PURPOSE

Provide a compact authentication entry screen.

LAYOUT AND HIERARCHY

Centered card with Perfusion identity and two primary actions.

HEADER AND NAVIGATION

No application sidebar; direct navigation buttons.

MAIN CONTENT

Welcome/brand area and authentication choices.

CONTROLS

Log in; Sign up.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Log in opens /login; Sign up opens /register.

IMPORTANT STATES

Static page.

AUTHENTICATION AND PERMISSIONS

Public.

JOURNEY RELATIONSHIP

Previous: landing or logout. Next: login or registration.

A03

Public Consultants

/consultants

Public or authenticated

PURPOSE

Browse specialist consultants before booking.

LAYOUT AND HIERARCHY

PublicLayout sticky header; title and guest prompt; search/filter panel; consultant-card grid; profile sheet.

HEADER AND NAVIGATION

Logo to /; Browse Doctors; Lab Tests; theme; role dashboard or login/signup.

MAIN CONTENT

Regular consultant catalog; optional Emergency Consultation mode; consultant profile sheet with experience, biography and available slots.

CONTROLS

Emergency toggle; search; specialization selector; availability sort; View Profile; Book Consultation.

FORMS AND INPUTS

Search by name or specialization; specialization dropdown; sort dropdown.

MAJOR INTERACTIONS

Profile opens side sheet; Book opens /user/consultation/:id/book when authenticated or login with redirect when anonymous.

IMPORTANT STATES

Skeleton loading; no-results state; emergency Coming Soon presentation; no explicit query-error panel.

AUTHENTICATION AND PERMISSIONS

Browsing public; booking requires authenticated user and backend authorization.

JOURNEY RELATIONSHIP

Previous: landing/public header. Next: login or consultation booking.

A04

Public Lab Tests

/lab-tests

Public or authenticated

PURPOSE

Browse diagnostic tests before booking.

LAYOUT AND HIERARCHY

PublicLayout header; page heading; filter card; guest banner; test cards.

HEADER AND NAVIGATION

Same public header as consultant catalog.

MAIN CONTENT

Diagnostic-test cards with category, turnaround time and price.

CONTROLS

Book Tests; search; category filter; name/cost/TAT sort; Book This Test; login/register links.

FORMS AND INPUTS

Search tests; category; sort.

MAJOR INTERACTIONS

Booking opens /user/labs when authenticated or login with redirect when anonymous.

IMPORTANT STATES

Skeleton loading; no-tests-found state; no explicit error panel.

AUTHENTICATION AND PERMISSIONS

Browsing public; booking requires authenticated user.

JOURNEY RELATIONSHIP

Previous: landing/header. Next: login or authenticated lab catalog.

A05

Login

/login

Public

PURPOSE

Authenticate an existing Perfusion account and route by account state.

LAYOUT AND HIERARCHY

Centered card with brand, Google action, divider, email form and account links.

HEADER AND NAVIGATION

Back to Home and Create one links.

MAIN CONTENT

Welcome Back heading; Google sign-in; email/password form.

CONTROLS

Google sign-in; password visibility; Sign In; Create one; Back to Home.

FORMS AND INPUTS

Email; Password.

MAJOR INTERACTIONS

Successful login conditionally routes to email verification, pending approval, agreement, redirect target, or role dashboard.

IMPORTANT STATES

Signing in pending state; validation; login failure toast; Google/session query error toast; rejected-account message.

AUTHENTICATION AND PERMISSIONS

Public; authenticated result is role/state dependent.

JOURNEY RELATIONSHIP

Previous: public pages. Next: verification, approval, agreement, or dashboard.

A06

Registration

/register

Public

PURPOSE

Create a Care Seeker or Care Provider account.

LAYOUT AND HIERARCHY

Centered wide card with role choices, Google registration choices and conditional provider sections.

HEADER AND NAVIGATION

Login and Home links.

MAIN CONTENT

Account identity form; role cards; provider-type and organization details; registration-document upload.

CONTROLS

Google Care Seeker/Provider actions; role cards; provider-type select; file upload; submit.

FORMS AND INPUTS

First name; last name; email; password; confirm password; provider type; phone; city/location; description; organization/registration fields when applicable.

MAJOR INTERACTIONS

Create account; upload document; success routes to email verification or pending approval.

IMPORTANT STATES

Field validation; password mismatch; pending/upload spinner; mutation error toast; document upload failure is non-fatal.

AUTHENTICATION AND PERMISSIONS

Public.

JOURNEY RELATIONSHIP

Previous: login/home. Next: verification or pending approval.

A07

Role Selection

/select-role

Signed-in account without role

PURPOSE

Assign Care Seeker or Care Provider role.

LAYOUT AND HIERARCHY

Centered card with two large role choices.

HEADER AND NAVIGATION

No role shell or explicit back navigation.

MAIN CONTENT

Choose Your Role heading and role descriptions.

CONTROLS

Care Seeker; Care Provider.

FORMS AND INPUTS

Role choice only.

MAJOR INTERACTIONS

Updates user role; Provider opens /provider/onboarding; Seeker opens /user.

IMPORTANT STATES

Pending spinner and error toast.

AUTHENTICATION AND PERMISSIONS

Intended for authenticated account; no local route wrapper identified.

JOURNEY RELATIONSHIP

Previous: social/new-account authentication. Next: provider onboarding or seeker dashboard.

A08

Complete Profile

/complete-profile

Signed-in incomplete account

PURPOSE

Collect role and organization information required after account creation.

LAYOUT AND HIERARCHY

Centered profile card with current email, role choice and conditional provider fields.

HEADER AND NAVIGATION

No role sidebar.

MAIN CONTENT

Role, organization, provider type, location, phone, registration information, description and document upload.

CONTROLS

Role cards; provider-type selector; upload; submit.

FORMS AND INPUTS

Organization/hospital; city; phone; address; registration details; description and role-specific fields.

MAJOR INTERACTIONS

Save profile; upload document; success opens pending approval.

IMPORTANT STATES

Loading current account; upload success/failure toast; submit pending and error toast.

AUTHENTICATION AND PERMISSIONS

Authenticated incomplete account.

JOURNEY RELATIONSHIP

Previous: registration/social sign-in. Next: pending approval.

A09

Email Verification

/verify-email

Authenticated unverified account

PURPOSE

Verify email with a six-digit code.

LAYOUT AND HIERARCHY

Centered card with mail icon, instructions, code input and resend action.

HEADER AND NAVIGATION

No application shell.

MAIN CONTENT

Verification explanation and ten-minute expiry notice.

CONTROLS

Verify Email; Resend Code.

FORMS AND INPUTS

Six-digit numeric code.

MAJOR INTERACTIONS

Verify or resend; success routes to admin dashboard, provider dashboard, seeker dashboard, or pending approval.

IMPORTANT STATES

Verify/resend pending labels; invalid-code error toast; success toast.

AUTHENTICATION AND PERMISSIONS

Intended for authenticated unverified session.

JOURNEY RELATIONSHIP

Previous: registration/login. Next: approval or role dashboard.

A10

Pending Approval

/pending-approval

Signed-in pending account

PURPOSE

Explain that provider or account registration awaits administrative approval.

LAYOUT AND HIERARCHY

Centered status card with clock icon, review steps and support information.

HEADER AND NAVIGATION

Back to Home; Log Out.

MAIN CONTENT

Registration Pending Approval; verification steps; expected review duration; support phone.

CONTROLS

Log Out; Back to Home.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Logout clears session and opens /home; home action opens /.

IMPORTANT STATES

Logout pending state; no approval polling or refresh state.

AUTHENTICATION AND PERMISSIONS

Pending signed-in account.

JOURNEY RELATIONSHIP

Previous: registration/profile completion. Next: later login after approval or logout.

A11

Agreement

/agreement

Authenticated approved account requiring agreement

PURPOSE

Capture acceptance of the current platform agreement.

LAYOUT AND HIERARCHY

Full-screen modal overlay with title/version, identity summary, scrollable legal text and acceptance controls.

HEADER AND NAVIGATION

Gate screen; no cancel or role navigation.

MAIN CONTENT

Partner data; agreement text; scroll instruction; legally binding acknowledgement.

CONTROLS

Acceptance checkbox unlocked after scrolling; I ACCEPT button.

FORMS AND INPUTS

Mandatory acceptance checkbox.

MAJOR INTERACTIONS

Sign agreement; success routes by role after confirmation.

IMPORTANT STATES

Loading agreement; acceptance disabled until bottom; recording state; inline error; signed success state.

AUTHENTICATION AND PERMISSIONS

Enforced by AgreementGate for authenticated users requiring current version.

JOURNEY RELATIONSHIP

Previous: login or protected-route interception. Next: provider/seeker/home.

A12

Prescription Verification

/verify/prescription/:bookingId

Public verification visitor

PURPOSE

Verify a prescription associated with a booking identifier.

LAYOUT AND HIERARCHY

Standalone verification page outside role layouts.

HEADER AND NAVIGATION

No user/provider shell.

MAIN CONTENT

Prescription verification result and metadata supplied by endpoint.

CONTROLS

Verification/result interactions implemented on page.

FORMS AND INPUTS

Booking ID is provided by route.

MAJOR INTERACTIONS

Review verification outcome.

IMPORTANT STATES

Endpoint-driven valid/invalid/loading/error states.

AUTHENTICATION AND PERMISSIONS

Public route; returned data controlled by verification endpoint.

JOURNEY RELATIONSHIP

Entered from prescription verification link; terminal verification view.

A13

Shared Video Room

/video/:roomId

Authorized seeker or provider

PURPOSE

Run an eligible live video consultation.

LAYOUT AND HIERARCHY

Standalone full-screen call page; pre-call setup followed by video room and consultation dialogs.

HEADER AND NAVIGATION

Cancel/back uses returnTo query rather than role sidebar.

MAIN CONTENT

Unavailable panel; pre-consultation setup; secure room; call controls; optional consultation-summary dialog.

CONTROLS

Doctor/presenter identity; continue/cancel; device and call controls; leave/back; summary controls when authorized.

FORMS AND INPUTS

On-call doctor or presenter name; designation.

MAJOR INTERACTIONS

Join room, operate call, leave and return to originating role page.

IMPORTANT STATES

Unavailable; connecting; error; active call; disabled call window; signed/locked summary.

AUTHENTICATION AND PERMISSIONS

Room, booking status, call window and backend permission controlled.

JOURNEY RELATIONSHIP

Entered from seeker/provider booking. Returns to supplied dashboard/orders/bookings route.

B01

Seeker Shell

All /user routes

Care Seeker

PURPOSE

Provide authenticated seeker navigation and account controls.

LAYOUT AND HIERARCHY

Responsive sidebar/header surrounding page content.

HEADER AND NAVIGATION

Dashboard; Consultation; Labs; Teleradiology; My Orders; Billing; My Profile; support phone; theme; logout.

MAIN CONTENT

Shared role shell only.

CONTROLS

Sidebar links; mobile menu; customer-care telephone; theme; logout.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Navigate laterally among seeker pages or sign out.

IMPORTANT STATES

Authentication loading skeleton; unauthenticated redirect to /login.

AUTHENTICATION AND PERMISSIONS

Authenticated user layout.

JOURNEY RELATIONSHIP

Wraps B02-B09.

B02

Seeker Dashboard

Care Seeker

/user

PURPOSE

Summarize booking options and current healthcare activity.

LAYOUT AND HIERARCHY

New Booking cards followed by Your Activity, consultation cards and ready-report content.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Super Speciality Consultation; Lab Tests; consultation activity; ready reports; optional clean-dashboard selection mode.

CONTROLS

New consultation; new lab booking; join video; call consultant; download summary/review; upload reports or charts; select/remove dashboard items.

FORMS AND INPUTS

Upload dialog file/metadata where invoked.

MAJOR INTERACTIONS

Open consultation/lab discovery, video room, downloads, phone call, or upload dialog.

IMPORTANT STATES

Skeleton; empty consultations; disabled/no-room call states; post-prescription expiry; clean-mode confirmation behavior.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker; booking-specific actions depend on state and permissions.

JOURNEY RELATIONSHIP

Previous: login/agreement. Next: consultation, labs, orders, video or document actions.

B03

Consultation Discovery and Consultant Detail

Care Seeker

/user/consultation

PURPOSE

Search, filter and select a consultant.

LAYOUT AND HIERARCHY

Heading and emergency toggle; search/filter card; consultant grid; right-side profile sheet.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Regular consultant list; emergency in-page mode; profile sheet with professional and availability information.

CONTROLS

Search; specialization; Cost/Availability sort; emergency toggle; View Profile; Book Consultation.

FORMS AND INPUTS

Search query; specialization; sort.

MAJOR INTERACTIONS

Profile opens sheet; booking opens /user/consultation/:id/book; emergency cards use same booking route.

IMPORTANT STATES

Skeleton; no results; emergency department/team state; profile sheet open/closed.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker.

JOURNEY RELATIONSHIP

Previous: dashboard/sidebar. Next: booking route.

B04

Consultation Booking, Payment and Confirmation

Care Seeker

/user/consultation/:id/book

PURPOSE

Complete consultation details, select a slot, pay, and confirm an appointment.

LAYOUT AND HIERARCHY

Single long form with consultant header, patient details, slot calendar, clinical/document sections and order/payment summary; confirmation replaces form on success.

HEADER AND NAVIGATION

Back action; no separate route for slot, payment or confirmation.

MAIN CONTENT

Patient identity; appointment slots; contact/ward; clinical details; uploads; Razorpay order summary; optional follow-up variation.

CONTROLS

Calendar/date and slot selectors; text inputs; uploads; payment/confirm; follow-up report upload; back.

FORMS AND INPUTS

Existing clinical and patient fields; appointment date/time; callback/ward; follow-up current status and update text; optional reports.

MAJOR INTERACTIONS

Submit booking/payment; follow-up mode uses parentBookingId; success opens Orders, another booking, or Video Room.

IMPORTANT STATES

Missing-service return; slot unavailable/expired; today/selected legend; payment pending/error; upload state; Appointment Confirmed result.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker; selected service, available slot and payment/backend validation required.

JOURNEY RELATIONSHIP

Previous: discovery or Orders follow-up. Next: Orders, another booking or video.

B05

Orders, Booking Detail, Prescriptions and Reports

Care Seeker

/user/orders

PURPOSE

Track all booking types and inspect longitudinal booking artifacts.

LAYOUT AND HIERARCHY

Tabs and filters above booking cards; selected card reveals in-page detail panel; document preview and upload dialogs overlay page.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Lab, Consultation and Teleradiology tabs; service cards; status/timeline; appointment/payment; call/video; documents; reports; treatment charts; prescription and review trail.

CONTROLS

Search; status; date range; card select; status-specific actions; receipt/summary/PDF downloads; Book Follow-Up; join video; call; upload; preview fullscreen.

FORMS AND INPUTS

Search, status, dates; upload file/URL/notes where supported.

MAJOR INTERACTIONS

Select card for details; download documents; open video; call; start follow-up booking; upload or preview clinical material.

IMPORTANT STATES

Loading; empty/filter-empty; document preview; upload pending/failure; action disabled by status/time/permission.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker; ownership and artifact access endpoint-controlled.

JOURNEY RELATIONSHIP

Previous: dashboard or booking confirmation. Next: video, follow-up booking, downloads or same-page details.

B06

Lab Discovery and Patient Dialog

Care Seeker

/user/labs

PURPOSE

Search diagnostic tests and begin a lab booking.

LAYOUT AND HIERARCHY

Heading; search/category/sort controls; test cards; patient-details dialog.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Test catalog with details and pricing; patient information overlay.

CONTROLS

Search; category; sort; book; dialog cancel/confirm.

FORMS AND INPUTS

Patient name; age; ordering doctor; IPD number; bed number; optional diagnosis.

MAJOR INTERACTIONS

Select test; open patient dialog; proceed to /user/labs/:id/book.

IMPORTANT STATES

Loading; no results; dialog validation.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker.

JOURNEY RELATIONSHIP

Previous: dashboard/sidebar. Next: lab booking.

B07

Lab Booking, Payment and Confirmation

Care Seeker

/user/labs/:id/book

PURPOSE

Enter lab request details, pay, and confirm.

LAYOUT AND HIERARCHY

Patient Details card plus Payment/order summary; success confirmation replaces active form.

HEADER AND NAVIGATION

Back to labs.

MAIN CONTENT

Selected test; patient and inpatient details; payment summary; confirmation details.

CONTROLS

Test selector; patient fields; pay/confirm; View Order Status; Book Another Test.

FORMS AND INPUTS

Name; age; provisional diagnosis; IPD; bed; physician; selected test.

MAJOR INTERACTIONS

Submit payment/booking; success opens Orders or Labs.

IMPORTANT STATES

Missing-service return; payment pending/error; Booking Confirmed result.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker.

JOURNEY RELATIONSHIP

Previous: labs. Next: orders or another lab booking.

B08

Teleradiology Request

/user/teleradiology

Care Seeker

PURPOSE

Request teleradiology reporting using the implemented form.

LAYOUT AND HIERARCHY

Single route with title, Request Report card, patient information and uploads.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Patient information and report-request inputs.

CONTROLS

Form inputs; file upload; submit request.

FORMS AND INPUTS

Existing patient and teleradiology request fields defined on page.

MAJOR INTERACTIONS

Submit request; later track in Orders teleradiology tab.

IMPORTANT STATES

Form validation; upload/submission pending and errors.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker.

JOURNEY RELATIONSHIP

Previous: dashboard/sidebar. Next: Orders for status.

B09

Seeker Billing

/user/billing

Care Seeker

PURPOSE

Review seeker payment and billing history outside booking checkout.

LAYOUT AND HIERARCHY

Billing summary/list interface with receipt and payment controls where available.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Billing records and payment history.

CONTROLS

Record-level payment/receipt actions implemented on page.

FORMS AND INPUTS

Any billing filters or payment inputs are in-page/subflow.

MAJOR INTERACTIONS

Review transactions, download receipts or enter external payment when offered.

IMPORTANT STATES

Query loading; empty/error/payment states.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker; own records only.

JOURNEY RELATIONSHIP

Reached from sidebar; external payment/receipt is terminal subflow.

B10

Seeker Profile

Care Seeker

/user/profile

PURPOSE

View and edit seeker account details.

LAYOUT AND HIERARCHY

Role-aware My Profile form reused with provider route.

HEADER AND NAVIGATION

Seeker shell.

MAIN CONTENT

Personal account identity and editable fields.

CONTROLS

Edit/save; profile photo controls where available; password/account actions; logout through shell.

FORMS AND INPUTS

First name; last name; email and other current profile fields.

MAJOR INTERACTIONS

Save profile changes.

IMPORTANT STATES

Initial loading; validation; save pending; success/error toast.

AUTHENTICATION AND PERMISSIONS

Authenticated seeker.

JOURNEY RELATIONSHIP

Sidebar destination; remains on profile after save.



Care Provider


8 documented views

C01

Provider Onboarding

/provider/onboarding

New Care Provider



PURPOSE

Complete provider setup before entering the provider workspace.

LAYOUT AND HIERARCHY

Centered A Few More Details card with organization summary and form.

HEADER AND NAVIGATION

Standalone; no provider sidebar.

MAIN CONTENT

Read-only organization details; provider type, contact, location and description.

CONTROLS

Provider Type selector; Complete Setup.

FORMS AND INPUTS

Provider type; phone; city/location; optional description.

MAJOR INTERACTIONS

Create provider profile; consultant also receives initial consultant record; success opens /provider.

IMPORTANT STATES

Loading your profile; existing provider auto-redirect; validation; pending; error/success toast.

AUTHENTICATION AND PERMISSIONS

Authenticated user without provider record; endpoint-controlled.

JOURNEY RELATIONSHIP

Previous: role selection/profile completion. Next: provider dashboard.

C02

Provider Shell

All layout-wrapped /provider routes

Care Provider

PURPOSE

Provide provider navigation and account controls.

LAYOUT AND HIERARCHY

Sidebar/header around scrollable page content.

HEADER AND NAVIGATION

Dashboard; Bookings; Billing; My Profile; Services only for eligible types; support phone; theme; logout.

MAIN CONTENT

Shared provider shell.

CONTROLS

Navigation; mobile sidebar; theme; telephone; logout.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Navigate provider workspace or sign out.

IMPORTANT STATES

Authentication/provider loading skeleton; unauthenticated redirect; Services redirect for consultant/teleradiology.

AUTHENTICATION AND PERMISSIONS

Authenticated provider session; provider type fetched from /api/providers/me.

JOURNEY RELATIONSHIP

Wraps C03-C07.

C03

Provider Dashboard and Patient Subflows

Care Provider

/provider

PURPOSE

Show provider-type-specific operational and earnings overview.

LAYOUT AND HIERARCHY

Metrics and revenue cards followed by provider-type content; consultant view includes availability and active consultation cards.

HEADER AND NAVIGATION

Provider shell.

MAIN CONTENT

Lab/Teleradiology/Hospital overview variants; consultant availability; patient/appointment cards; earnings; Patient Details and file dialogs.

CONTROLS

Join video; call seeker; generate/edit/view summary; review summary; post-consultation toggles; patient detail; reports/charts; availability editor.

FORMS AND INPUTS

Availability editor and summary/review forms when opened.

MAJOR INTERACTIONS

Open video, telephone, patient dialog, file dialog, summary dialog or permission controls.

IMPORTANT STATES

Loading skeleton; no active consultations; no room; call-window disabled; no reports/charts; signed/locked versus draft summary.

AUTHENTICATION AND PERMISSIONS

Authenticated provider; content and actions vary by provider type, booking ownership and status.

JOURNEY RELATIONSHIP

Previous: onboarding/login. Next: bookings, video or in-page dialogs.

C04

Provider Bookings and Booking Detail

/provider/bookings

Care Provider

PURPOSE

Manage assigned bookings and complete service-specific work.

LAYOUT AND HIERARCHY

Pending/Active/Completed groups with detailed rows and multiple dialogs; no separate detail route.

HEADER AND NAVIGATION

Provider shell.

MAIN CONTENT

Service, patient, booking, clinical and financial metadata; consultation, lab and radiology actions.

CONTROLS

Status selector; join video; generate/edit/view summary; draft PDF; Add Review; call/video/upload permissions; Upload/View Report; Documents; call and receipt actions where available.

FORMS AND INPUTS

Status; report file or URL and notes; summary/review fields in dialogs.

MAJOR INTERACTIONS

Update status; open room; upload report; inspect documents; produce and sign clinical summary; configure temporary post-consultation access.

IMPORTANT STATES

Loading/empty by group; report upload pending/error; call ended/window disabled/video disabled; signed and locked; draft; post-Rx countdown.

AUTHENTICATION AND PERMISSIONS

Authenticated provider; list is client-filtered by provider type and server/API ownership remains authoritative.

JOURNEY RELATIONSHIP

Previous: dashboard/sidebar. Next: video, files, summaries or same-page status updates.

C05

Provider Services, Pricing and Availability

/provider/services

Eligible provider types

PURPOSE

Manage service catalog assignments, prices, availability and service suggestions.

LAYOUT AND HIERARCHY

Provider-type tabs with tables/cards plus add, edit, bulk-import and availability dialogs.

HEADER AND NAVIGATION

Provider shell; route hidden/redirected for consultant and teleradiology in current layout.

MAIN CONTENT

Lab tests; consultants; emergency teams; teleradiology modalities depending on provider type.

CONTROLS

Add from catalog; suggest service; bulk Excel import/template; margin; edit price/TAT; select/delete; consultant form; emergency team form; manage availability.

FORMS AND INPUTS

Service name/type; price; turnaround; registration; professional profile; fees; documents; affiliation; portfolio; availability.

MAJOR INTERACTIONS

Create/edit/delete/pause service assignments; upload bulk file; suggest catalog item; open bookings.

IMPORTANT STATES

Loading; provider-type empty states; No consultants yet; validation; pending mutations; transport has no active service tab.

AUTHENTICATION AND PERMISSIONS

Hospital/lab and other supported provider types; current shell intentionally denies consultant/teleradiology direct access.

JOURNEY RELATIONSHIP

Sidebar destination; dialogs remain on page; some actions link to Bookings.

C06

Provider Billing

/provider/billing

Care Provider

PURPOSE

Review earnings and settlement status.

LAYOUT AND HIERARCHY

Four KPI cards, date controls, by-type cards, then earning records.

HEADER AND NAVIGATION

Provider shell.

MAIN CONTENT

Total Earnings; Paid; Pending; Services Delivered; service-type totals; settlement entries.

CONTROLS

From and To date filters.

FORMS AND INPUTS

Date range.

MAJOR INTERACTIONS

Filter earnings period and review record details.

IMPORTANT STATES

Loading skeleton; No earnings found; Settled/Pending Settlement badges.

AUTHENTICATION AND PERMISSIONS

Authenticated provider; own earnings endpoint.

JOURNEY RELATIONSHIP

Sidebar destination; no drill-down route.

C07

Provider Profile

/provider/profile

Care Provider

PURPOSE

Maintain account, organization and professional information.

LAYOUT AND HIERARCHY

Role-aware My Profile form with personal, provider, consultant and account sections.

HEADER AND NAVIGATION

Provider shell.

MAIN CONTENT

Display/location/description; consultant qualifications, specialization, experience, fee, registration, affiliation, biography/portfolio, documents; account and password sections.

CONTROLS

Photo/document uploads; edit/save; password change and related account actions.

FORMS AND INPUTS

Current personal, organization and professional fields authorized by role/provider type.

MAJOR INTERACTIONS

PATCH profile/provider data; upload files; change credentials where offered.

IMPORTANT STATES

Loading; validation; upload; save pending; profile/provider success and error toasts.

AUTHENTICATION AND PERMISSIONS

Authenticated provider; consultant fields enabled only for consultant profile.

JOURNEY RELATIONSHIP

Sidebar destination; remains on profile after save.

C08

Provider Clinical Summary and Prescription

Authorized consulting provider

Dialog within dashboard/bookings/video

PURPOSE

Draft, confirm, sign and review consultation documentation.

LAYOUT AND HIERARCHY

Modal form over provider workflow; signed summaries become locked/read-oriented.

HEADER AND NAVIGATION

Returns to underlying dashboard/bookings/video page.

MAIN CONTENT

Diagnosis; observations/recommendations; medications/procedures/therapy; advice; follow-up; physician notes; PDF link.

CONTROLS

Save draft; confirm/sign; view/download draft or signed PDF; Add Review Summary; temporary follow-up access toggles.

FORMS AND INPUTS

Diagnosis required plus current medication, advice, follow-up and notes fields.

MAJOR INTERACTIONS

PATCH draft; POST permanent confirmation; create later review; configure temporary video/call/upload access.

IMPORTANT STATES

Draft; saving; validation; Signed and Locked; post-consultation countdown; success/error toast.

AUTHENTICATION AND PERMISSIONS

Authorized provider for owned consultation; signed records immutable in UI.

JOURNEY RELATIONSHIP

Opened from Dashboard, Bookings or Video; returns to originating screen.



Administrator


15 documented views

D01

Admin Shell

All /admin routes

Administrator



PURPOSE

Gate and navigate the administrative workspace.

LAYOUT AND HIERARCHY

Fixed sidebar, header and scrollable content.

HEADER AND NAVIGATION

Dashboard; Appointments; Billing; Analytics; All Bookings; Consultants; Lab Tests; Radiology; Approvals; Suggestions; Providers; Users; Agreements; Diagnostics.

MAIN CONTENT

Shared admin chrome.

CONTROLS

Sidebar; mobile menu; support phone; theme; logout.

FORMS AND INPUTS

None.

MAJOR INTERACTIONS

Navigate laterally or sign out.

IMPORTANT STATES

Authentication loading; unauthenticated redirect to login; non-admin redirect to landing.

AUTHENTICATION AND PERMISSIONS

Authenticated user with role admin.

JOURNEY RELATIONSHIP

Wraps D02-D15.

D02

Admin Dashboard

/admin

Administrator

PURPOSE

Monitor platform activity and access common operational records.

LAYOUT AND HIERARCHY

KPI row; service/status/catalog cards; recent-bookings list; WhatsApp message dialog.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Total bookings/revenue/users/providers; booking and catalog breakdowns; recent bookings.

CONTROLS

Manage Services link; patient/partner receipt downloads; WA Msg; share/copy dialog tabs.

FORMS AND INPUTS

Generated WhatsApp text is read-only.

MAJOR INTERACTIONS

Open lab management; download receipts; copy/share generated booking messages.

IMPORTANT STATES

Skeleton; no bookings; receipt/copy/share error toasts; copied state.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Entry dashboard. Next: any sidebar page or recent-booking subflow.

D03

Appointments and Appointment Detail

Administrator

/admin/appointments

PURPOSE

Search, create and manage consultation appointments.

LAYOUT AND HIERARCHY

Summary counts; search and filters; appointment list; selected detail overlay; Create Appointment dialog.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Scheduled/completed/payment metrics; records; seeker, consultant, patient, clinical and payment form sections.

CONTROLS

Search; status/payment/date filters; Create; record select; copy meeting details; dialog calendar/time controls; Cancel/Create.

FORMS AND INPUTS

Care Seeker; Consultant; date; start/end time; patient name/age/gender/contact; ward/callback; required clinical summary; diagnosis; Pay Now/Later.

MAJOR INTERACTIONS

Create appointment; inspect detail; copy access details; filter records.

IMPORTANT STATES

Loading; no-seeker option; validation; past dates disabled; create pending/error; selected detail overlay.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar entry; after create stays on list; details are overlay, not route.

D04

All Bookings and Booking Detail

/admin/bookings

Administrator

PURPOSE

Inspect and administer all platform booking types.

LAYOUT AND HIERARCHY

KPI cards; search/type filters; detailed rows; selected detail and multiple operational dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Consultation, lab and teleradiology records; patient, callback, prescription, report, payment and status data.

CONTROLS

Create Booking; search; type filter; Clear Past Bookings; status; callback; Call Logs; receipts; WA Msg; Extend Window; Signed Rx; View/Upload Report.

FORMS AND INPUTS

Create form includes type, user, service, patient data and consultation clinical summary; upload file/URL/notes; extension preset/custom minutes.

MAJOR INTERACTIONS

Create/update booking; upload report; inspect logs; download receipts/prescriptions; extend room; generate/copy messages; bulk-clear past records.

IMPORTANT STATES

Loading; No bookings found; upload/status/callback/bulk mutation pending and destructive error toasts.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar entry; record detail and operations stay as overlays on list.

D05

Consultant Management

/admin/consultants

Administrator

PURPOSE

Create and maintain consultant profiles, pricing, slots and status.

LAYOUT AND HIERARCHY

Heading and Add dialog; search; data table; row-action dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Name, specialization, experience, base/customer price, margin, slots and status.

CONTROLS

Add; search; Edit Pricing; Edit Details; pause/activate/delete; slot editor.

FORMS AND INPUTS

Name; qualification; specialization; experience; consultation/follow-up fee; phone; available times; photo and professional details.

MAJOR INTERACTIONS

Create/edit consultant; update price/margin; manage slots; change active state.

IMPORTANT STATES

Loading; No consultants found; validation; mutation success/error; Active/Paused/Deleted.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; details are dialogs.

D06

Provider Management

/admin/providers

Administrator

PURPOSE

Review and manage provider registrations and account details.

LAYOUT AND HIERARCHY

Pending/Verified/Rejected tabs with provider cards; approval and edit dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Provider status groups and account metadata.

CONTROLS

Tab switch; approve; reject; edit.

FORMS AND INPUTS

Approval notes; provider name, email, phone, location and description.

MAJOR INTERACTIONS

Approve/reject provider; save provider changes.

IMPORTANT STATES

No pending/verified/rejected providers; mutation pending; confirmation dialog.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; dialogs stay on page.

D07

User Management and User Detail

Administrator

/admin/users

PURPOSE

Manage user profiles, roles and activation state.

LAYOUT AND HIERARCHY

Total count and user table; Edit User Profile and image-crop dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Name, email, role, status and joined date.

CONTROLS

Role selector; Edit; Activate/Deactivate; photo upload/crop; save/cancel.

FORMS AND INPUTS

First/last name; phone; profile photo and current profile fields.

MAJOR INTERACTIONS

Change role or activation; edit profile; upload/crop image.

IMPORTANT STATES

Loading; mutation pending; success/error toast; no dedicated detail URL.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; details are dialogs.

D08

Registration and Service Approvals

Administrator

/admin/approvals

PURPOSE

Approve provider registrations and requested service assignments.

LAYOUT AND HIERARCHY

Hospital Registrations and Service Additions tabs with grouped pending cards.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Registration metadata/documents; labs, consultants, test assignments, modality assignments and emergency teams.

CONTROLS

Tab switch; document links; Approve; Reject.

FORMS AND INPUTS

No separate form; actions operate on displayed request data.

MAJOR INTERACTIONS

Approve/reject registrations or service records.

IMPORTANT STATES

Skeleton; No pending registrations; No pending service approvals; pending counts.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; direct card actions.

D09

Lab Test Management

/admin/lab-tests

Administrator

PURPOSE

Maintain diagnostic test catalog, assignments, pricing and availability status.

LAYOUT AND HIERARCHY

Heading; search/table; Add and multiple management dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Test name/category/cost/TAT/status/provider assignments.

CONTROLS

Add; search; row menu; Manage Providers; Edit Pricing; Edit; pause/activate/delete.

FORMS AND INPUTS

Test name; category; cost; turnaround; pricing and assignment metadata.

MAJOR INTERACTIONS

Create/edit test; manage providers/pricing/status.

IMPORTANT STATES

Loading; empty catalog; Active/Paused/Deleted; mutation pending/error.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar or dashboard Manage Services; dialogs remain on page.

D10

Radiology Modality Management

/admin/radiology

Administrator

PURPOSE

Maintain radiology modalities and commercial details.

LAYOUT AND HIERARCHY

Heading; search/category filters; table; Add/Edit dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Modality name, category, cost, TAT and status.

CONTROLS

Add; search; category filter; Edit Cost/TAT; pause/activate/delete.

FORMS AND INPUTS

Modality name; category; cost; turnaround.

MAJOR INTERACTIONS

Create/edit modality and change status.

IMPORTANT STATES

Skeleton; No modalities found; validation; mutation states.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; dialogs remain on page.

D11

Provider Suggestions

/admin/suggestions

Administrator

PURPOSE

Review provider-suggested lab tests and modalities.

LAYOUT AND HIERARCHY

Lab Tests and Modalities tabs with cards and Review dialog.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Suggestion name/status/description/provider/price/admin notes.

CONTROLS

Tab switch; Review; Approve; Reject.

FORMS AND INPUTS

Optional admin notes.

MAJOR INTERACTIONS

Approve or reject pending suggestion.

IMPORTANT STATES

Loading; empty per tab; pending badges; reviewed cards without actions.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; review is dialog.

D12

Billing Management

/admin/billing

Administrator

PURPOSE

Monitor invoices, margins, payments and due dates.

LAYOUT AND HIERARCHY

Revenue KPI groups; date/status filters; invoice cards; payment, due-date and margin dialogs.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Revenue, collected, outstanding, overdue, provider cost, customer billed, profit and invoices.

CONTROLS

From/To; payment status; Pay; Due; Margin.

FORMS AND INPUTS

Payment amount/method; new due date; default margin percentage.

MAJOR INTERACTIONS

Record payment; extend due date; update margin for future bookings.

IMPORTANT STATES

Loading skeleton; No invoices found; pending/error; Pending/Partial/Paid/Overdue states.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; operations are dialogs.

D13

Analytics

/admin/analytics

Administrator

PURPOSE

Review financial and booking performance for a date range.

LAYOUT AND HIERARCHY

Date controls; summary cards; service cards; provider table.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Revenue, payout, profit, collections, outstanding, bookings, overdue, service/provider breakdowns.

CONTROLS

From/To dates; Export CSV.

FORMS AND INPUTS

Date range.

MAJOR INTERACTIONS

Filter data and download CSV.

IMPORTANT STATES

Loading skeleton; No data available.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; export is downloaded file.

D14

Signed Agreements

/admin/agreements

Administrator

PURPOSE

Control agreement enforcement and inspect signed records.

LAYOUT AND HIERARCHY

Enforcement card; search; signed-agreements table.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Active/paused collection status; partner, organization, role/reference, version, signed time, IP and PDF.

CONTROLS

Pause/Resume; search; PDF link.

FORMS AND INPUTS

Search by name, email, reference or organization.

MAJOR INTERACTIONS

Toggle collection enforcement; filter table; open PDF in new tab.

IMPORTANT STATES

Loading; no agreements/no search results; paused warning.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; PDF is external/new tab.

D15

Diagnostics

/admin/diagnostics

Administrator

PURPOSE

Run operational telephony and reminder diagnostics.

LAYOUT AND HIERARCHY

Three diagnostic cards followed by troubleshooting tips.

HEADER AND NAVIGATION

Admin shell.

MAIN CONTENT

Twilio voice test; Exotel masked call; reminder re-fire; result panels.

CONTROLS

Call Now; Place Masked Call; Fire Reminders; dismiss result.

FORMS AND INPUTS

Phone with country code; From/To numbers; booking number or UUID.

MAJOR INTERACTIONS

Invoke diagnostic endpoints and inspect raw/summarized results.

IMPORTANT STATES

Loading disables controls; inline success/error result; toast feedback.

AUTHENTICATION AND PERMISSIONS

Admin.

JOURNEY RELATIONSHIP

Sidebar destination; each test completes inline.

QA comparison appendix

Complete active screen and route list

ID	Screen	Route	Role
A01	Landing	/	Public
A02	Compact Home	/home	Public
A03	Public Consultants	/consultants	Public or authenticated
A04	Public Lab Tests	/lab-tests	Public or authenticated
A05	Login	/login	Public
A06	Registration	/register	Public
A07	Role Selection	/select-role	Signed-in account without role
A08	Complete Profile	/complete-profile	Signed-in incomplete account
A09	Email Verification	/verify-email	Authenticated unverified account
A10	Pending Approval	/pending-approval	Signed-in pending account
A11	Agreement	/agreement	Authenticated approved account requiring agreement
A12	Prescription Verification	/verify/prescription/:bookingId	Public verification visitor
A13	Shared Video Room	/video/:roomId	Authorized seeker or provider
B02	Seeker Dashboard	/user	Care Seeker
B03	Consultation Discovery and Consultant Detail	/user/consultation	Care Seeker
B04	Consultation Booking, Payment and Confirmation	/user/consultation/:id/book	Care Seeker
B05	Orders, Booking Detail, Prescriptions and Reports	/user/orders	Care Seeker
B06	Lab Discovery and Patient Dialog	/user/labs	Care Seeker
B07	Lab Booking, Payment and Confirmation	/user/labs/:id/book	Care Seeker
B08	Teleradiology Request	/user/teleradiology	Care Seeker
B09	Seeker Billing	/user/billing	Care Seeker
B10	Seeker Profile	/user/profile	Care Seeker

ID	Screen	Route	Role
C01	Provider Onboarding	/provider/onboarding	New Care Provider
C03	Provider Dashboard and Patient Subflows	/provider	Care Provider
C04	Provider Bookings and Booking Detail	/provider/bookings	Care Provider
C05	Provider Services, Pricing and Availability	/provider/services	Eligible provider types
C06	Provider Billing	/provider/billing	Care Provider
C07	Provider Profile	/provider/profile	Care Provider
D02	Admin Dashboard	/admin	Administrator
D03	Appointments and Appointment Detail	/admin/appointments	Administrator
D04	All Bookings and Booking Detail	/admin/bookings	Administrator
D05	Consultant Management	/admin/consultants	Administrator
D06	Provider Management	/admin/providers	Administrator
D07	User Management and User Detail	/admin/users	Administrator
D08	Registration and Service Approvals	/admin/approvals	Administrator
D09	Lab Test Management	/admin/lab-tests	Administrator
D10	Radiology Modality Management	/admin/radiology	Administrator
D11	Provider Suggestions	/admin/suggestions	Administrator
D12	Billing Management	/admin/billing	Administrator
D13	Analytics	/admin/analytics	Administrator
D14	Signed Agreements	/admin/agreements	Administrator
D15	Diagnostics	/admin/diagnostics	Administrator

Inactive or not separately accessible

- src/pages/role-selection.tsx — inactive duplicate concept; active route uses select-role.tsx.
- src/pages/user/critical-care.tsx — file exists but no active route.
- src/pages/user/critical-care-booking.tsx — file exists but no active route.
- src/pages/user/referral.tsx — file exists but no active route.

- Standalone seeker consultant detail, patient, slot, payment, confirmation, order detail, prescription, report and lab-detail URLs do not exist; these are sheets, dialogs, sections or conditional states.
- Standalone provider booking/patient/document/summary detail URLs do not exist; these are rows, dialogs and subflows.
- Standalone admin appointment, booking, consultant, provider and user detail URLs do not exist; details are overlays/dialogs.

Major interactive elements to test manually

- ☐ Public header links and role-aware dashboard link
- ☐ Anonymous booking redirect preserves intended destination
- ☐ Login branches: unverified, pending, rejected, agreement required, seeker, provider and admin
- ☐ Registration role/provider conditional fields and document upload
- ☐ Agreement scroll lock, acceptance and version enforcement
- ☐ Seeker sidebar, mobile menu, theme and logout
- ☐ Consultant search, specialization, sort, profile sheet and booking
- ☐ Slot availability, follow-up mode, payment and booking confirmation
- ☐ Orders tabs, filters, detail selection, receipts, prescriptions, reports and uploads
- ☐ Lab discovery, patient dialog, booking, payment and confirmation
- ☐ Teleradiology request and later order status
- ☐ Video unavailable, pre-call setup, connecting, active and return flow
- ☐ Provider-type dashboard variants and empty states
- ☐ Provider booking status, reports, files, video/call windows and clinical summary lifecycle
- ☐ Provider service tabs, pricing, imports, suggestions and availability
- ☐ Admin sidebar authorization and every management dialog
- ☐ Admin receipt/PDF/CSV downloads and WhatsApp copy/share
- ☐ All loading, empty, validation, error, pending, success, confirmation and disabled-permission states

Role-based differences

- Public users can discover consultants and tests but must authenticate to book.
- Care Seekers can create bookings, pay, view owned orders and clinical artifacts, and enter eligible video rooms.
- Providers see operational data by provider type; consultants receive consultation workflow while labs, hospitals and teleradiology receive different dashboards and service controls.
- Consultant and teleradiology provider layouts hide and redirect Services in the current implementation.
- Administrators can manage platform records, catalog, approvals, billing, analytics, agreements and diagnostics; record details are generally dialogs rather than routes.
- The video room is shared, but provider-side clinical summary/signing capabilities differ from seeker access.

Important conditional states

- Unauthenticated protected-route access redirects to login.

- Login can branch to email verification, pending approval, agreement, redirect target or role dashboard.
- Provider onboarding is bypassed when a provider record already exists.
- Agreement acceptance is forced when the backend reports a newer/current version is required.
- Booking actions vary by service type, booking status, appointment window, room availability and post-consultation permissions.
- Payment and booking confirmations are conditional states inside booking routes, not standalone pages.
- Signed clinical summaries become locked; drafts remain editable.
- Provider navigation and data vary by provider type.
- Admin and provider mutations expose pending, success and destructive error feedback.
- Files, reports, receipts and PDFs can open inline, fullscreen, downloaded or in a new tab depending on type and viewport.

Concise end-to-end journeys

Public and authentication: Landing or compact Home → consultant/lab discovery → Login or Registration → Role Selection/Profile Completion when required → Email Verification → Pending Approval when required → Agreement when required → role dashboard.

Care Seeker: Dashboard → consultation or lab discovery → in-page detail/patient flow → booking route with slot, clinical details and payment → confirmation state → Orders → booking detail, prescription/report/download or Video Room; Billing and Profile remain sidebar destinations.

Care Provider: Role selection/profile setup → Provider Onboarding → provider-type Dashboard → Bookings → patient/files/report or consultation summary subflows → Video Room → completion and signed documentation; Services, Billing and Profile remain sidebar destinations.

Administrator: Admin Dashboard → sidebar-selected operational list → record dialog/detail overlay → create, approve, update, download or diagnostic action → remain on list/dashboard. No parameterized admin detail routes are currently registered.

Source and interpretation notes

The active route registry is `artifacts/perfusion-web/src/App.tsx`. Role shells are implemented in the user, provider and admin layout files. Detailed behavior was audited from the current page and major child-component implementations. A concept requested in the brief is labeled as a dialog, sheet, embedded section or conditional state when it does not have an independent URL. Backend authorization cannot be proven by visual code inspection alone; this document records visible route gates and endpoint-driven UI behavior.