



AMZ

Molten Zinc / Galvalume Pumps

AML

Molten Lead Pumps

AURO PUMPS PVT. LTD.

Estb. 1984

GIDC Palej, Gujarat, India

www.auropumps.com

OUR EXPERTISE

With over 37 years of experience in pumping critical application liquids, AURO is the preferred partner all across the world for pumping molten metals.

AMZ & AML series pumps are 100% indigenously developed and manufactured at our factory in Gujarat, India.



WHY AURO

- Over Engineered & heavy duty robust designs.
- Through R&D is carried out for each application.
- Extensive experience in pumping molten metals.
- Comprehensive knowledge of material compatibility & behaviour with different molten metals.

AMZ SERIES

MOLTEN ZINC /
GALVALUME PUMPS

AMZ series pumps are used for -

- transfer / furnace emptying
- forced circulation within the furnace pot
- de-drossing of snout in CGL
- Smelting & recycling of Zinc
- Pressure Die-casting lines
- Ingot casting lines
- Hot-dip galvanizing

Types of AMZ pumps -

- Transfer Pumps
- Circulation Pumps
- Snout Pumps


Transfer pumps -

- Safe transfer of Molten Zinc from furnace to furnace.
- Safe emergency pump-out of Molten Zinc from the kettle/pot/furnace.
- Dual heavy-duty bearing arrangement for higher shaft stability & lower operating costs.
- Easy maintenance design for reduced downtime costs.
- Temperature range up to 600°C
- Capacity up to 300 tons/hr (higher capacity available).
- Immersion up to 3.5m kettle/pot depth.




Circulation pumps / Snout pumps -

- Proprietary metallurgy developed in-house for increased wear resistance at elevated temperatures.
- Provides mass circulation for alloy metallurgical homogenization.
- Provides forced convectional heat transfer in the Molten Zinc furnace to achieve temperature uniformity.



- Maintains clean Molten Metal in the Snout of continuous galvanising (push-pull system) lines to achieve higher quality defect free coating
- Replaceable lower assembly design to allow for faster and cheaper maintenance of the pumps
- Temperature range up to 650°C
- Capacity up to 250 tons/h (higher capacity will be quoted on request)
- Pump immersion length up to 1 meter

Push - Pull type Snout Pumps System



AML SERIES

MOLTEN LEAD PUMPS

- Proprietary metallurgy developed in-house for increased wear resistance at elevated temperatures.
- Provides mass circulation for alloy metallurgical homogenization.
- Forced circulation in the furnace provides improved metal yields & optimized furnace operation.
- Temperature range up to 700°C
- Capacity up to 300 tons/h (higher capacity available)



AML series pumps are used for -

- transfer / furnace emptying
- forced circulation within the furnace pot
- Lead recycling plants
- Smelting & Ingot casting lines
- Wire & Strip Patenting furnaces / Lead annealing furnace
- Pressure Die-casting lines
- R&D systems for the Nuclear sector.

Types of AML pumps -

- Transfer Pumps
- Circulation Pumps

AML series Molten Lead pumps for Lead recycling & Ingot casting plants -

- Each pump is designed according to the client's existing melting furnace.
- Designed for intermittent (4-5 times/day) immersion as well as continuous immersion.
- Double bearing arrangement for increased shaft stability and life.
- Immersion lengths up to 3m furnace depth.



AML series Molten Lead pumps for wire & strip Patenting / Annealing furnaces -

- Dimensionally equivalent to imported (USA/Europe) pumps to facilitate 1:1 replacement in the existing furnace.
- Jacket cooled bearing bracket for increased bearing life.
- Double bearing arrangement for increased shaft stability and life.
- Replaceable shaft & lower assembly design for lower maintenance costs.



AURO

AURO PUMPS PVT. LTD.

*Plot no. 104 / 5 & 6, GIDC Palej, Dist. Bharuch
Gujarat, India - 392 220*

+91-92272 27768 | +91-92280 07765

sales@auropumps.com

www.auropumps.com