

1. Create Course

<http://localhost:8080/courses>

The screenshot shows the Insomnia REST client interface. The top bar indicates a POST request to `http://localhost:8080/courses` with a status of **201 Created**, a response time of **21 ms**, and a body size of **105 B**. The left pane shows the request body as JSON:

```
1 {
2   "courseName": "Java",
3   "trainerName": "Anita",
4   "durationInDays": 5,
5   "maxCapacity": 3,
6   "fees": 1000
7 }
```

The right pane shows the response body as JSON:

```
1 {
2   "courseId": 3,
3   "courseName": "Java",
4   "trainerName": "Anita",
5   "durationInDays": 5,
6   "maxCapacity": 3,
7   "fees": 1000.0
8 }
```

2. Get All Courses

<http://localhost:8080/courses>

The screenshot shows the Insomnia REST client interface. The top bar indicates a GET request to `http://localhost:8080/courses` with a status of **200 OK**, a response time of **13 ms**, and a body size of **551 B**. The left pane shows the response body as "No Body". The right pane shows the response body as JSON:

```
1 [
2   {
3     "courseId": 1,
4     "courseName": "Java",
5     "trainerName": "Anita",
6     "durationInDays": 5,
7     "maxCapacity": 2,
8     "fees": 1000.0
9   },
10  {
11    "courseId": 3,
12    "courseName": "Java",
13    "trainerName": "Anita",
14    "durationInDays": 5,
15    "maxCapacity": 3,
16    "fees": 1000.0
17  },
18  {
19    "courseId": 4,
20    "courseName": "Python",
21    "trainerName": "Karan",
22    "durationInDays": 10,
23    "maxCapacity": 5,
24    "fees": 10000.0
25  },
26  {
27    "courseId": 5,
28    "courseName": "Postgres",
29    "trainerName": "Hari",
30    "durationInDays": 120,
31    "maxCapacity": 10,
32    "fees": 25000.0
33  },
34  {
35    "courseId": 6,
36    "courseName": "SpringBoot",
37    "trainerName": "Shree",
38    "durationInDays": 100,
39    "maxCapacity": 8,
40    "fees": 13000.0
41  }
42 ]
```

3. Update complete course object

<http://localhost:8080/courses/6>

PUT

http://localhost:8080/courses/6

Send

200 OK

18 ms

122 B

Params

Body

Auth

Headers

4

Scripts

Docs

Preview

Headers

3

Cookies

Tests 0 / 0

JSON

1 {

2 "courseName": "Advanced SpringBoot",

3 "trainerName": "Keshav",

4 "durationInDays": 7,

5 "maxCapacity": 5,

6 "fees": 15000

7 }

Preview

1 {

2 "courseId": 6,

3 "courseName": "Advanced SpringBoot",

4 "trainerName": "Keshav",

5 "durationInDays": 7,

6 "maxCapacity": 5,

7 "fees": 15000.0

8 }

4. Delete Course

<http://localhost:8080/courses/3>

DELETE

http://localhost:8080/courses/3

Send

204 No Content

8 ms

0 B

Params

Body

Auth

Headers

3

Scripts

Docs

Preview

Headers

1

Cookies

Tests

No Body

Preview

No body returned for response

GET ▼http://localhost:8080/coursesSend ▼

200 OK11 ms453 B

ParamsBodyAuthHeaders3ScriptsDocs

PreviewHeaders3CookiesTests0 / 0→

No Body ▼



Enter a URL and send to get a response

Select a body type from above to send data in the body of a request

Introduction to Insomnia [↗](#)

Preview ▼

```
1 [
2   {
3     "courseId": 1,
4     "courseName": "Java",
5     "trainerName": "Anita",
6     "durationInDays": 5,
7     "maxCapacity": 2,
8     "fees": 1000.0
9   },
10  {
11    "courseId": 4,
12    "courseName": "Python",
13    "trainerName": "Karan",
14    "durationInDays": 10,
15    "maxCapacity": 5,
16    "fees": 10000.0
17  },
18  {
19    "courseId": 5,
20    "courseName": "PostGres",
21    "trainerName": "Hari",
22    "durationInDays": 120,
23    "maxCapacity": 10,
24    "fees": 25000.0
25  },
26  {
27    "courseId": 6,
28    "courseName": "Advanced SpringBoot",
29    "trainerName": "Keshav",
30    "durationInDays": 7,
31    "maxCapacity": 5,
32    "fees": 15000.0
33  }
34 ]
```

5.GET course by trainer name

<http://localhost:8080/courses/trainer/Karan>

GET Send 200 OK 6 ms 111 B

Params Body Auth Headers (3) Scripts Docs Preview Headers (3) Cookies Tests 0/0

No Body ▾

Preview ▾

```
1 [
2   {
3     "courseId": 4,
4     "courseName": "Python",
5     "trainerName": "Karan",
6     "durationInDays": 10,
7     "maxCapacity": 5,
8     "fees": 10000.0
9   }
10 ]
```

6. Get all courses with FEES < 16000

<http://localhost:8080/courses/fees/16000>

GET Send 200 OK 11 ms 340 B

Params Body Auth Headers (3) Scripts Docs Preview Headers (3) Cookies Tests 0/0

No Body ▾

Preview ▾



Enter a URL and send to get a response

Select a body type from above to send data in the body of a request

[Introduction to Insomnia](#)

```
1 [
2   {
3     "courseId": 1,
4     "courseName": "Java",
5     "trainerName": "Anita",
6     "durationInDays": 5,
7     "maxCapacity": 2,
8     "fees": 1000.0
9   },
10  {
11    "courseId": 4,
12    "courseName": "Python",
13    "trainerName": "Karan",
14    "durationInDays": 10,
15    "maxCapacity": 5,
16    "fees": 10000.0
17  },
18  {
19    "courseId": 6,
20    "courseName": "Advanced SpringBoot",
21    "trainerName": "Keshav",
22    "durationInDays": 7,
23    "maxCapacity": 5,
24    "fees": 15000.0
25  }
26 ]
```

Enrollment Endpoints

7. Create Enrollment

Post <http://localhost:8080/enrollments>

POST <http://localhost:8080/enrollments> Send

201 Created 23.4 ms 121 B

Params Body Auth Headers (4) Scripts Docs

URL PREVIEW
<http://localhost:8080/enrollments>

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name value

Preview Headers (3) Cookies Tests

Preview

```
1 {  
2   "enrollmentId": 3,  
3   "employeeId": 101,  
4   "employeeName": "Ratan",  
5   "courseId": 1,  
6   "enrollmentDate": "2026-09-09",  
7   "status": "ENROLLED"  
8 }
```

8. Get all enrollments

GET <http://localhost:8080/enrollments>

GET <http://localhost:8080/enrollments> Send 200 OK 11 ms 369 B

Params Body Auth Headers (3) Scripts Docs

URL PREVIEW
<http://localhost:8080/enrollments>

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name	value
------	-------

PATH PARAMETERS

Path parameters are url path segments that start with a colon ':' e.g. ':id'

Preview

```
1 [
2   {
3     "enrollmentId": 1,
4     "employeeId": 101,
5     "employeeName": "Ratan",
6     "courseId": 1,
7     "enrollmentDate": "2026-09-09",
8     "status": "CANCELLED"
9   },
10  {
11    "enrollmentId": 2,
12    "employeeId": 102,
13    "employeeName": "Meera",
14    "courseId": 1,
15    "enrollmentDate": "2026-09-09",
16    "status": "COMPLETED"
17  },
18  {
19    "enrollmentId": 3,
20    "employeeId": 101,
21    "employeeName": "Ratan",
22    "courseId": 1,
23    "enrollmentDate": "2026-09-09",
24    "status": "ENROLLED"
25  }
26 ]
```

9. Get Enrollment by ID

GET <http://localhost:8080/enrollments/2>

GET <http://localhost:8080/enrollments/2> Send 200 OK 19 ms 122 B

Params Body Auth Headers (3) Scripts Docs

URL PREVIEW
<http://localhost:8080/enrollments/2>

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name	value
------	-------

Preview

```
1 {
2   "enrollmentId": 2,
3   "employeeId": 102,
4   "employeeName": "Meera",
5   "courseId": 1,
6   "enrollmentDate": "2026-09-09",
7   "status": "COMPLETED"
8 }
```

10. Cancel Enrollment using ID

PUT <http://localhost:8080/enrollments/2/cancel>

PUT <http://localhost:8080/enrollments/2/cancel> Send 200 OK 14 ms 122 B

Params Body Auth Headers (3) Scripts Docs

URL PREVIEW
<http://localhost:8080/enrollments/2/cancel>

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name value

Preview Headers (3) Cookies Tests

```
1 {  
2   "enrollmentId": 2,  
3   "employeeId": 102,  
4   "employeeName": "Meera",  
5   "courseId": 1,  
6   "enrollmentDate": "2026-09-09",  
7   "status": "CANCELLED"  
8 }
```

11. Complete Enrollment

PUT <http://localhost:8080/enrollments/3/complete>

PUT <http://localhost:8080/enrollments/3/complete> Send 200 OK 13 ms 122 B

Params Body Auth Headers (3) Scripts Docs

URL PREVIEW
<http://localhost:8080/enrollments/3/complete>

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name value

Preview Headers (3) Cookies Tests

```
1 {  
2   "enrollmentId": 3,  
3   "employeeId": 101,  
4   "employeeName": "Ratan",  
5   "courseId": 1,  
6   "enrollmentDate": "2026-09-09",  
7   "status": "COMPLETED"  
8 }
```

12. GET enrollment by status

GET <http://localhost:8080/enrollments/status/COMPLETED>

GET <http://localhost:8080/enrollments/status/COMPLETED> Send 200 OK 10 ms 124 B

Params Body Auth Headers (3) Scripts Docs

No Body

Preview Headers (3) Cookies Tests 0/0

```
1 [
2   {
3     "enrollmentId": 3,
4     "employeeId": 101,
5     "employeeName": "Ratan",
6     "courseId": 1,
7     "enrollmentDate": "2026-09-09",
8     "status": "COMPLETED"
9   }
10 ]
```

13. GET enrollments using employee ID

GET <http://localhost:8080/enrollments/employee/101>

GET <http://localhost:8080/enrollments/employee/101> Send 200 OK 9 ms 247 B

Params Body Auth Headers (3) Scripts Docs

No Body


Preview Headers (3) Cookies Tests 0/0

```
1 [
2   {
3     "enrollmentId": 1,
4     "employeeId": 101,
5     "employeeName": "Ratan",
6     "courseId": 1,
7     "enrollmentDate": "2026-09-09",
8     "status": "CANCELLED"
9   },
10  {
11    "enrollmentId": 3,
12    "employeeId": 101,
13    "employeeName": "Ratan",
14    "courseId": 1,
15    "enrollmentDate": "2026-09-09",
16    "status": "COMPLETED"
17  }
18 ]
```

Analytics Endpoints


14. Get Employee Count

GET <http://localhost:8080/analytics/course-count>



15. Get Course count

GET <http://localhost:8080/analytics/course-count>



16. Most popular course

GET <http://localhost:8080/analytics/most-popular-course>

