

```

<!DOCTYPE html>
<html lang="en">
<head>
  <title>This is tours and travel</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.
0.1/dist/css/bootstrap.min.css" rel="stylesheet"
  integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvS
N1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
  <link rel="stylesheet" href="stle.css" />
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-
light bg-light">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Tour</a>
      <button class="navbar-toggler"
type="button" data-bs-toggle="collapse" data-
bs-target="#navbarSupportedContent"
      aria-controls="navbarSupportedContent"
      aria-expanded="false" aria-label="Toggle
navigation">
        <span
class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse"
id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-
lg-0">
          <li class="nav-item">
            <a class="nav-link active" aria-
current="page" href="#">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <form class="d-flex" style="margin-
left:900px">
            <input class="form-control me-2"
type="search" placeholder="Search" aria-
label="Search">
            <button class="btn btn-outline-success"
type="submit">Search</button>
          </form>
        </div>
      </div>
    </nav>
    
    <section id="hero">
      <div class="container">

```

```

<h1 style="color:black;text-align:center">Our
Project</h1>
    <p>Lorem ipsum dolor sit amet consectetur
adipisicing elit. Autem quod aliquam corporis
tempore nostrum. Animi
      rem quisquam deleniti qui ad ipsa quod!
      Animi corrupti, ex blanditiis dolor error nulla
      consectetur.</p>
    </div>
    <div class="row align-items-center">
      <div class="col">
        <div class="card mb-3">
          
          <div class="card-body">
            <h5 class="card-title">Title 1</h5>
            <p class="card-text">This is a wider
card with supporting text below as a natural
lead-in to additional
              content. This content is a little bit
              longer.</p>
            <p class="card-text"><small
class="text-muted">Some useful
info</small></p>
          </div>
        </div>
      </div>
      <div class="col">
        <div class="card mb-3">
          
          <div class="card-body">
            <h5 class="card-title">Title 2</h5>
            <p class="card-text">This is a wider
card with supporting text below as a natural
lead-in to additional
              content. This content is a little bit
              longer.</p>
            <p class="card-text"><small
class="text-muted">Some useful
info</small></p>
          </div>
        </div>
      </div>
      <div class="col">
        <div class="card mb-3">
          
          <div class="card-body">
            <h5 class="card-title">Title 3</h5>
            <p class="card-text">This is a wider
card with supporting text below as a natural

```

<pre> <div class="row"> <div class="col"> <h1>Hi,
I am guider</h1> <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Amet soluta veniam voluptate aliquam deleniti labore quod quis illum, sapiente nam nesciunt magni voluptatibus voluptatem incidunt placeat consequuntur quaerat voluptatum expedita!</p> <button type="button" class="btn btn-dark btn-lg">Book Now</button> </div> <div class="col"> </div> </div>

 >

<B R> <div class="row cards"> <div class="col-md-4 d-flex justify- content-center"> <div class="card"> <div class="card-body"> <h5 class="card-title">Skills</h5> <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p> </div> </div> </div> <div class="col-md-4 d-flex justify- content-center"> <div class="card"> <div class="card-body"> <h5 class="card-title">Experience</h5> <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p> </div> </div> </div> </div> </div> </pre>	<pre> lead-in to additional content. This content is a little bit longer.</p> <p class="card-text"><small class="text-muted">Some useful info</small></p> </div> </div> </div> </div> </div> <section id="contact"> <div class="container"> <div class="row align-items-center projects"> <div class="col"> <h1>Contact me</h1> <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Autem quod aliquam corporis tempore nostrum. Animi rem quisquam deleniti qui ad ipsa quod! Animi corrupti, ex blanditiis dolor error nulla consectetur.</p> </div> </div> </div> </section> <section id="about-us"> <div class="container"> <div class="row align-items-center"> <div class="col"> </div> <div class="col"> <h1 style="color:black">About Me</h1> <p style="color:black">Lorem ipsum dolor sit amet consectetur adipisicing elit. Officia tenetur reiciendis in quae, rem corporis id sequi debitis aliquam laudantium illum vel unde? Praesentium laboriosam neque eaque architecto maxime nihil?</p> <p style="color:black">Lorem ipsum dolor sit amet consectetur adipisicing elit. Officia tenetur reiciendis in quae, rem corporis id sequi debitis aliquam laudantium illum vel unde? Praesentium laboriosam neque eaque architecto maxime nihil?</p> <button type="button" class="btn btn-dark </pre>
---	---

```
content-center">
    <div class="card">
        <div class="card-body">
            
                <h5 class="card-title">Projects</h5>
                <p class="card-text">Some quick
example text to build on the card title and make
up the bulk of the card's
                    content.</p>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</section>
<BR><BR>
<div class="container">
    <div class="row align-items-center projects">
        <div class="col">
```

```

    btn-lg">Hire me!</button>
  </div>
</div>
</section>
<!-- JavaScript Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.
1/dist/js/bootstrap.bundle.min.js"

integrity="sha384-gtEjrD/SeCtmISkJKNUaaKM
oLD0//EIJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0
x4"

  crossorigin="anonymous"></script>
</body>
</html>

```