Started on	Monday, 28 April 2025, 3:14 PM
State	Finished
Completed on	Monday, 28 April 2025, 3:39 PM
Time taken	24 mins 31 secs
Grade	**100.00** out of 100.00

Question **1**

Correct

Mark 20.00 out of 20.00

Create a python program to implement Hamiltonian circuit problem using Backtracking.

For example:

Result
`Solution Exists: Following is one Hamiltonian Cycle` `0 1 2 4 3 0`

Answer: (penalty regime: 0 %)

Reset answer

```
class Graph():
    def __init__(self, vertices):
        self.graph = [[0 for column in range(vertices)]
                          for row in range(vertices)]
        self.V = vertices
    def isSafe(self, v, pos, path):
        if self.graph[ path[pos-1] ][v] == 0:
            return False
        for vertex in path:
            if vertex == v:
                return False

        return True
    def hamCycleUtil(self, path, pos):
        ######################Add your code here#################################
        if pos==self.V:
            if self.graph[path[0]][path[pos-1]]==1:
                return True
            return False
        for v in range(1,self.V):
            if self.isSafe(v,pos,path):
                path[pos]=v
```

	Expected	Got	
✔	`Solution Exists: Following is one Hamiltonian Cycle` `0 1 2 4 3 0`	`Solution Exists: Following is one Hamiltonian Cycle` `0 1 2 4 3 0`	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Correct

Mark 20.00 out of 20.00

SUBSET SUM PROBLEM

COUNT OF SUBSETS WITH SUM EQUAL TO X

Given an array arr[] of length N and an integer X, the task is to find the number of subsets with a sum equal to X.

Examples:

Input: *arr[] = {1, 2, 3, 3}, X = 6*
Output: *3*
All the possible subsets are {1, 2, 3},
{1, 2, 3} and {3, 3}

Input: *arr[] = {1, 1, 1, 1}, X = 1*
Output: *4*

THE INPUT

1.No of numbers

2.Get the numbers

3.Sum Value

For example:

Input	Result
4 2 4 5 9 15	1
6 3 34 4 12 3 2 7	2

Answer: (penalty regime: 0 %)

Reset answer

```
def subsetSum(arr, n, i,sum, count):
    if i==n:
        if sum==0:
            count+=1
        return count
    count=subsetSum(arr,n,i+1,sum-arr[i],count)
    count=subsetSum(arr,n,i+1,sum,count)
    return count









arr=[]
size=int(input())
for j in range(size):
    value=int(input())
    arr.append(value)
sum = int(input())
```

	Input	Expected	Got	
✔	4 2 4 5 9 15	1	1	✔
✔	6 10 20 25 50 70 90 80	2	2	✔
✔	5 4 16 5 23 12 9	1	1	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **3**

Correct

Mark 20.00 out of 20.00

Write a python program to implement Boyer Moore Algorithm with Good Suffix heuristic to find pattern in given text string.

For example:

Input	Result
ABAAABAACD ABA	pattern occurs at shift = 0 pattern occurs at shift = 4

Answer: (penalty regime: 0 %)

Reset answer

```
def preprocess_strong_suffix(shift, bpos, pat, m):
    ###############  Add your Code here ####################
    i=m
    j=m+1
    bpos[i]=j
    while i>0:
        if j<=m and pat[i-1]!=pat[j-1]:
            if shift[j]==0:
                shift[j]=j-i
            j=bpos[j]
        j-=1
        i-=1
        bpos[i]=j
def preprocess_case2(shift, bpos, pat, m):
    j = bpos[0]
    for i in range(m + 1):
        if shift[i] == 0:
            shift[i] = j
        if i == j:
            j = bpos[j]
def search(text, pat):
    s = 0
```

	Input	Expected	Got	
✔	ABAAABAACD ABA	pattern occurs at shift = 0 pattern occurs at shift = 4	pattern occurs at shift = 0 pattern occurs at shift = 4	✔
✔	SaveethaEngineering Saveetha veetha	pattern occurs at shift = 2 pattern occurs at shift = 22	pattern occurs at shift = 2 pattern occurs at shift = 22	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **4**

Correct

Mark 20.00 out of 20.00

Write a python program to implement knight tour problem

For example:

Input	Result
5 5	[1, 12, 25, 18, 3] [22, 17, 2, 13, 24] [11, 8, 23, 4, 19] [16, 21, 6, 9, 14] [7, 10, 15, 20, 5] [(0, 0), (1, 2), (0, 4), (2, 3), (4, 4), (3, 2), (4, 0), (2, 1), (3, 3), (4, 1), (2, 0), (0, 1), (1, 3), (3, 4), (4, 2), (3, 0), (1, 1), (0, 3), (2, 4), (4, 3), (3, 1), (1, 0), (2, 2), (1, 4), (0, 2)] Done!

Answer: (penalty regime: 0 %)

Reset answer

```
import sys
class KnightsTour:
    def __init__(self, width, height):
        self.w = width
        self.h = height
        self.board = []
        self.generate_board()

    def generate_board(self):
        for i in range(self.h):
            self.board.append([0]*self.w)

    def print_board(self):

        for elem in self.board:
            print (elem)

    def generate_legal_moves(self, cur_pos):
        possible_pos = []
        move_offsets = [(1, 2), (1, -2), (-1, 2), (-1, -2),
                        (2, 1), (2, -1), (-2, 1), (-2, -1)]
        ############### Add your code here ##############################
```

	Input	Expected	Got	
✔	5 5	[1, 12, 25, 18, 3] [22, 17, 2, 13, 24] [11, 8, 23, 4, 19] [16, 21, 6, 9, 14] [7, 10, 15, 20, 5] [(0, 0), (1, 2), (0, 4), (2, 3), (4, 4), (3, 2), (4, 0), (2, 1), (3, 3), (4, 1), (2, 0), (0, 1), (1, 3), (3, 4), (4, 2), (3, 0), (1, 1), (0, 3), (2, 4), (4, 3), (3, 1), (1, 0), (2, 2), (1, 4), (0, 2)] Done!	[1, 12, 25, 18, 3] [22, 17, 2, 13, 24] [11, 8, 23, 4, 19] [16, 21, 6, 9, 14] [7, 10, 15, 20, 5] [(0, 0), (1, 2), (0, 4), (2, 3), (4, 4), (3, 2), (4, 0), (2, 1), (3, 3), (4, 1), (2, 0), (0, 1), (1, 3), (3, 4), (4, 2), (3, 0), (1, 1), (0, 3), (2, 4), (4, 3), (3, 1), (1, 0), (2, 2), (1, 4), (0, 2)] Done!	✔

	Input	Expected	Got	
✔	6 6	[1, 32, 9, 18, 3, 34] [10, 19, 2, 33, 26, 17] [31, 8, 25, 16, 35, 4] [20, 11, 36, 27, 24, 15] [7, 30, 13, 22, 5, 28] [12, 21, 6, 29, 14, 23] [(0, 0), (1, 2), (0, 4), (2, 5), (4, 4), (5, 2), (4, 0), (2, 1), (0, 2), (1, 0), (3, 1), (5, 0), (4, 2), (5, 4), (3, 5), (2, 3), (1, 5), (0, 3), (1, 1), (3, 0), (5, 1), (4, 3), (5, 5), (3, 4), (2, 2), (1, 4), (3, 3), (4, 5), (5, 3), (4, 1), (2, 0), (0, 1), (1, 3), (0, 5), (2, 4), (3, 2)] Done!	[1, 32, 9, 18, 3, 34] [10, 19, 2, 33, 26, 17] [31, 8, 25, 16, 35, 4] [20, 11, 36, 27, 24, 15] [7, 30, 13, 22, 5, 28] [12, 21, 6, 29, 14, 23] [(0, 0), (1, 2), (0, 4), (2, 5), (4, 4), (5, 2), (4, 0), (2, 1), (0, 2), (1, 0), (3, 1), (5, 0), (4, 2), (5, 4), (3, 5), (2, 3), (1, 5), (0, 3), (1, 1), (3, 0), (5, 1), (4, 3), (5, 5), (3, 4), (2, 2), (1, 4), (3, 3), (4, 5), (5, 3), (4, 1), (2, 0), (0, 1), (1, 3), (0, 5), (2, 4), (3, 2)] Done!	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a python program to implement pattern matching on the given string using Brute Force algorithm.

For example:

Test	Input	Result
BF(a1,a2)	abcaaaabbbbcccabcbabdbcsbbbbbnnn ccabcba	12

Answer: (penalty regime: 0 %)

Reset answer

```
def BF(s1,s2):
##############  Add your code here #############
    m=len(s1)
    n=len(s2)
    i=0
    for i in range(m-n+1):
        j=0
        while j<n and s1[i+j]==s2[j]:
            j+=1
        if j==n:
            return i
    return -1
if __name__ == "__main__":
    a1=input()
    a2=input()
    b=BF(a1,a2)
    print(b)

```

	Test	Input	Expected	Got	
✔	BF(a1,a2)	abcaaaabbbbcccabcbabdbcsbbbbbnnn ccabcba	12	12	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.