

```

vc-acq-pipeline/
├── README.md
├── LICENSE
├── .gitignore
├── .env.example
├── environment.yml          # conda (python=3.10)
├── requirements/
│   ├── base.txt            # requests/bs4/pandas/etc.
│   ├── scraping.txt        # playwright/selenium/etc. (optional install)
│   ├── nlp.txt             # sklearn/transformers/etc. (optional install)
│   ├── reporting.txt       # reportlab/pillow/etc. (optional install)
│   └── dev.txt             # ruff/pytest/pre-commit
├── Makefile                # make setup / make test / make lint / make run
├── src/
│   └── acq_pipeline/
│       ├── __init__.py
│       ├── cli.py          # minimal CLI entrypoint
│       ├── config.py       # loads YAML + .env
│       ├── logging.py      # stdlib logging config
│       └── modules/
│           ├── discovery/  # stage 1.1 / 1.2 (later)
│           ├── intent/     # stage 2.x (later)
│           ├── enrichment/ # stage 3.x (later)
│           ├── diligence/  # stage 4.x (later)
│           └── dossier/    # stage 4.3 outputs (later)
├── configs/
│   ├── settings.yaml       # run toggles (sources on/off, rate limits)
│   └── sources.yaml        # source endpoints + selectors
├── data/
│   ├── raw/.gitkeep
│   ├── interim/.gitkeep
│   └── processed/.gitkeep
├── proof_of_work/
│   ├── README.md          # naming convention + what to screenshot
│   └── _local/.gitkeep    # ignored in git (actual screenshots go here)
├── outputs/
│   ├── dossiers/.gitkeep
│   ├── process_note/.gitkeep
│   └── logs/.gitkeep
├── docs/
│   ├── PRD.md             # paste your PRD here (or link)
│   ├── ROADMAP.md         # checklist by module (task-master style)
│   └── DECISIONS.md       # "why we chose X vs Y"
└── tests/

```

```
└─ test_smoke.py      # trivial smoke test
```