```
mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
... {
.... title : "The Hobbit: The Battle of the Five Armies",
..... writer : "J.R.R. Tolkein",
..... year : 2012,
..... franchise : "The Hobbit",
..... synopsis : "Bilbo and Company are forced to engage in a war against an array of combatants and keep the Lonely Mountain from falling into the hands of a rising darkne
. . . . {
.... title : "Pee Wee Herman's Big Adventure"
..... title : "Avatar"
..... }1)
 acknowledged: true,
 insertedIds: {
    '0': ObjectId("620226102e9cea6384fb8c04"),
    '1': ObjectId("620226102e9cea6384fb8c05"),
    '2': ObjectId("620226102e9cea6384fb8c06"),
    '3': ObjectId("620226102e9cea6384fb8c07"),
    '4': ObjectId("620226102e9cea6384fb8c08"),
    '5': ObjectId("620226102e9cea6384fb8c09"),
    '6': ObjectId("620226102e9cea6384fb8c0a"),
    '7': ObjectId("620226102e9cea6384fb8c0b")
Atlas atlas-h87gw6-shard-0 [primary] mongo_practice> db.movies.find()
    id: ObjectId("620226102e9cea6384fb8c04"),
   title: 'Fight Club',
   writer: 'Chuck Palahniuko',
   year: 1999,
   actors: [ 'Brad Pitt', 'Edward Norton' ]
    _id: ObjectId("620226102e9cea6384fb8c05"),
   title: 'Pulp Fiction',
```































```
mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase

Atlas atlas-h87gw6-shard-0 [primary] mongo_practice> db.movies.deleteMany({"title":"Pee Wee Herman's Big Adventure"})

{ acknowledged: true, deletedCount: 1 }

Atlas atlas-h87gw6-shard-0 [primary] mongo_practice> db.movies.deleteMany({"title":"Avatar"})

{ acknowledged: true, deletedCount: 1 }

Atlas atlas-h87gw6-shard-0 [primary] mongo_practice> db.movies
```



body: "Sells it"

},

































```
mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
          title: "Borrows something",
          body: "Sells it"
          },
          username: "ScumbagSteve",
          title: "Borrows everything",
. . . . .
          body: "The end"
          },
          username: "ScumbagSteve",
          title: "Forks your repo on github",
          body: "Sets to private"
        1)
 acknowledged: true,
 insertedIds: {
    '0': ObjectId("620289ec3870f4840744a9f1"),
    '1': ObjectId("620289ec3870f4840744a9f2"),
    '2': ObjectId("620289ec3870f4840744a9f3"),
    '3': ObjectId("620289ec3870f4840744a9f4"),
    '4': ObjectId("620289ec3870f4840744a9f5"),
    '5': ObjectId("620289ec3870f4840744a9f6")
Atlas atlas-h87gw6-shard-0 [primary] users> db.comments.insertMany([
          username: "GoodGuyGreg",
          comment: "Hope you got a good deal!",
          post: ObjectId("620289ec3870f4840744a9f4")
          },
          username: "GoodGuyGreg",
          comment: "What's mine is yours!",
          post: ObjectId("620289ec3870f4840744a9f5")
          },
          username: "GoodGuyGreg",
          comment: "Don't violate the licensing agreement!",
          post: ObjectId("620289ec3870f4840744a9f6")
```

```
o
Select mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
          comment: "Don't violate the licensing agreement!",
. . . . .
          post: ObjectId("620289ec3870f4840744a9f6")
          },
          username: "ScumbagSteve",
. . . . .
          comment: "It still isn't clean",
          post: ObjectId("620289ec3870f4840744a9f1")
          },
          username: "ScumbagSteve",
          comment: "Denied your PR cause I found a hack",
          post: ObjectId("620289ec3870f4840744a9f3")
       ])
 acknowledged: true,
 insertedIds: {
    '0': ObjectId("62028b663870f4840744a9f7"),
    '1': ObjectId("62028b663870f4840744a9f8"),
    '2': ObjectId("62028b663870f4840744a9f9"),
    '3': ObjectId("62028b663870f4840744a9fa"),
    '4': ObjectId("62028b663870f4840744a9fb")
```

```
Select mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
Atlas atlas-h87gw6-shard-0 [primary] users> db.users.find()
   _id: ObjectId("620289923870f4840744a9ef"),
   username: 'GoodGuyGreg',
   first_name: 'Good Guy',
   last_name: 'Greg'
   _id: ObjectId("620289923870f4840744a9f0"),
   username: 'ScumbagSteve',
   full_name: [ { first: 'Scumbag' }, { last: 'Steve' } ]
Atlas atlas-h87gw6-shard-0 [primary] users> db.posts.find()
   _id: ObjectId("620289ec3870f4840744a9f1"),
   username: 'GoodGuyGreg',
   title: 'Passes out at party',
   body: 'Wakes up early and cleans house'
    id: ObjectId("620289ec3870f4840744a9f2"),
   username: 'GoodGuyGreg',
   title: 'Steals your identity',
   body: 'Raises your credit score'
   _id: ObjectId("620289ec3870f4840744a9f3"),
   username: 'GoodGuyGreg',
   title: 'Reports a bug in your code',
   body: 'Sends you a Pull Request'
   _id: ObjectId("620289ec3870f4840744a9f4"),
   username: 'ScumbagSteve',
   title: 'Borrows something',
   body: 'Sells it'
```



































```
Select mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase

body: 'Sells it'
},
{
    _id: ObjectId("620289ec3870f4840744a9f5"),
    username: 'ScumbagSteve',
    title: 'Borrows everything',
    body: 'The end'
},
{
    _id: ObjectId("620289ec3870f4840744a9f6"),
    username: 'ScumbagSteve',
    title: 'Forks your repo on github',
    body: 'Sets to private'
}
```

```
Select mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
   body: 'Sets to private'
Atlas atlas-h87gw6-shard-0 [primary] users> db.comments.find()
    _id: ObjectId("62028b663870f4840744a9f7"),
   username: 'GoodGuyGreg',
   comment: 'Hope you got a good deal!',
   post: ObjectId("620289ec3870f4840744a9f4")
   _id: ObjectId("62028b663870f4840744a9f8"),
   username: 'GoodGuyGreg',
   comment: "What's mine is yours!",
   post: ObjectId("620289ec3870f4840744a9f5")
   _id: ObjectId("62028b663870f4840744a9f9"),
   username: 'GoodGuyGreg',
   comment: "Don't violate the licensing agreement!",
   post: ObjectId("620289ec3870f4840744a9f6")
   _id: ObjectId("62028b663870f4840744a9fa"),
   username: 'ScumbagSteve',
   comment: "It still isn't clean",
   post: ObjectId("620289ec3870f4840744a9f1")
   _id: ObjectId("62028b663870f4840744a9fb"),
   username: 'ScumbagSteve',
   comment: 'Denied your PR cause I found a hack',
   post: ObjectId("620289ec3870f4840744a9f3")
```

```
Select mongosh mongodb+srv://cluster0.msg7a.mongodb.net/myFirstDatabase
                                                                                                                                                                      Atlas atlas-h87gw6-shard-0 [primary] users> db.comments.find({post: db.posts.findOne({title: "Reports a bug in your code"})._id})
    _id: ObjectId("62028b663870f4840744a9fb"),
   username: 'ScumbagSteve',
   comment: 'Denied your PR cause I found a hack',
   post: ObjectId("620289ec3870f4840744a9f3")
Atlas atlas-h87gw6-shard-0 [primary] users>
```