

Coin Change

Submissions: 46509 (/problem_submissions.php?pid=89) Accuracy: 46.07% Difficulty: Medium (<https://practice.geeksforgeeks.org/Medium/0/0/>) Marks: 4

Associated Course(s): [Geeks Classes \(/courses/geeks-classes/\)](/courses/geeks-classes/) [Geeks Classes- Algorithms \(/courses/geeks-classes-algorithms/\)](/courses/geeks-classes-algorithms/) [More](#)

Show Topic Tags

Company Tags

[Accolite \(/company/Accolite/\)](/company/Accolite/)

[Amazon \(/company/Amazon/\)](/company/Amazon/)

[Microsoft \(/company/Microsoft/\)](/company/Microsoft/)

[Morgan Stanley \(/company/Morgan Stanley/\)](/company/Morgan Stanley/)

[OYO Rooms \(/company/OYO Rooms/\)](/company/OYO Rooms/)

[Paytm \(/company/Paytm/\)](/company/Paytm/)

[Samsung \(/company/Samsung/\)](/company/Samsung/)

[Snapdeal \(/company/Snapdeal/\)](/company/Snapdeal/)

LIVE BATCHES

Problems

Given a value N, find the number of ways to make change for N cents, if we have infinite supply of each of $S = \{S_1, S_2, \dots, S_m\}$ valued coins. The order of coins doesn't matter. For example, for $N = 4$ and $S = \{1, 2, 3\}$, there are four solutions: $\{1, 1, 1, 1\}, \{1, 1, 2\}, \{2, 2\}, \{1, 3\}$. So output should be 4. For $N = 10$ and $S = \{2, 5, 3, 6\}$, there are five solutions: $\{2, 2, 2, 2, 2\}, \{2, 2, 3, 3\}, \{2, 2, 6\}, \{2, 3, 5\}$ and $\{5, 5\}$. So the output should be 5.

Input:

The first line contains an integer 'T' denoting the total number of test cases. In each test cases, the first line contains an integer 'M' denoting the size of array. The second line contains M space-separated integers A_1, A_2, \dots, A_N denoting the elements of the array. The third line contains an integer 'N' denoting the cents.

Output:

Print number of possible ways to make change for N cents.

Constraints:

$$1 \leq T \leq 50$$

$$1 \leq N \leq 300$$

$$1 \leq A[i] \leq 300$$

Example:

Input:

2

3

1 2 3

4
4
2 5 3 6
10

Output:

4
5

Explanation:

Testcase 1: The possibilities are as such: {1, 1, 1, 1}, {1, 1, 2}, {1, 3}, {2, 2}.

**** For More Input/Output Examples Use 'Expected Output' option ****

Author: shef5 (<https://auth.geeksforgeeks.org/user/shef5/practice/>)

(/problem_submissions.php?pid=89)

(/problem_submissions.php?

pid=89&isSolved=ALL&lang=ALL&user=Self)

My Submissions

All Submissions

Monokai



C++ (g++ 5.4)



(<https://auth.geeksforgeeks.org/edit-profile.php>)