Anonymized Medical Record

Patient Demographics Patient ID: FH-003 Date of Birth: 2021-11-20 (Age: 3 years, 8 months) Gender: Female Ethnicity: Hispanic **Chief Complaint (CC)** Right ear pain and fever. **History of Present Illness (HPI)** 3-year-old female presents with crying, pulling at her right ear, and irritability for the past 24 hours. Parents report a fever of 101.5°F (rectal) this morning. Child has had a runny nose and mild cough for 3 days prior to ear pain onset. Eating and drinking less than usual. No vomiting or diarrhea. No recent ear infections. Immunizations up-to-date. Attends daycare. **Past Medical History (PMH)** - Full-term infant, uncomplicated delivery. - No significant childhood illnesses or hospitalizations. - No prior ear infections. **Medications** - Acetaminophen 160mg PRN for fever/pain (last dose 4 hours ago). **Allergies** None known. Family History (FH)

Anonymized Medical Record

- Mother: History of childhood ear infections.
- Father: No significant medical history.

Social History (SH)

:

Lives with parents and older sibling. Attends daycare 5 days/week.

Review of Systems (ROS)

:

- Constitutional: Fever, irritability, decreased appetite.
- ENT: Right ear pain, pulling at ear, runny nose (clear discharge), mild cough. Denies sore throat, difficulty swallowing.
- Gastrointestinal: Decreased oral intake. Denies vomiting, diarrhea.
- Neurological: Crying, no seizures.

Physical Examination (PE)

:

- Vitals: Temp 100.8°F (oral), HR 110, RR 24.
- General: Irritable but consolable, well-appearing for age.
- ENT:
 - Ears: Right TM erythematous, bulging, with decreased mobility on pneumatic otoscopy. Left TM clear, mobile.
 - Nose: Mild clear rhinorrhea.
 - Throat: Mild pharyngeal erythema, no exudates.
- Lungs: Clear to auscultation bilaterally.
- Cardiac: Regular rate and rhythm, no murmurs.
- Abdomen: Soft, non-tender, no organomegaly.

Assessment

:

- 1. Acute Otitis Media (AOM), right ear.
- 2. Viral upper respiratory infection (URI).

Plan

:

- 1. Medications: Prescribe Amoxicillin 400mg/5mL, 5mL BID for 10 days. Continue Acetaminophen for fever/pain.
- 2. Education: Advise on proper medication administration, fever management, hydration.
- 3. Follow-up: Return to clinic in 10-14 days for recheck or sooner if no improvement or worsening symptoms.