## Numpy

[1, 1, 1, 1, 1, 1, 1, 1, 1, 1], [1, 1, 1, 1, 1, 1, 1, 1, 1, 1], [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],

```
In [1]: import sys
         sys.version
Out[1]: '3.12.7 | packaged by Anaconda, Inc. | (main, Oct 4 2024, 13:17:27) [MSC v.1929 64 bit (AMD64)]'
In [2]: import numpy as np
In [3]: np.__version__
Out[3]: '1.26.4'
        creating a list
In [4]: my_list = [0,1,2,3,4,5,]
        my_list
Out[4]: [0, 1, 2, 3, 4, 5]
In [5]: type(my_list)
Out[5]: list
In [6]: arr = np.array(my_list)
Out[6]: array([0, 1, 2, 3, 4, 5])
In [7]: print(type(arr))
        print(type(my_list))
       <class 'numpy.ndarray'>
       <class 'list'>
In [8]: np.arange(10)
Out[8]: array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
In [9]: np.arange(10,20)
Out[9]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [10]: np.arange(10,50,5)
Out[10]: array([10, 15, 20, 25, 30, 35, 40, 45])
In [11]: np.arange(10,30,3)
Out[11]: array([10, 13, 16, 19, 22, 25, 28])
In [12]: np.arange(10,30,30,3)
       TypeError
                                                Traceback (most recent call last)
       Cell In[12], line 1
       ---> 1 np.arange(10,30,30,3)
       TypeError: Cannot interpret '3' as a data type
In [13]: np.arange(8,20)
Out[13]: array([ 8,  9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [14]: np.arange(20,8)
Out[14]: array([], dtype=int32)
In [15]: np.arange(-20,8)
Out[15]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9, -8,
                -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5,
                 6, 7])
In [16]: n = np.arange(-20,8)
Out[16]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9, -8,
                -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5,
                 6, 7])
In [17]: np.zeros(3)
Out[17]: array([0., 0., 0.])
In [18]: np.zeros(3, dtype=int)
Out[18]: array([0, 0, 0])
In [20]: z = np.zeros(5)
Out[20]: array([0., 0., 0., 0., 0.])
In [21]: z = np.zeros(5, dtype = int)
Out[21]: array([0, 0, 0, 0, 0])
In [22]: np.zeros((2,2))
Out[22]: array([[0., 0.],
               [0., 0.]])
In [23]: np.zeros((3,3), dtype = int)
Out[23]: array([[0, 0, 0],
               [0, 0, 0],
               [0, 0, 0]])
In [24]: nd = np.zeros((5,9), dtype = int)
Out[24]: array([[0, 0, 0, 0, 0, 0, 0, 0],
               [0, 0, 0, 0, 0, 0, 0, 0, 0],
               [0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
               [0, 0, 0, 0, 0, 0, 0, 0, 0]])
In [25]: np.ones(3)
Out[25]: array([1., 1., 1.])
In [26]: np.ones(3, dtype=int)
Out[26]: array([1, 1, 1])
In [27]: nd1 = np.ones((10,10), dtype = int)
Out[27]: array([[1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1]])
In [28]: nd1
Out[28]: array([[1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1],
```