

```
In [1]: def greet():
        print('hello')
        print('good morning team')
```

```
In [2]: def greet():
        print('hello')
        print('good morning team')
        greet()

hello
good morning team
```

```
In [3]: def greet():
        print('hello')
        print('good evening sir')
        greet()
        def greet():
            print('hi')
            print('good evening sir')
        greet()

hello
good evening sir
hi
good evening sir
```

```
In [5]: def greet():
        print('hi')
        print('good evening sir')
        greet()

        print()

        def greet():
            print('hi')
            print('good evening sir')
        greet()

hi
good evening sir

hi
good evening sir
```

```
In [6]: def greet():
        print('hello')
        print('good evening sir')
        greet()

        def greet():
            print('hi')
            print('good evening sir')
        greet()

hello
good evening sir
hi
good evening sir
```

```
In [8]: def greet():
        print('hi')
        print('good evening guys')
        greet()
        print()
        def greet():
            print('hello')
            print('good evening kareem')
        greet()
        def greet():
            print('hi')
            print('good evening dad')
        greet()

hi
good evening guys

hello
good evening kareem
hi
good evening dad
```

```
In [9]: def greet():
        print('hi')
        print('good evening guys')
        greet()
        print()
        def greet():
            print('hello')
            print('good evening kareem')
        greet()
        print()
        def greet():
            print('hi')
            print('good evening dad')
        greet()

hi
good evening guys

hello
good evening kareem

hi
good evening dad
```

```
In [10]: def greet():
        print('hello')
        print('good evening guys')
        greet()
        print('*****')
        greet()
        print('#####')
        greet()
        print('$$$$$$$$$$')

hello
good evening guys
*****
hello
good evening guys
#####
hello
good evening guys
$$$$$$$$$$
```

```
In [11]: def add(x,y):
        c=x+y
        print(c)
        add(5,6)

11
```

```
In [12]: def add(x,y):
        c=x+y
        return c
        add(5)

-----
TypeError                                Traceback (most recent call last)
Cell In[12], line 4
      2 c=x+y
      3 return c
----> 4 add(5)

TypeError: add() missing 1 required positional argument: 'y'
```

```
In [13]: def add(x,y,z):
        c=x+y
        return c
        add(5,4,7)

Out[13]: 9
```

```
In [14]: def add(x,y,z):
        c=x+y+z
        return c
        add(5,4,7)

Out[14]: 16
```

```
In [15]: def greet():
        print('hello')
        print('good evening guys')
        greet()

        def add(x,y):
            c=x+y
            return c
        add(5,6)

hello
good evening guys

Out[15]: 11
```

```
In [16]: def greet():
        print('hi')
        print('good evening')
        greet()

        def add(x,y):
            c=x+y
            return c
        add(5,6)

        def sub(x,y):
            d = x-y
            return d
        sub(5,6)

hi
good evening

Out[16]: -1
```

```
In [17]: def greet():
        print('hi')
        print('good evening')
        greet()

        def add(x,y):
            c=x+y
            return c

        def sub(x,y):
            d = x-y
            return d

        print(add(5,6))
        print(sub(5,6))

hi
good evening
11
-1
```

```
In [18]: def greet():
        print('hi')
        print('good evening')

        def add(x,y):
            c=x+y
            return c

        def sub(x,y):
            d = x-y
            return d

        print(add(5,6))
        print(sub(5,6))
        greet()

11
-1
hi
good evening
```

```
In [19]: def add_sub(x,y):
        c=x+y
        d=x-y
        return c,d
        add_sub(4,5)

Out[19]: (9, -1)
```

```
In [20]: def add_sub(x,y):
        c=x+y
        d=x-y
        return c,d
        add_sub(4,5)
        print(type)

<class 'type'>
```

```
In [22]: def add_sub(x,y):
        c=x+y
        d=x-y
        return c,d
        result = add_sub(4,5)
        print(result)
        print(type(result))

(9, -1)
<class 'tuple'>
```

```
In [23]: def add_sub(x,y):
        c= x+y
        d = x-y
        return c,d
        result,result1 = add_sub(4,5)
        print(result)
        print(result1)

9
-1
```

```
In [24]: def add_sub(x,y):
        c= x+y
        d = x-y
        return c,d
        result,result1 = add_sub(4,5)
        print(result)
        print(result1)
        print(type(result))

9
-1
<class 'int'>
```

```
In [25]: def update():
        x=7
        print(x)
        update()

7
```

```
In [26]: def update(x):
        x =7
        return x
        update(100)

Out[26]: 7
```

```
In [27]: def update(x):
        x = 7
        return x
        a=15
        update(a)

Out[27]: 7
```

```
In [28]: def update(x):  
        x = 7  
        return x  
a=15  
update(a)  
print(a)  
  
15
```

```
In [ ]:
```