HTML Validation





Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://kareemalkhaleefa.github.io/CISC375-Assigment1/ (checked with vnu 26.2.26)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only Options...

Check by address

https://kareemalkhaleefa.github.io/CISC375-Assigment1/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 4, column 5; to line 4, column 28
   `head>↵  <meta charset="UTF-8" />↵  <`
2. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 5, column 5; to line 5, column 76
   `8" />↵  <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵  <`
3. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 7, column 5; to line 7, column 47
   `itle>↵  <link rel="stylesheet" href="styles.css" />↵↵`
4. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 113, column 13; to line 118, column 14
   `<img↵  src="https://upload.wikimedia.org/wikipedia/commons/thumb/6/6f/ChessSet.jpg/800px-ChessSet.jpg"↵  alt="A classic Staunton chess set arranged on a checkered board, showing all pieces in their starting positions"↵  width="800"↵  height="533"↵  />↵`

Document checking completed. No errors or warnings to show.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 36 milliseconds.



Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://kareemalkhaleefa.github.io/CISC375-Assigment1/resources (checked with vnu 26.2.26)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only Options...

Check by address

https://kareemalkhaleefa.github.io/CISC375-Assigment1/resources

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 4, column 5; to line 4, column 28
   `head>↵  <meta charset="UTF-8" />↵  <`
2. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 5, column 5; to line 5, column 76
   `8" />↵  <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵  <`
3. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 7, column 5; to line 7, column 47
   `itle>↵  <link rel="stylesheet" href="styles.css" />↵ </h`
4. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 173, column 46; to line 173, column 53
   `Alan Light<br />↵`
5. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 183, column 16; to line 183, column 21
   `>br />↵`
6. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 184, column 52; to line 184, column 57
   `main (CC0)<br />↵`
7. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 201, column 16; to line 201, column 21
   `>br />↵`
8. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 202, column 65; to line 202, column 70
   `vn Commons<br />↵`
9. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 212, column 52; to line 212, column 57
   `Johansson<br />↵`
10. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 220, column 16; to line 220, column 21
    `>br />↵`
11. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 221, column 46; to line 221, column 50
    `BY-SA 3.0<br />↵`

CSS Validation

W3C CSS Validator results for https://kareemalkhaleefa.github.io/CISC375-Assigment1/styles.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss"
            alt="Valid CSS!" />
    </a>
</p>
```

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss-blue"
            alt="Valid CSS!" />
    </a>
</p>
```

W3C CSS Validator results for https://kareemalkhaleefa.github.io/CISC375-Assigment1/timeline.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss"
            alt="Valid CSS!" />
    </a>
</p>
```

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss-blue"
            alt="Valid CSS!" />
    </a>
</p>
```

Accessibility Guidelines Applied

1. Semantic HTML Landmarks
   Used <header>, <nav>, <main>, <footer>, <section>, and <article> elements to define page regions. Screen readers use these landmarks to let users jump between major areas of the page.

   Example: <nav aria-label="Main site navigation"> wraps the site menu, and <main> wraps all primary content on every page.

2. ARIA Labels on Navigation
   Applied aria-label="Main site navigation" to the <nav> element so screen readers announce the purpose of the navigation region.

   Example: <nav aria-label="Main site navigation">

3. Sections Associated with Headings via aria-labelledby

Each <section> is linked to its heading using aria-labelledby and a matching id, giving every region a programmatic accessible name.

Example: <section id="origins" aria-labelledby="origins-heading">
<h2 id="origins-heading">The Origins of Chess</h2>

4. Descriptive Alt Text and Figcaptions for Images
All images include meaningful alt attributes describing their content. The <figure> and <figcaption> elements provide visible captions with attribution.

Example: <img alt="A classic Staunton chess set arranged on a checkered board, showing all pieces in their starting positions">
with a <figcaption> crediting the photographer and source.

5. Accessible Table Markup
Tables use <caption> for a title, <thead> to group header rows, and <th scope="col"> on every column header so assistive technologies can associate data cells with their headings.

Example: <caption>Official World Chess Champions, 1886-Present</caption>
<th scope="col">Champion</th>
<th scope="col">Country</th>

6. Decorative Content Hidden from Screen Readers
Purely decorative Unicode chess symbols use aria-hidden="true" so they are not announced to screen reader users.

Example: ♗

7. Logical Heading Hierarchy (h1 > h2 > h3)
Headings follow a strict descending order without skipping levels, enabling screen reader users to navigate the document outline.

Example: <h1>The Game of Kings</h1> (one per page)
<h2>The Origins of Chess</h2> (section level)
<h3>Chaturanga: The Ancient Indian Ancestor</h3> (subsection)

8. Visually Hidden Headings for Screen Readers (sr-only)

Where a section has no visible title but needs an accessible name, a heading with the class "sr-only" is used so it is available to assistive technology without appearing on screen.

Example: <h2 id="timeline-section-heading" class="sr-only">
Historical Milestones</h2>

9. Current Page Indicated with aria-current
The active navigation link uses aria-current="page" so screen readers announce which page the user is currently on.

Example: <a href="index.html" class="active" aria-current="page">Home</a>

10. Safe External Links (rel="noopener noreferrer")
All links that open in a new tab include target="_blank" paired with rel="noopener noreferrer" to prevent reverse tabnapping and ensure predictable behaviour for all users.

Example: <a href="https://www.fide.com" target="_blank"
rel="noopener noreferrer">FIDE</a>

11. Readable Typography and Sufficient Colour Contrast
The CSS uses a base font size of 1rem with a line-height of 1.75 for comfortable reading. Dark text (#1a1a2e) on a light background (#f5f0e8) and light text (#f5f0e8) on dark backgrounds (#0d1b2a, #0f2236) maintain high contrast ratios throughout the site.

Example: body { color: #1a1a2e; background-color: #f5f0e8;
font-size: 1rem; line-height: 1.75; }