

Project Title: System Verification and
Validation Plan for Minimization Analysis

Ning Wang

February 21, 2023

A more descriptive
project title would be
helpful. Maybe
something with metagrids?
a grid of

1 Revision History

Date	Version	Notes
Oct 30, 2020	1.0	First Draft
Dec 20, 2020	1.1	Revision 1

Contents

1	Revision History	i
2	Symbols, Abbreviations and Acronyms	1
3	General Information	2
3.1	Summary	2
3.2	Objectives	2
3.3	Relevant Documentation	2
4	Verification and Validation Plan	2
4.1	Verification and Validation Team	2
4.2	SRS Verification Plan	3
4.3	Design Verification Plan	3
4.4	Implementation Verification Plan	3
4.5	Automated Testing and Verification Tools	3
4.6	Software Validation Plan	3
5	System Test Description	4
5.1	Tests for Functional Requirements	4
5.1.1	Input	4
5.1.2	Area of Testing1 - Fun. Req. 1 .2 and Fun. Req. 3 - Inputs	4
5.1.3	Output	7
5.2	Tests for Non-Functional Requirements	8
5.2.1	Portability	8
5.2.2	Maintainable	9
5.2.3	Usability	10
5.2.4	Accuracy	10
5.3	Traceability Between Test Cases and Requirements	10
6	Unit Test Description	11
6.1	Unit Testing Scope	11

List of Tables

1	Sample number of input for input test one	6
---	---	---

2	Sample number of input which some of them out of boundary	7
3	Sample number of input which some of data center will not be assigned power	8
4	Traceability Between Test Cases and Requirements	11

List of Figures

2 Symbols, Abbreviations and Acronyms

symbol	description
FR	Functional Requirement
MG	Module Guide
MIS	Module Interface Specification
NFR	Non-Functional Requirement
RSSC	Radio SignalStrength Calculator
SRS	Software Requirement Specification
T	Test
VV	Validation and Verification

what is this for? I don't see it used in the document

newpage >

This document records and presents the verification and validation plan for minimization analysis to help ensure the program meets the requirements. General information a quick recall of the minimization analysis's background is given in [section 3](#). [section 4](#) provides a plan for verification and [section 5](#) describes the system tests, including tests for functional requirements and tests for non-functional requirements.

You should also include Section 6 in your Roadmap.

3 General Information

3.1 Summary

The software to test is MATLAB. The purpose of minimization analysis is to simulate the minimized cost and relocate the computational power for each data center. The inputs are defined by the user and find the analytical distribution of computational power for the user.

You aren't really testing MATLABs. You are testing your program. What is your program and what is its purpose? You need a better ramp.

You need more information to set the context

3.2 Objectives

The objective of this document is to build confidence in the software's level of correctness. To reach this objective, all functional and non-functional requirements will be tested following the descriptions in this document.

What is outside of your scope?

3.3 Relevant Documentation

- SRS

How relevant? How used? Also include the other documents.

Point out that we can that Matlab so it is our model implementation that is the priority

4 Verification and Validation Plan

Verification and Validation of minimization analysis include automated testing at the module level, the system level, and the integration level. This document will additionally propose continuous integration.

good idea. details?

4.1 Verification and Validation Team

- Author: Ning Wang
- Primary Reviewer: Maryam
- Reviewer: Jason
- Dr. Spencer Smith

more detail

reviewer of what?

role?

4.2 SRS Verification Plan

SRS will be done by team members reviewing the document. Team members can put any comments, suggestions or questions in Project's Github repository as issues. The author will respond to the issues and make modifications when needed.

4.3 Design Verification Plan

Design verification will be done by team members, by reviewing whether the ~~steps of calculation~~ in the software follows the physical model in SRS or not.

4.4 Implementation Verification Plan

Implementation verification will be done by testing all the functional and non-functional requirements. Descriptions of the tests can be found in [subsection 5.1](#) and [subsection 5.2](#). In addition, we will undergo static verification by checking all the codes built with MATLAB. The author will also conduct unit testing for modules within the testing scope. Details for unit testing can be found in [section 6](#).

4.5 Automated Testing and Verification Tools

- Python
- MATLAB

4.6 Software Validation Plan

Validation is the validation of the requirements. Validation compares experimental data to output from minimization analysis to confirm or reject the problem model. Validation considers the applicability of the equations and assumptions to the problem space.

good idea, but not enough information. How will you do the static analysis? Are there stats you can use? Maybe a code review meeting with the class?

not enough detail? what testing tools does Matlab provide? Pytest? Flake8?

How does this apply to your problem?
→ Your SRS is verified in a previous section
→ there is no experimental validation

5 System Test Description

5.1 Tests for Functional Requirements

Functional requirements for this project are given in [SRS](#) section 5.1. There are 7 functional requirements for the minimization analysis model, from R1 to R7. R1, R2 and R3 are corresponding to inputs, while R6 and R7 are corresponding to outputs. [subsection 5.1.1](#) describes the input tests for R1, R2 and R3; and [subsection 5.1.3](#) describes the output tests for R6 and R7.

5.1.1 Input

This test verifies the following requirements:

R1: Requirements for the inputs that are supplied by the user. This information has to be explicit.

R2: The program shall notify the user if the input is out of bounds.

R3: User should keep input validate data type.

What is the test case?

5.1.2 Area of Testing1 - Fun. Req. 1 .2 and Fun. Req. 3 - Inputs

Functional Requirement 1 states The inputs that are supplied by the user. This information has to be explicit.

Functional Requirement 2 states: The program shall notify the user if an input value is illegal or out of bounds.

This area of tests will address the inputs to the program. The following tests include tests with inputs that are within bounds to test Fun. Req. 1 and tests with inputs that are out of bounds to test Fun. Req. 2.

Tests for Fun. Req. 1, 2 and 3

1. test - Normal Input using defaults

Control: Automatic

Initial State: Pending input

Input: various distances d_i , using default inputs boundaries

The test cases need to be specific

}]?

Output: The program should run with no error, (the correctness of the solution is addressed in other tests)

Test Case Derivation: Fun. Req. 1, table 1

How the test will be performed: A set of distances like in table 1, they are all typically normal numbers, the system will perform under default constrain and the program will run and output with the minimize plan.

2. test - Normal Input with user entered pricing

Control: Automatic

Initial State: Pending input

Input: A set of distances and different pricing as default,

Output: The program should run with no error, (the correctness of the solution is addressed in other tests)

Test Case Derivation: Fun. Req. 1

How the test will be performed: The system should use the input pricing to calculate the minimization value and output the distributed value. This time will conduct a set of two tests, one with default pricing, and another with tester-entered pricing, these testing will be with the same input distances. Tester will compare both results to observe the pricing unit affects the distribution of computational power for data centers.

3. test - Out of Bounds distances

Control: Manual

Initial State: Pending input

Input: distances which are out of the distances limit. (Table 2)

Output: The program should return an error.

Test Case Derivation: Fun. Req. 2

How test will be performed: The program will set the boundary for input, in this case, some distance out of the boundary will input like in table 2, the tester will expect to see the data center within the boundary

*You need to be more specific
Test cases to explore the impact of pricing are a good idea, but you need more tests. You also need to say how you are going to present the results*

will be assigned computational power, those out of boundary will return an error.

4. test- Out of Bounds for not reaching target consumption

Control: Manual

Initial State: Pending input

Input: too less data centers to allocate target computational power

Output: The program should return an error about the analysis range

Test Case Derivation: Fun. Req. 2

How the test will be performed: In this test will assume up bound for the power of each data center that is capable. Tester will assign each data center with exceed the power and expect the program will return an error.

5. test- wrong data type

Control: Manual

Initial State: Pending input

Input: input distances with the wrong data type

Output: The program should return a warning and stop running.

Test Case Derivation: Fun. Req. 3

How the test will be performed: Tester will try a different type of data as input and expect to see the program stop running.

data center	distance(km)	total power consumption(MW)
1	1	100
2	5	
3	50	
4	500	
5	2000	

Table 1: Sample number of input for input test one

Specific test case?

Be specific

automate these tests

Expected output?

data center	distance(km)	total power consumption(MW)
1	1	100
2	5	
3	50	
4	5000	
5	20000	

Expected output?
Which test cases are out of bounds?

Table 2: Sample number of input which some of them out of boundary

5.1.3 Output

This test verifies the following requirements:

R6: The program output the optimal plan for end users.

R7: The output should allocate the computing power of data centers with their capable size⁽¹⁾

Output Test

1. Simple number of data centers valid output

Control: Manual

Initial State: Pending Input

Input: Data centers number which exceeds needed.

Output: Some data centers will be distributed, and some will return null

Test Case Derivation: program returns the correct output.

How the test will be performed: Tester will assign power to exceed data centers some data centers will be useless as in table 3. It is expected to see some data centers be fully assigned and some are assigned to null.

2. Simple multiple valid output

Control: Manual

Initial State: Pending Input

automate

By specific

Input: Data centers with various that have a huge gap with each other. (1km, 5km, 50km, 500km, 2000km)

Output: In this case, it is expected to see the near data centers be assigned more computational power and the far one the less.

Test Case Derivation: The program returns the correct output.

How the test will be performed: Tester manually changes the inputs to see the changes in output.

data center	distance(km)	total power consumption(MW)
1	1	50
2	5	
3	20	
4	100	
5	200	
6	1000	
7	2000	
8	5000	

Table 3: Sample number of input which some of data center will not be assigned power

5.2 Tests for Non-Functional Requirements

Non-functional requirements are given in SRS section 5.2. There are 4 non-functional requirements: Accuracy, Usability, Maintainability, and Portability. The rest of this section provides detailed descriptions on how to test them.

5.2.1 Portability

Portability Test The program shall be able to run on different OS. Since the core algorithm is written on MATLAB, the program should fit every type of OS that can run MATLAB.⁽²⁾

What
test cases?

1. Portability on Windows 10

Type: Manual

Initial State: Pending Input

Input: Set of sample distances.

Output: The output will automatically write in a .csv file and able to open in the windows system.

How the test will be performed: Fair



2. Portability on Linux Ubuntu

Type: Manual

Initial State: Pending Input

Input: Set of sample distances.

Output: The output will automatically write in a .csv file and be able to open in a Linux system.

How the test will be performed: Fair



5.2.2 Maintainable

Maintainability Test Proper documents should be included in this project.

1. Maintainability Test

Type: Manual

Initial State: none

Input: none

Output: none

How the test will be performed: Tester manually checks the contents in the Github repo. On success, documents shall be uploaded following the schedule of CAS741 and no issue shall be closed without a proper response.

This isn't a test

5.2.3 Usability

Usability Test The program shall not have a user interface but will clearly show the output and data will easy to copy

1. Usability Test

Type: Manual

Initial State: none

Input: none

Output: none

How to test will be performed: Tester reviews the code and since it is designed to write the result in excel, the tester will easy to copy and use the result.

Not a test Why not survey users to assess usability?

5.2.4 Accuracy

Accuracy Test The accuracy of the computed solutions should meet the level needed for the engineering app.

1. Accuracy Test

Type: Manual

Initial State: Pending Input

Input: A set of distances of data centers with power generation of known distributed computational power will be set up and tested the accuracy.

Output: Tester will observe if the output matches the known result.

How the test will be performed: Tester reviews the code and since we trust the library of MATLAB, the center algorithm of minimization analysis will be correct by default. The known result will allow 3% - 5% correctness.⁽³⁾

Join this in objectives

5.3 Traceability Between Test Cases and Requirements

	R1	R2	R3	R4	R5	R6	Portable	Maintainable
Input	X	X						
Output			X	X	X			
Portability						X		
Maintainable							X	
Accuracy								X

Table 4: Traceability Between Test Cases and Requirements

6 Unit Test Description

6.1 Unit Testing Scope

This section is intentionally left blank until the MIS is completed.

Given that we know MATLAB there are too many tests of the Matlab functionality. Instead focus on code review and other static techniques. You need specific details and specific plans.

Proposing tests to explore the solution space, like the test on page 5, are a good idea. How are you going to vary the input? How are you going to summarize the output? Ideally, it should be summarized graphically.

References

- [1] Richard P Sedano and Matthew H Brown. Electricity transmission: a primer. *National Council on Electricity Policy, June, Washington, DC*, 2004.
- [2] Juan Rosellón. Different approaches towards electricity transmission expansion. *Review of network economics*, 2(3), 2003.
- [3] Michel Rivier, Ignacio J Pérez-Arriaga, and Luis Olmos. Electricity transmission. *Regulation of the power sector*, pages 251–340, 2013.