

TD 2 JPA

final result:


The screenshot displays a web browser window at the top and a database management tool (DBeaver) at the bottom. The browser window shows the URL `localhost:8080/Td2KarenJPA-1.0-SNAPSHOT/hello-servlet` and the message "Saved employee: Karen Khoury with salary: 6000".

The database management tool (DBeaver) shows the "public.employees" table in the "employees" schema. The table structure is as follows:


id	name	salary
1	Karen Khoury	6000.00
1234	Bill Gates	40.00

The query executed is `SELECT * FROM public.employees ORDER BY id ASC`. The results show two rows: Karen Khoury with a salary of 6000.00 and Bill Gates with a salary of 40.00. The status bar indicates "Total rows: 2" and "Query complete 00:00:00.083".

Steps I followed:



Karen Khoury 220402



Project Structure

← → + - [icon]

Project Settings

- Project
- Modules**
- Libraries
- Facets
- Artifacts

Platform Settings

- SDKs
- Global Libraries

Problems

▼ Td2KarenJPA

- EJB**
- Web

Name: EJB

Deployment Descriptors

+ - [icon]


Type	Path
EJB Module Deployment Descriptor	C:\Users\User\Desktop\...
JBoss/WildFly EJB Deployment Descriptor	C:\Users\User\Desktop\...




Add Application Server-specific descriptor...



Source roots for EJB classes

- ☒ C:\Users\User\Desktop\karen\Universite-Etudes\Semestre 8\Application C...
- ☒ C:\Users\User\Desktop\karen\Universite-Etudes\Semestre 8\Application C...

! 'EJB' Facet resources are not included in any artifacts







Karen Khoury 220402

The screenshot shows a database management tool interface. On the left, the 'Object Explorer' pane displays a tree view of database objects, with 'employees' selected under 'Tables (1)'. The 'employees' table structure is shown with columns: 'id' (integer), 'name' (character varying (255)), and 'salary' (numeric (38,2)). The main query editor displays the following SQL query:

```
1 SELECT * FROM public.employees
2 ORDER BY id ASC
```

The 'Data Output' pane shows the query results in a table format:

	id [PK] integer	name character varying (255)	salary numeric (38,2)
1	1	Karen Khoury	6000.00
2	1234	Bill Gates	40.00

Below the table, a status bar indicates: 'Total rows: 2 Query complete 00:00:00.083'. A green notification box at the bottom right states: 'Successfully run. Total query runtime: 83 msec. 2 rows affected. X'. Another green notification box at the bottom right states: 'PostgreSQL 16/JpaTDKaren - Database connected X'.

SUCCESSFUL INSERTION OF KAREN KHOURY

localhost:8080/Td2KarenJPA-1.0-SNAPSHOT/hello-servlet

The screenshot shows a web browser window with the address bar displaying 'localhost:8080/Td2KarenJPA-1.0-SNAPSHOT/hello-servlet'. The main content area of the browser displays the text: 'Saved employee: Karen Khoury with salary: 6000'.