


LAB 9 TASK 3 - ERROR CORRECTION CAPABILITY (1 point possible)

In this task, you will investigate the error correction capability of the (3,1,3) repetition code by comparing its BER performance to that without using error correction code.




```

1 num_bits=20000;
2 bs_raw = rand(1,num_bits)>0.5; % generate a random bit sequence
3
4 % loop over different transmission distances
5 distance_list = [1:50]; % list of transmission distances
6 num_dist = length(distance_list);
7 BER_no_ecc = zeros(1,num_dist); % initialize storage arrays
8 BER_ecc = zeros(1,num_dist);
9
10 for i = 1:num_dist,
11     distance = distance_list(i);
12
13     % compute BER without error correction
14     bs_out = binary_channel(bs_raw,distance); % simulate the transmission
15     BER_no_ecc(i) = compute_BER(bs_raw,bs_out); % compute bit error rate

```

Unanswered

Figure 1

Run CodeCheckSave

You have used 0 of 10 submissions

INSTRUCTIONS

The available code in the above window calculates the empirical BER performance without error correction for transmission at the distances contained in the vector **distance_list**, and returns the results in the vector **BER_no_ecc**. It also plots the bit error rate as a function of distance. The code first creates a random bit stream, then transmits it over a noisy binary channel using the function

```
bs_out = binary_channel(bs_raw,distance);
```

which simulates the transmission of the binary sequence **bs_raw** over a binary channel and generates the output **bs_out** with errors, where the bit error rate depends on distance in the same way as in previous labs. It compares the input and output bit streams to compute the bit error rate.

Your job is to calculate the empirical BER with repetition code and plot it in the same figure for comparison.

Step 1: Run the given code

After you click on the **Run Code** button, the code will generate a figure with two curves representing the BER performance without error correction and with error correction using the repetition code. The curve showing BER without error correction is correct. However, the curve showing BER with error correction is not. It will be very similar to that without error correction. Your job is to use your code from Tasks 1 and 2 to add channel coding and error correction, and see how this affects the BER.

Step 2: Modify the code to add error correcting channel coding in the transmitter and error correction in the receiver

Your code should first encode the bitstream in **bs_raw** using the (3,1,3) repetition encoder and store it in **bs_enc**.

The existing code transmits **bs_enc** over a noisy binary channel with the code:

```
bs_out = binary_channel(bs_enc,distance); % simulate the transmission
```

Do NOT change this line.

Your code should then decode **bs_out** by performing error correction, and store the result in **bs_dec**.

Step 3: Submit your work

Once you have completed your work, click on the **Check** button to submit your answer.



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2014 edX, some rights reserved.

[Terms of Service and Honor Code](#)

[Privacy Policy \(Revised 4/16/2014\)](#)

About & Company Info

[About](#)

[News](#)

[Contact](#)

[FAQ](#)

[edX Blog](#)


[Donate to edX](#)

[Jobs at edX](#)

Follow Us

 [Twitter](#)

 [Facebook](#)

 [Meetup](#)

 [LinkedIn](#)

 [Google+](#)