Link Your Coursework to Your Identity

Get Started

×

Feedback — Module 2 Technical problem set

Help

You submitted this quiz on **Mon 6 Oct 2014 2:40 PM PDT**. You got a score of **10.00** out of **12.00**.

The following questions will use the following three tables:

Table 1. COUNTRY

Name	Cont	Pop *(Millions)	GDP (Billions)	Life-Exp
Canada	North America	30.1	658.0	77.08
Mexico	North America	107.5	694.3	69.36
Brazil	South America	183.3	1004.0	65.60
Cuba	North America	11.7	16.9	79.95
USA	North America	270.0	8003.0	75.75
Argentina	South America	36.3	348.2	70.75

Table 2. CITY

Name	Country	Pop *(Millions)	Capital
Havana	Cuba	2.1	Υ
Washington, D.C.	USA	3.2	Υ
Brasilia	Brazil	1.5	Υ
Ottawa	Canada	0.8	Υ
Mexico City	Mexico	14.1	Υ
Buenos Aires	Argentina	10.75	Υ

Table 3. COUNTRY_SPATIAL

Name	Cont	Pop *(Millions)	GDP (Billions)	Life-Exp	Shape
Canada	North America	30.1	658.0	77.08	Polygonid-1
Mexico	North America	107.5	694.3	69.36	Polygonid-2
Brazil	South America	183.3	1004.0	65.60	Polygonid-3

Cuba	North America	11.7	16.9	79.95	Polygonid-4
USA	North America	270.0	8003.0	75.75	Polygonid-5
Argentina	South America	36.3	348.2	70.75	Polygonid-6

How many rows and columns will be in the result of the following SQL query?

SELECT Co1.GDP

FROM Country Co1

WHERE Co1.Name = 'Mexico'

Your Answer		Score	Explanation
1 row, 5 columns	×	0.00	
1 row, 1 column			
6 rows, 5 columns			
6 rows, 1 column			
Total		0.00 / 1.00	

Question 2


What will be the result of the following SQL query?


SELECT MAX(Pop)


FROM COUNTRY


Your Answer Score Explanation


USA, North America, 270.0, 8003.0, 75.75 Brazil, South America, 183.3, 1004.0, 65.60	
270.0	✓ 1.00
USA, 270.0	
USA, North America, 270.0, 8003.0, 75.75	
Total	1.00 / 1.00











Question 6 How many rows and co

How many rows and columns will be in the result of the following SQL query?

FROM COUNTRY Co, CITY Ci

SELECT Co.Pop, Co.GDP, Ci.Pop

WHERE (Co.name = Ci.Country) AND (Co.Life-Exp > 70)

Your Answer		Score	Explanation
4 rows and 2 columns			
3 rows and 2 columns			
4 rows and 3 columns	✓	1.00	
4 rows and 4 columns			
Total		1.00 / 1.00	


Question 7


Which one is a valid and preferred SQL CREATE TABLE statement?

our Answer	Score	e Explanation
CREATE TABLE COUNTRY(
NAME,		
Cont,		
Pop,		
GDP,		
LifeExp);		
CREATE TABLE COUNTRY(✓ 1.00	
NAME VARCHAR (30),		
Cont VARCHAR (30),		
Pop NUMBER (7),		
GDP NUMBER (7),		
LifeExp NUMBER (5));		
CREATE TABLE COUNTRY(
NAME VARCHAR,		
Cont VARCHAR,		
Pop NUMBER,		
GDP NUMBER,		
LifeExp NUMBER);		
, ,,,		
otal	1.00 /	4.00

Which SQL statement will delete the first row of the Country table without removing any other rows?

Your Answer	Score	Explanation
DELETE FROM COUNTRY WHERE Cont = 'NAM'		
DELETE FROM COUNTRY		





Which English statement is closest to the following SQL query?

1.00 / 1.00 **Explanation**

SELECT AVG (Co.Pop)
FROM COUNTRY Co
WHERE Co.Cont = 'South America'

Your Answer
Score

List all the South American Countries in the Country table.

What is the average population of all the countries in the Country table?

What is the average population of South American
✓ 1.00
Countries in the Country table?

List the populations of all the South American Countries in

Question 11

the Country table.

Total

Which English statement is closest to the following SQL query?

SELECT CoS1.Name

FROM COUNTRY_SPATIAL CoS1, COUNTRY_SPATIAL CoS2

WHERE Touch (CoS1.Shape, CoS2.Shape) = 1

AND CoS2.Name = 'Canada'

Your Answer

Score Explanation

List the names of all countries, which do not share a boundary with Canada.

Which of the following queries returns different result than others, assuming all rivers are longer than 600 units? City.Shape contains points representing cities. River.Shape contains line strings representing rivers.

Your Answer		Score	Explanation
SELECT C.Name	×	0.00	
FROM City C, River R			
WHERE Within (C.Shape, Buffer (R.Shape, 300)) = 1			
SELECT C.Name			
FROM City C, River R			
WHERE Cross (R.Shape, Buffer (C.Shape, 300)) = 1			
SELECT C.Name			
FROM City C, River R			
WHERE Contains (C.Shape, Buffer (R.Shape, 300)) = 1			
SELECT C.Name			
FROM City C, River R			
WHERE Distance (C.Shape, R.Shape) <= 300			
Total		0.00 / 1.00	

 $https://class.coursera.org/spatial computing \hbox{-}0...$