

IN-LECTURE QUESTIONS FOR VIDEO 6.2

Note: See the answer key at the bottom of this file.

1. I assign an ID to my EditText as follows: `android:id="@+id/name"`

Write the missing Java code to refer to this EditText from Java.

```
findViewById(_____)
```

2. **Hint:** Read the question very carefully. Which one of the following is correct the Java method for the `android:onClick="submitForm"`?

- a. `public void submitForm(view v) { ... }`
- b. `public void submitForm(View v) { ... }`
- c. `public void onSubmitform(view v) { ... }`
- d. `public void onSubmitForm(view v) { ... }`

3. The XML attribute `android:visibility="invisible"` is equivalent to which one of the following :

- a. `view.setVisibility(View.INVISIBLE);`
- b. `view.visibility=View.INVISIBLE;`

4. Check all that apply. Visibility can be set to:

- a. GONE
- b. VISIBLE
- c. INVISIBLE
- d. NONE

5. To create a Toast message use:

- a. `Toast.newToast`
- b. `Toast.createText`
- c. `Toast.makeText`

6. Check all that apply. Which of the following are true?

- a. `makeText()` creates but does not display the toast message.
- b. Toast messages automatically dismiss (i.e. disappear) without waiting for a user interaction.
- c. Toast messages can be created using a Java string or using a String reference to Android resources.

7. True or false? The following code displays a short text message to the user.

```
Toast.makeText(this.getApplicationContext(),R.string.thankyou,Toast.LENGTH_LONG);
```

- a. True
- b. False

8. The code `(EditText)` is an example of:
 - a. Casting the result to the EditText type
 - b. Valid XML but not valid Java
 - c. It is not used in modern Android programming.
 9. The Java code `"x = y"` means:
 - a. Assign the result of the left-hand side to the variable named y
 - b. Assign the result of the right-hand side to the variable named x
 10. True or false? By default, field variables (such as `EditText mComment` in the video) point to nothing, i.e. are "null".
 - a. True
 - b. False
 11. True or false? You can store 'null' inside variables that point to objects.
 - a. True
 - b. False
 12. If the ID value cannot be found by `findViewById` then:
 - a. The app will crash inside `findViewById`
 - b. The method `findViewById` throws an exception
 - c. The method `findViewById` returns null
 13. The method `findViewById` normally appears _____ `setContentView`.
 - a. before
 - b. after
 14. True or false? You can view the state (value) of variables when the debugger is paused.
 - a. True
 - b. False
-

ANSWER KEY:

1. R.id.name
2. b
3. a
4. a, b, c
5. c
6. a ,b, c
7. b
8. a
9. b
10. a
11. a
12. c
13. b
14. a