

IN-LECTURE QUESTIONS FOR VIDEO 5.3

Note: See the answer key at the bottom of this file.

1. Select all that are true. The package line:
 - a. Cannot appear twice in the same Java file
 - b. Must agree with the directory path of the Java file
 - c. Appears at the top of the Java file (before the import and class definition)
 - d. Appears at the end of the Java file(after the class definition)
2. If I have a Java file stored in "src/apps101/play/MyFirstActivity.java", what should its package line be?
 - a. package src.apps101.play.MyFirstActivity;
 - b. package apps101.play.MyFirstActivity.java;
 - c. package apps101.play.MyFirstActivity;
 - d. package apps101.play;
3. findViewById should be called _____ the views have been created.
 - a. before
 - b. after
4. Inside the app's manifest (AndroidManifest.xml file) the IntentFilter can be applied:
 - a. To the entire manifest
 - b. To an activity entry
 - c. To the first permission
5. Which of the following starts an Activity, 'HighScoreScreen.java' in the same package?
 - a.

```
go.setClass(this, HighScoreScreen.class);  
Intent go = new Intent();  
startActivity(go);
```
 - b.

```
Intent go = new Intent();  
go.setClass(this, HighScoreScreen.class);  
startActivity(go);
```
 - c.

```
Intent go = new Intent();  
go.setClass(this, HighScoreScreen.class);
```
6. Which of the following randomly evaluates to true about 50% of the time and false otherwise?
 - a. Math.random() > 0.5
 - b. Math.random > 0.5
 - c. Math.random(0.5)
 - d. Math>0.5 random
 - e. random>50

7. Which of the following is the correct Java syntax to use a conditional 'if' statement so that part of your code may or may not be executed?

- a. `<if>`
 statements in here
 `</if>`
- b. `if(something that evaluates to true or false) [`
 statements in here
 `]`
- c. `if(something that evaluates to true or false) {`
 statements in here
 `}`
- d. `{statements in here} if (something that evaluates to true or false);`

ANSWER KEY:

1. a, b, c
2. d
3. b
4. b
5. b
6. a
7. c