

Earn a Verified Certificate for this course!

[Get Started](#)

## Feedback — Week 1 Quiz

[Help](#)

You submitted this quiz on **Tue 10 Dec 2013 11:57 AM PST**. You got a score of **20.00** out of **20.00**.

### Question 1

[Q#1001]

What is the purpose of the support library?

Your Answer	Score	Explanation
<input type="radio"/> To provide support for Blackberry		
<input checked="" type="radio"/> To help support modern Android functionality in older phones	✓ 1.00	
<input type="radio"/> To make it easy for beginners		
<input type="radio"/> To route calls over adhoc wifi network reconfigurable mesh		
Total	1.00 / 1.00	

### Question 2

[Q#1002]

The Android SDK Manager is used to:

Your Answer	Score	Explanation
-------------	-------	-------------

<input type="radio"/> Find out what SDK components are installed on your machine		
<input type="radio"/> Select and download additional SDK components		
<input checked="" type="radio"/> Both of the other options are correct	✓	1.00
Total		1.00 / 1.00

### Question 3

[Q#1004]

If the accelerator is configured without sufficient memory to contain a complete virtual phone image (including virtual disk space):

Your Answer	Score	Explanation
<input checked="" type="radio"/> The emulator will start in non-accelerated ('slow') mode	✓ 1.00	
<input type="radio"/> The emulator will not start		
Total	1.00 / 1.00	

### Question 4

[Q#1005]

Choose the best answer.

True or False? The emulator supports landscape and portrait orientation.

Your Answer	Score	Explanation
<input checked="" type="radio"/> True; the emulator orientation can be changed using a	✓ 1.00	

keyboard shortcut.

☐ True; the emulator orientation can only be changed by the phone's system menu.

☐ False; the orientation is defined using the Android SDK Manager.

☐ False; the emulator only supports portrait orientation.

☐ True; but the emulator orientation can only be changed once.

Total	1.00 /
	1.00

## Question 5

[Q#1006]

Complete the following telnet command to connect to the first running emulator instance:

telnet \_\_\_\_\_

**You entered:**

localhost 5554

Your Answer	Score	Explanation
localhost 5554	✓ 1.00	
Total	1.00 / 1.00	

## Question 6

[Q#1007]

To simulate an incoming voice call from 7712, you would telnet to the emulator and then type:

**You entered:**

gsm call 7712

Your Answer	Score	Explanation
gsm call 7712	✓ 1.00	
Total	1.00 / 1.00	

## Question 7

[Q#1008]

To cancel a call to the emulator from 123555123, what would you type in a telnet session?

Your Answer	Score	Explanation
<input type="radio"/> 123555123 cancel		
<input checked="" type="radio"/> gsm cancel 123555123	✓ 1.00	
<input type="radio"/> call cancel 123555123		
<input type="radio"/> cancel 123555123		
Total	1.00 / 1.00	

## Question 8

[Q#1009]

An emulator running API Level 10 represents which version of Android? (*Hint: Use a web search*)

Your Answer	Score	Explanation
-------------	-------	-------------

<input type="radio"/> 4.3 "Jelly Bean"		
<input checked="" type="radio"/> 2.3.3 "Gingerbread"	✓	1.00
<input type="radio"/> 4.4 "KitKat"		
<input type="radio"/> 3.0 "Honeycomb"		
Total		1.00 / 1.00

## Question 9

[Q#1010]

An emulator running API Level 18 represents which version of Android? (*Hint: Use a web search*)

Your Answer	Score	Explanation
<input type="radio"/> 2.3.3 "Gingerbread"		
<input type="radio"/> 3.0 "Honeycomb"		
<input type="radio"/> 4.4 "KitKat"		
<input checked="" type="radio"/> 4.3 "Jelly Bean"	✓	1.00
Total		1.00 / 1.00

## Question 10

[Q#1011]

You can send an SMS message to an emulator:

Your Answer	Score	Explanation
-------------	-------	-------------

☐ Using telnet to connect and then typing: sms send  
123456 hello

☐ From another emulator running on the same machine

☒ Both of the other options are correct ✓ 1.00

Total 1.00 /  
1.00

## Question 11

[Q#1012]

Open a terminal or 'cmd' window and try the following (or perform a web search if you cannot connect to this server):

```
telnet towel.blinkenlights.nl 23
```

This command connects to a remote server in the Netherlands on port 23 so that you can:

Your Answer	Score	Explanation
<input type="radio"/> Get the local time in the Netherlands		
<input type="radio"/> Transfer files to an Android emulator located in the Netherlands		
<input checked="" type="radio"/> Watch Star Wars in ASCII <span style="color: green;">✓</span>	1.00	
<input type="radio"/> View the current status of a bathroom towel		
<input type="radio"/> Request shipping and weather information		
Total	1.00 / 1.00	

## Question 12

[Q#1015]

The port number of the first emulator is:

Your Answer	Score	Explanation
<input type="radio"/> 1		
<input checked="" type="radio"/> 5554	1.00	
<input type="radio"/> 1024		
<input type="radio"/> 4080		
<input type="radio"/> 8080		
Total	1.00 / 1.00	

## Question 13

[Q#1017]

The program used to connect to the emulator Android console is:

Your Answer	Score	Explanation
<input type="radio"/> console		
<input type="radio"/> android		
<input type="radio"/> connect		
<input checked="" type="radio"/> telnet	1.00	
Total	1.00 / 1.00	

## Question 14

[Q#1019]

What does the following command in the emulator instance's console (accessed via telnet) do?

```
gsm call 12123
```

Your Answer	Score	Explanation
<input type="radio"/> Tell the emulator that the call from 12123 has finished		
<input checked="" type="radio"/> Tell the emulator that there is an incoming call from 12123	✓ 1.00	
Total	1.00 / 1.00	

## Question 15

[Q#1020]

Debug messages from the phone or emulator appear in the:

Your Answer	Score	Explanation
<input type="radio"/> Problems view		
<input checked="" type="radio"/> Logcat view	✓ 1.00	
<input type="radio"/> Console view		
Total	1.00 / 1.00	

## Question 16



[Q#1024]

When would you use `Reset adb` in the devices view and wait 10 seconds?

Your Answer	Score	Explanation
<input type="radio"/> If the SDK Manager suggests new components to install		
<input checked="" type="radio"/> If a running emulator is not displayed in the devices view	✓ 1.00	
<input type="radio"/> If there are errors listed in the problems view		
<input type="radio"/> If an emulator does not run with experimental settings enabled		
Total	1.00 / 1.00	

## Question 17

[Q#1025]

To take a screenshot of an emulator or device you can use the:

Your Answer	Score	Explanation
<input type="radio"/> Logcat view		
<input checked="" type="radio"/> Devices view	✓ 1.00	
<input type="radio"/> Problems view		
Total	1.00 / 1.00	

## Question 18

[Q#1026]

Android apps are uniquely identified by their:

Your Answer	Score	Explanation
<input type="radio"/> Readable title		
<input type="radio"/> Icon		
<input checked="" type="radio"/> Package name	✓ 1.00	
<input type="radio"/> Workspace name		
Total	1.00 / 1.00	

## Question 19

[Q#1028]

True or False? The R java file includes the ID numbers of drawable graphics and other resources that are included in the project.

Your Answer	Score	Explanation
<input type="radio"/> False		
<input checked="" type="radio"/> True	✓ 1.00	
Total	1.00 / 1.00	

## Question 20

[Q#1029]

The R java file is stored inside the:

Your Answer	Score	Explanation
-------------	-------	-------------

<input type="radio"/> src directory		
<input type="radio"/> res directory		
<input checked="" type="radio"/> gen directory	✓	1.00
Total		1.00 / 1.00

