

- Courseware (/courses/UTAustinX/UT.6.01x/1T2014/courseware)
- Course Info (/courses/UTAustinX/UT.6.01x/1T2014/info)
- Discussion (/courses/UTAustinX/UT.6.01x/1T2014/discussion/forum)
- Progress (/courses/UTAustinX/UT.6.01x/1T2014/progress)
- Questions (/courses/UTAustinX/UT.6.01x/1T2014/a3da417940af4ec49a9c02b3eae3460b/)
- Syllabus (/courses/UTAustinX/UT.6.01x/1T2014/a827a8b3cc204927b6efaa49580170d1/)

DEFINITIONS (6/6 points)

Please match the following terms with the letter of their appropriate definitions.

requirements
document

C

A. A measure of how fast the program executes.

Answer: C

data flow graph

F

B. A measure of program size, which is number of memory bytes required.

Answer: F

call graph

E

C. A formal description of what the system will do in a very complete way, but not including how it will be done. It should be unambiguous, complete, verifiable, and modifiable.

Answer: E

dynamic
efficiency

A

D. A programmer/engineer who will use our software and/or hardware. This is typically not the end-user of the final system rather it is another engineer who will integrate our software and/or hardware into a larger system.

Answer: A

static efficiency

B

E. A graphical way to define how the software/hardware modules interconnect. If a function in module A invokes a function in module B, then there is an arrow from A to B.

Answer: B

client

D

F. A block diagram of the system, showing the flow of information.


Answer: D

EXPLANATION

Check

Hide Answer(s)

Which of the following programming constructs can be used to execute a task ten times?

- ☐ for
- ☐ do while
- ☐ while
- ☒ all of the above 

EXPLANATION[Check](#)[Hide Answer\(s\)](#)**DEBUGGING** (3/3 points)

Match the following debugging terms with the letter of their appropriate definition.

breakpoint**C**

A. The process of specifying all the inputs so the system can be run over and over yielding outputs that are consistently repeatable.

Answer: C**functional debugging****B**

B. The process of detecting, locating, or correcting functional and logical errors in a program.

Answer: B**stabilize****A**

C. The place where a break is inserted, the time when a break is encountered, or the time period when a break is active.

Answer: A**EXPLANATION**[Check](#)[Hide Answer\(s\)](#)**Help**



EdX is a non-profit created by founding partners Harvard and MIT whose mission is to bring the best of higher education to students of all ages anywhere in the world, wherever there is Internet access. EdX's free online MOOCs are interactive and subjects include computer science, public health, and artificial intelligence.



<https://courses.edx.org/courses/UTAustinX/UT...>
(<http://www.facebook.com/EdxOnline>)



(<https://twitter.com/edXOnline>)



(<https://plus.google.com/108235383044095082735/posts>)



(<http://youtube.com/user/edxonline>)

© 2014 edX, some rights reserved.

[Terms of Service and Honor Code](#) -
[Privacy Policy \(https://www.edx.org/edx-privacy-policy\)](https://www.edx.org/edx-privacy-policy)