


BootStrap Intro

1. import BootStrap

- 1. Download from <https://getbootstrap.com/docs/5.3/getting-started/download/>
- 2. extract
- 3. paste



- 4. import

```
<link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
```

2. how to use BootStrap

Buttons

Use Bootstrap's custom button styles for actions in forms, dialogs, and more with support for multiple sizes, states, and more.

<https://getbootstrap.com/docs/5.3/components/buttons/>

Docs

Examples

Icons

Themes

Blog

Search

CTRL K

v5.3

Layout

Validation

Components

Accordion

Alerts

Badge

Breadcrumb

Buttons

Button group

Card

Carousel

Close button

Collapse

Dropdowns

List group

Modal

Variants

Bootstrap includes several button variants, each serving its own semantic purpose, with a few extras thrown in for more control.

Primary

Secondary

Success

Danger

Warning

Info

Light

Dark

Link

HTML

```
<button type="button" class="btn btn-primary">Primary</button>
<button type="button" class="btn btn-secondary">Secondary</button>
<button type="button" class="btn btn-success">Success</button>
<button type="button" class="btn btn-danger">Danger</button>
<button type="button" class="btn btn-warning">Warning</button>
<button type="button" class="btn btn-info">Info</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-dark">Dark</button>

<button type="button" class="btn btn-link">Link</button>
```

On this page

Base class

Variants

Disable text wrapping

Button tags

Outline buttons

Sizes

Disabled state

Link functionality caveat

Block buttons

Button plugin

Toggle states

Methods

CSS

Variables

Sass variables


Sass mixins

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
  <link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
</head>
<body>
  <input type="button" value="submit" />

  <input class="btn btn-primary" type="button" value="submit" />
  <input class="btn btn-success" type="button" value="submit" />
```

```
<input class="btn btn-danger" type="button" value="submit" />
<input class="btn btn-secondary" type="button" value="submit" />
<input class="btn btn-outline-warning" type="button" value="submit" />

</body>
</html>
```




3. Navbar example

please do remember add :

```
<link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
```


or you will get



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
  <link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Navbar</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">
          <li class="nav-item">
            <a class="nav-link active" aria-current="page" href="#">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <li class="nav-item dropdown">
```

```

        <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
          aria-expanded="false">
          Dropdown
        </a>
        <ul class="dropdown-menu">
          <li><a class="dropdown-item" href="#">Action</a></li>
          <li><a class="dropdown-item" href="#">Another action</a></li>
          <li>
            <hr class="dropdown-divider">
          </li>
          <li><a class="dropdown-item" href="#">Something else here</a></li>
        </ul>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled">Disabled</a>
      </li>
    </ul>
    <form class="d-flex" role="search">
      <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
      <button class="btn btn-outline-success" type="submit">Search</button>
    </form>
  </div>
</div>
</nav>
</body>
</html>
```



4. grid


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
  <link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
</head>
<body>
  <div class="container text-center">
    <div class="row">
      <div class="col" style="background-color: #9ec5fe; padding: 10px; margin-right: 5px" >
        Pumas are large, cat-like animals which are found in America.
        When a report came into London Zoo that a wild puma had been
        seen forty-five miles south of London, they didn't pay much
        attention. However, more and more reports came, so the experts
        from the zoo felt they should find out the truth.
      </div>
      <div class="col" style="background-color: #eccccf; padding: 10px; margin-left: 5px" >
        They began to search for the puma in a small village where a
        woman saw a large cat only five yards away from her. It ran
        away as soon as she saw it. The experts said that a puma will
        not attack a person unless it is cornered. The search was
        difficult, for the puma was often seen at one place in the
        morning and at an other place twenty miles away in the evening.
      </div>
    </div>
  </div>

  <div class="container text-center">
    <div class="row">
      <div class="col col-6" style="background-color: #75b798; "> col1 </div>
      <div class="col col-6" style="background-color: #ece1be; "> col2 </div>
    </div>
  </div>

  <div class="container text-center">
    <div class="row">
      <div class="col col-sm-6" style="background-color: #ece1be; "> col1 </div>
      <div class="col col-sm-6" style="background-color: #75b798; "> col2 </div>
    </div>
  </div>

  <div class="container text-center">
    <div class="row">
      <div class="col row-cols-6" style="background-color: #ea868f">r1c1</div>
      <div class="col row-cols-2" style="background-color: lightblue;">r1c2</div>
      <div class="col row-cols-4" style="background-color: #ffe69c">r1c3</div>
    </div>
  </div>
```

```
</body>
</html>
```



Bootstrap Example