JavaScript Intro

1. Before import JS

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="stylesheet" href="static/plugins/bootstrap-5.3.0-alpha3/css/bootstrap.css">
    <style>
        .container-fluid .col-sm-9 .media-left img {
            height: 190px;
            width: 190px;
        }

    </style>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div class="container-fluid">
        <a class="navbar-brand" href="https://www.allaboutbirds.org/cams/">
            <img src="https://www.allaboutbirds.org/cams/wp-content/themes/birdpress2/images/cornell-lab-logo.svg"
                width="95px" height="25px">
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page" href="https://www.allaboutbirds.org/cams/">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="https://www.allaboutbirds.org/guide/">Birds</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="https://www.allaboutbirds.org/cams/">Live Cams</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link">Courses</a>
                </li>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
                       aria-expanded="false">
                        Dropdown
                    </a>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="#">Action</a></li>
                        <li><a class="dropdown-item" href="#">Another action</a></li>
                        <li>
                            <hr class="dropdown-divider">
                        </li>
                        <li><a class="dropdown-item" href="#">Something else here</a></li>
                    </ul>
                </li>
            </ul>

        </div>
        <form class="d-flex" role="search">
            <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
            <button class="btn btn-outline-success" type="submit">Search</button>
        </form>
    </div>
</nav>

<div class="container-fluid clearfix">
    <div class="row">
        <div class="col-sm-9">
            <div class="media row" style="margin-top: 6px">
                <div class="media-left col-sm-3">
                    <a href="https://www.allaboutbirds.org/guide/Great_Blue_Heron">
                        <img class="media-object"
                             src="https://www.allaboutbirds.org/guide/assets/photo/304479371-1280px.jpg"
                             alt="Great Blue Heron">
                    </a>
                </div>
                <div class="media-body col-sm-9">
                    <h4 class="media-heading">Great Blue Heron</h4>
                    Whether poised at a river bend or cruising the coastline with
                    slow, deep wingbeats, the Great Blue Heron is a majestic sight.
                    This stately heron with its subtle blue-gray plumage often stands
                    motionless as it scans for prey or wades belly deep with long,
                    deliberate steps. They may move slowly, but Great Blue Herons can
                    strike like lightning to grab a fish or snap up a gopher. In flight,
                    look for this widespread heron's tucked-in neck and long legs
                    trailing out behind.
                </div>
            </div>

            <div class="media row" style="margin-top: 6px">
                <div class="media-left col-sm-3">
                    <a href="https://www.allaboutbirds.org/guide/Laughing_Gull">
                        <img class="media-object"
                             src="https://www.allaboutbirds.org/guide/assets/photo/169503031-1280px.jpg"
                             alt="Laughing Gull">
```

```html
                </a>
            </div>
            <div class="media-body col-sm-9">
                <h4 class="media-heading">Laughing Gull</h4>
                Swirling over beaches with strident calls and a distinctive, crisp
                black head, Laughing Gulls provide sights and sounds evocative of
                summer on the East Coast. You'll run across this handsome gull in
                large numbers at beaches, docks, and parking lots, where they wait
                for handouts or fill the air with their raucous calls. Laughing Gulls
                are summer visitors to the Northeast and year-round sights on the coasts
                of the Southeast and the Gulf of Mexico.
            </div>
        </div>

        <div class="media row" style="margin-top: 6px">
            <div class="media-left col-sm-3">
                <a href="https://www.allaboutbirds.org/guide/Sandwich_Tern">
                    <img class="media-object"
                        src="https://www.allaboutbirds.org/guide/assets/photo/308480441-1280px.jpg"
                        alt="Sandwich Tern">
                </a>
            </div>
            <div class="media-body col-sm-9">
                <h4 class="media-heading">Sandwich Tern</h4>
                The Sandwich Tern is a sleek, medium-sized tern with a ragged black
                crest and a gleaming black bill with a sharp yellow tip. It's smaller
                and slimmer than a Royal Tern, a species it often nests alongside in busy,
                shrieking colonies along the barrier islands of the southeastern U.S.
                (Its broad global range also includes the Caribbean, Latin America, Africa,
                and Europe.) Rarely found inland or out to sea, this is a bird of ocean
                shores and estuaries, where it hunts small schooling fish.
            </div>
        </div>

    </div>
    <div class="col-sm-3" style="margin-top: 10px">
        <div class="card">

            <div class="card-header">
                Card header text
            </div>
            <div class="card-body">
                <blockquote class="blockquote mb-0">
                    <p>
                        Pumas are large, cat-like animals which are found
                        in America. When reports came into London Zoo that
                        a wild puma had been spotted forty-five miles south
                        of London, they were not taken seriously. However,
                        as the evidence began to accumulate, experts from the
                        Zoo felt obliged to investigate, for the descriptions
                        given by people who claimed to have seen the puma were
                        extraordinarily similar.
                    </p>
                    <footer class="blockquote-footer"> A puma at large
                        <cite title="Source Title">new concept English</cite>
                    </footer>
                </blockquote>
            </div>
        </div>
    </div>
</div>
</div>
</div>

<div class="container-fluid" style="margin-top: 10px">
    <nav aria-label="Page navigation example">
        <ul class="pagination">
            <li class="page-item"><a class="page-link" href="#">Previous</a></li>
            <li class="page-item"><a class="page-link" href="#">1</a></li>
            <li class="page-item"><a class="page-link" href="#">2</a></li>
            <li class="page-item"><a class="page-link" href="#">3</a></li>
            <li class="page-item"><a class="page-link" href="#">Next</a></li>
        </ul>
    </nav>
</div>
</body>
</html>
```

2. add modal

```html
<!-- Button trigger modal -->
<button type="button" class="btn btn-primary btn-lg" data-toggle="modal" data-target="#myModal">
  Launch demo modal
</button>

<!-- Modal -->
<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
        <h4 class="modal-title" id="myModalLabel">Modal title</h4>
      </div>
      <div class="modal-body">
        ...
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-default" data-dismiss="modal">Close</button>
        <button type="button" class="btn btn-primary">Save changes</button>
      </div>
    </div>
  </div>
</div>
```

import jQuery

```html
<script src="static/js/jquery-3.6.4.min.js"></script>
<script src="static/plugins/bootstrap-3.4.1-dist/js/bootstrap.min.js"></script>
```

if it does not work

```html
<script src="static/plugins/bootstrap-5.3.0-alpha3/js/bootstrap.min.js"></script>
```

might because the version of bootstrap, please use:

```html
<script src="static/plugins/bootstrap-3.4.1-dist/js/bootstrap.min.js"></script>
```

3. add jQuery

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="stylesheet" href="static/plugins/bootstrap-3.4.1-dist/css/bootstrap.css">
    <style>
        .container-fluid .col-sm-9 .media-left img {
            height: 190px;
            width: 190px;
        }

        .form-control {
            display: inline-block;
            width: 50%;
```

```
                }
        </style>
    </head>
    <body>
    <nav class="navbar navbar-default">
        <div class="container-fluid">
            <div class="navbar-header">
                <a class="navbar-brand" href="https://www.allaboutbirds.org/cams/">
                    <img src="https://www.allaboutbirds.org/cams/wp-content/themes/birdpress2/images/cornell-lab-logo.svg"
                        width="95px" height="25px">
                </a>
            </div>

            <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
                <ul class="nav navbar-nav">
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page" href="https://www.allaboutbirds.org/cams/">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="https://www.allaboutbirds.org/guide/">Birds</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="https://www.allaboutbirds.org/cams/">Live Cams</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link">Courses</a>
                    </li>
                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-haspopup="true"
                            aria-expanded="false">Dropdown <span class="caret"></span></a>
                        <ul class="dropdown-menu">
                            <li><a href="#">Action</a></li>
                            <li><a href="#">Another action</a></li>
                            <li><a href="#">Something else here</a></li>
                            <li role="separator" class="divider"></li>
                            <li><a href="#">Separated link</a></li>
                            <li role="separator" class="divider"></li>
                            <li><a href="#">One more separated link</a></li>
                        </ul>
                    </li>
                </ul>
                <form class="nav navbar-nav navbar-form navbar-right">
                    <div class="form-group">
                        <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
                    </div>
                    <button type="submit" class="btn btn-default">Submit</button>
                </form>
            </div>


        </div>
    </nav>

    <div class="container-fluid clearfix">
        <div class="row">
            <div class="col-sm-9">
                <div class="media">
                    <div class="media-left">
                        <a href="https://www.allaboutbirds.org/guide/Great_Blue_Heron">
                            <img class="media-object"
                                src="https://www.allaboutbirds.org/guide/assets/photo/304479371-1280px.jpg"
                                alt="Great Blue Heron">
                        </a>
                    </div>
                    <div class="media-body">
                        <h4 class="media-heading">Great Blue Heron</h4>
                        Whether poised at a river bend or cruising the coastline with
                        slow, deep wingbeats, the Great Blue Heron is a majestic sight.
                        This stately heron with its subtle blue-gray plumage often stands
                        motionless as it scans for prey or wades belly deep with long,
                        deliberate steps. They may move slowly, but Great Blue Herons can
                        strike like lightning to grab a fish or snap up a gopher. In flight,
                        look for this widespread heron's tucked-in neck and long legs
                        trailing out behind.
                    </div>
                </div>


                <div class="media" style="margin-top: 6px">
                    <div class="media-left">
                        <a href="https://www.allaboutbirds.org/guide/Laughing_Gull">
                            <img class="media-object"
                                src="https://www.allaboutbirds.org/guide/assets/photo/169503031-1280px.jpg"
                                alt="Laughing Gull">
                        </a>
                    </div>
                    <div class="media-body">
                        <h4 class="media-heading">Laughing Gull</h4>
                        Swirling over beaches with strident calls and a distinctive, crisp
                        black head, Laughing Gulls provide sights and sounds evocative of
                        summer on the East Coast. You'll run across this handsome gull in
                        large numbers at beaches, docks, and parking lots, where they wait
                        for handouts or fill the air with their raucous calls. Laughing Gulls
                        are summer visitors to the Northeast and year-round sights on the coasts
                        of the Southeast and the Gulf of Mexico.
                    </div>
                </div>

                <div class="media" style="margin-top: 6px">
                    <div class="media-left">
                        <a href="https://www.allaboutbirds.org/guide/Sandwich_Tern">
                            <img class="media-object"
```

```
                            src="https://www.allaboutbirds.org/guide/assets/photo/308480441-1280px.jpg"
                            alt="Sandwich Tern">
                    </a>
                </div>
                <div class="media-body">
                    <h4 class="media-heading">Sandwich Tern</h4>
                    The Sandwich Tern is a sleek, medium-sized tern with a ragged black
                    crest and a gleaming black bill with a sharp yellow tip. It's smaller
                    and slimmer than a Royal Tern, a species it often nests alongside in busy,
                    shrieking colonies along the barrier islands of the southeastern U.S.
                    (Its broad global range also includes the Caribbean, Latin America, Africa,
                    and Europe.) Rarely found inland or out to sea, this is a bird of ocean
                    shores and estuaries, where it hunts small schooling fish.
                </div>
            </div>

        </div>
        <div class="col-sm-3" style="margin-top: 10px">
            <div class="panel panel-default">
                <div class="panel-heading">
                    panel header text
                </div>
                <div class="panel-body">

                    <p>
                        Pumas are large, cat-like animals which are found
                        in America. When reports came into London Zoo that
                        a wild puma had been spotted forty-five miles south
                        of London, they were not taken seriously. However,
                        as the evidence began to accumulate, experts from the
                        Zoo felt obliged to investigate, for the descriptions
                        given by people who claimed to have seen the puma were
                        extraordinarily similar.
                    </p>
                    <footer class="blockquote-footer"> A puma at large
                        <cite title="Source Title">new concept English</cite>
                    </footer>
                </div>
            </div>
            <div class="panel panel-primary">
                <div class="panel-heading">
                    <h3 class="panel-title">Panel title</h3>
                </div>
                <div class="panel-body">
                    Panel content
                </div>
            </div>
            <div class="panel panel-warning">
                <div class="panel-heading">
                    <h3 class="panel-title">Panel title</h3>
                </div>
                <div class="panel-body">
                    Panel content
                </div>
            </div>

        </div>
    </div>
</div>

<div class="container-fluid" style="margin-top: 10px">
    <nav aria-label="Page navigation example">
        <ul class="pagination">
            <li class="page-item"><a class="page-link" href="#">Previous</a></li>
            <li class="page-item"><a class="page-link" href="#">1</a></li>
            <li class="page-item"><a class="page-link" href="#">2</a></li>
            <li class="page-item"><a class="page-link" href="#">3</a></li>
            <li class="page-item"><a class="page-link" href="#">Next</a></li>
        </ul>
    </nav>
</div>


<!-- Button trigger modal -->
<button type="button" class="btn btn-primary btn-lg" data-toggle="modal" data-target="#myModal">
    Launch demo modal
</button>

<!-- Modal -->
<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span>
                </button>
                <h4 class="modal-title" id="myModalLabel">Modal title</h4>
            </div>
            <div class="modal-body">
                ...
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-default" data-dismiss="modal">Close</button>
                <button type="button" class="btn btn-primary">Save changes</button>
            </div>
        </div>
    </div>
</div>

<script src="static/js/jquery-3.6.4.min.js"></script>
<script src="static/plugins/bootstrap-3.4.1-dist/js/bootstrap.min.js"></script>

</body>
```

```
</html><script src="static/js/jquery-3.6.4.min.js"></script>
<script src="static/plugins/bootstrap-3.4.1-dist/js/bootstrap.min.js"></script>
```


4. combine User login

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Title</title>
```

```html
        <link rel="stylesheet" href="static/plugins/bootstrap-3.4.1-dist/css/bootstrap.css">
        <style>
            .container-fluid .col-sm-9 .media-left img {
                height: 190px;
                width: 190px;
            }

            .form-control {
                display: inline-block;
                width: 50%;
            }

            .w_title {
                color: darkred;
                font-family: "Eras Light ITC";
                font-weight: bold;
            }

            .modal-dialog {
                width: 450px;
            }

            .container {
                width: 450px;
                padding: 30px;
                margin: 0 auto;
            }

            .sub_container {
                padding: 0px 40px 0px 40px;
            }
        </style>
</head>
<body>
<nav class="navbar navbar-default">
    <div class="container-fluid">
        <div class="navbar-header">
            <a class="navbar-brand" href="https://www.allaboutbirds.org/cams/">
                <img src="https://www.allaboutbirds.org/cams/wp-content/themes/birdpress2/images/cornell-lab-logo.svg"
                    width="95px" height="25px">
            </a>
        </div>

        <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
            <ul class="nav navbar-nav">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page" href="https://www.allaboutbirds.org/cams/">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="https://www.allaboutbirds.org/guide/">Birds</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="https://www.allaboutbirds.org/cams/">Live Cams</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link">Courses</a>
                </li>
                <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-haspopup="true"
                        aria-expanded="false">Dropdown <span class="caret"></span></a>
                    <ul class="dropdown-menu">
                        <li><a href="#">Action</a></li>
                        <li><a href="#">Another action</a></li>
                        <li><a href="#">Something else here</a></li>
                        <li role="separator" class="divider"></li>
                        <li><a href="#">Separated link</a></li>
                        <li role="separator" class="divider"></li>
                        <li><a href="#">One more separated link</a></li>
                    </ul>
                </li>
            </ul>
            <form class="nav navbar-nav navbar-form navbar-right">
                <div class="form-group">
                    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
                </div>
                <button type="submit" class="btn btn-default">Submit</button>

                <button type="button" class="btn btn-outline-success" data-toggle="modal" style="margin-left: 10px;"
                        data-target="#myModal">
                    Log in
                </button>

            </form>
        </div>


    </div>
</nav>

<div class="container-fluid clearfix">
    <div class="row">
        <div class="col-sm-9">
            <div class="media">
                <div class="media-left">
                    <a href="https://www.allaboutbirds.org/guide/Great_Blue_Heron">
                        <img class="media-object"
                            src="https://www.allaboutbirds.org/guide/assets/photo/304479371-1280px.jpg"
                            alt="Great Blue Heron">
                    </a>
                </div>
                <div class="media-body">
                    <h4 class="media-heading">Great Blue Heron</h4>
```

```
                    Whether poised at a river bend or cruising the coastline with
                    slow, deep wingbeats, the Great Blue Heron is a majestic sight.
                    This stately heron with its subtle blue-gray plumage often stands
                    motionless as it scans for prey or wades belly deep with long,
                    deliberate steps. They may move slowly, but Great Blue Herons can
                    strike like lightning to grab a fish or snap up a gopher. In flight,
                    look for this widespread heron's tucked-in neck and long legs
                    trailing out behind.
                </div>
            </div>

            <div class="media" style="margin-top: 6px">
                <div class="media-left">
                    <a href="https://www.allaboutbirds.org/guide/Laughing_Gull">
                        <img class="media-object"
                            src="https://www.allaboutbirds.org/guide/assets/photo/169503031-1280px.jpg"
                            alt="Laughing Gull">
                    </a>
                </div>
                <div class="media-body">
                    <h4 class="media-heading">Laughing Gull</h4>
                    Swirling over beaches with strident calls and a distinctive, crisp
                    black head, Laughing Gulls provide sights and sounds evocative of
                    summer on the East Coast. You'll run across this handsome gull in
                    large numbers at beaches, docks, and parking lots, where they wait
                    for handouts or fill the air with their raucous calls. Laughing Gulls
                    are summer visitors to the Northeast and year-round sights on the coasts
                    of the Southeast and the Gulf of Mexico.
                </div>
            </div>

            <div class="media" style="margin-top: 6px">
                <div class="media-left">
                    <a href="https://www.allaboutbirds.org/guide/Sandwich_Tern">
                        <img class="media-object"
                            src="https://www.allaboutbirds.org/guide/assets/photo/308480441-1280px.jpg"
                            alt="Sandwich Tern">
                    </a>
                </div>
                <div class="media-body">
                    <h4 class="media-heading">Sandwich Tern</h4>
                    The Sandwich Tern is a sleek, medium-sized tern with a ragged black
                    crest and a gleaming black bill with a sharp yellow tip. It's smaller
                    and slimmer than a Royal Tern, a species it often nests alongside in busy,
                    shrieking colonies along the barrier islands of the southeastern U.S.
                    (Its broad global range also includes the Caribbean, Latin America, Africa,
                    and Europe.) Rarely found inland or out to sea, this is a bird of ocean
                    shores and estuaries, where it hunts small schooling fish.
                </div>
            </div>

        </div>
        <div class="col-sm-3" style="margin-top: 10px">
            <div class="panel panel-default">
                <div class="panel-heading">
                    panel header text
                </div>
                <div class="panel-body">

                    <p>
                        Pumas are large, cat-like animals which are found
                        in America. When reports came into London Zoo that
                        a wild puma had been spotted forty-five miles south
                        of London, they were not taken seriously. However,
                        as the evidence began to accumulate, experts from the
                        Zoo felt obliged to investigate, for the descriptions
                        given by people who claimed to have seen the puma were
                        extraordinarily similar.
                    </p>
                    <footer class="blockquote-footer"> A puma at large
                        <cite title="Source Title">new concept English</cite>
                    </footer>
                </div>
            </div>
            <div class="panel panel-primary">
                <div class="panel-heading">
                    <h3 class="panel-title">Panel title</h3>
                </div>
                <div class="panel-body">
                    Panel content
                </div>
            </div>
            <div class="panel panel-warning">
                <div class="panel-heading">
                    <h3 class="panel-title">Panel title</h3>
                </div>
                <div class="panel-body">
                    Panel content
                </div>
            </div>

        </div>
    </div>
</div>

<div class="container-fluid" style="margin-top: 10px">
    <nav aria-label="Page navigation example">
        <ul class="pagination">
            <li class="page-item"><a class="page-link" href="#">Previous</a></li>
            <li class="page-item"><a class="page-link" href="#">1</a></li>
            <li class="page-item"><a class="page-link" href="#">2</a></li>
            <li class="page-item"><a class="page-link" href="#">3</a></li>
```

```
                    <li class="page-item"><a class="page-link" href="#">Next</a></li>
                </ul>
            </nav>
        </div>


        <!-- Modal -->
        <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span>
                        </button>
                        <h4 class="modal-title" id="myModalLabel">User Login</h4>
                    </div>
                    <div class="modal-body">
                        <div class="container">
                            <h1 class="w_title" style="text-align: center;">User Login</h1>
                            <form class="sub_container">
                                <div class="mb-3">
                                    <label for="exampleInputEmail1" class="form-label">Email address</label>
                                    <input type="email" class="form-control" id="exampleInputEmail1"
                                           aria-describedby="emailHelp">
                                    <div id="emailHelp" class="form-text">We'll never share your email with anyone else.</div>
                                </div>
                                <div class="mb-3">
                                    <label for="exampleInputPassword1" class="form-label">Password
                                        &nbsp&nbsp&nbsp&nbsp&nbsp&nbsp</label>
                                    <input type="password" class="form-control" id="exampleInputPassword1">
                                </div>
                                <div class="mb-3 form-check">
                                    <input type="checkbox" class="form-check-input" id="exampleCheck1">
                                    <label class="form-check-label" for="exampleCheck1">Remember me</label>
                                </div>

                            </form>
                        </div>
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</button>
                        <button type="button" class="btn btn-primary">Submit</button>
                    </div>
                </div>
            </div>
        </div>

        <script src="static/js/jquery-3.6.4.min.js"></script>
        <script src="static/plugins/bootstrap-3.4.1-dist/js/bootstrap.min.js"></script>

</body>
</html>
```


JavaScript syntax

DOM