# **DOM**

work on html labels

## 1. get label by id

```
var bodyTag = document.getElementById("body");
```

# 2. get text in label

```
td.innerText
td.innerText = text;
```

#### 3. create label

```
var td = document.createElement("td");
```

### 4. add label inside exist labels

```
var text = info[key];
var td = document.createElement("td");
td.innerText = text;
tr.appendChild(td);
```

### 5. event

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
</head>
<body>
   <h2 style="color: #985f0d"> City list </h2>
    <input type="button" value="show city list" onclick="addCityInfo()">
   ul id="city">
    <script type="text/javascript">
       function addCityInfo() {
           var cityList = ['Houston', 'Austin', 'Dallas'];
           for (var idx in cityList) {
               var text = cityList[idx];
               // create label 
               var tag = document.createElement("li");
```

```
// add text to label
    tag.innerText = text
    //find parent label by id
    var parentTag = document.getElementById("city")
    // append city to parent label
    parentTag.appendChild(tag)
}

    //script>
</body>
</html>
```

```
City list

show city list
```

# click


### City list

show city list

- Houston
- Austin
- Dallas

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
</head>
<body>
   <h2 style="color: #985f0d"> City list </h2>
   <input type="button" value="show city list" onclick="addCityInfo()">
   ul id="city">
   <h2 style="color: #985f0d"> Add anything you want </h2>
   <input type="text" placeholder="input" id="cus_text">
   <input type="button" value="show custom input" onclick="addText()">
   ul id="custom">
   <script type="text/javascript">
       function addCityInfo() {
           var cityList = ['Houston', 'Austin', 'Dallas'];
           for (var idx in cityList) {
               var text = cityList[idx];
               // create label 
               var tag = document.createElement("li");
```

```
// add text to label
                tag.innerText = text;
                //find parent label by id
                var parentTag = document.getElementById("city");
                // append city to parent label
                parentTag.appendChild(tag);
            }
       };
        function addText() {
            var getString = document.getElementById("cus_text");
            var text = getString.value;
            var tag = document.createElement("li");
            tag.innerText = text;
            var parentTag = document.getElementById("custom");
            parentTag.appendChild(tag);
            getString.value = '';
       };
    </script>
</body>
</html>
```




#### City list

show city list

#### Add anything you want

input show custom input




### City list

show city list

#### Add anything you want

asdf show custom input



#### add to function: only add if custom input is not NA

```
function addText() {
    var getString = document.getElementById("cus_text");
    var text = getString.value;
    if (text != "") {
        var tag = document.createElement("li");
        tag.innerText = text;
        var parentTag = document.getElementById("custom");
        parentTag.appendChild(tag);
        getString.value = '';
    }
};
```

#### add to function: add alert

```
function addText() {
    var getString = document.getElementById("cus_text");
    var text = getString.value;
    if (text != "") {
        var tag = document.createElement("li");
        tag.innerText = text;
        var parentTag = document.getElementById("custom");
        parentTag.appendChild(tag);
        getString.value = '';
    }
    else{
        alert("Can not add empty sting")
    };
};
```

