

CSS style

1. height and width

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
   <style>
        height: 300px;
         width: 300px;
        .c2{
         height: 300px;
        width: 50%;
   </style>
</head>
<body>
   <h1 class="c1">block1</h1>
   <h1 class="c2">block2</h1>
</html>
```





- 1. width may be set as percentage, height×
- 2. for inline label (e.g.) height and width do not work
- 3. for block level label (e.g. $\langle div \rangle \langle div \rangle$) $\sqrt{\ }$, but these labels will take the whole line


2. Inline & block


combine inline & block


may apply height & width style + will not take the whole line

display: inline-block;


```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <title>Title</title>
    <style>
        .c1{
          height: 300px;
          width: 300px;
        }
        .c2{
          height: 300px;
          width: 50%;
        }
        .c3{
          display: inline-block;
          height: 100px;
          width: 100px;
          border: 5px solid olive;
    </style>
</head>
<body>
<!--
        <h1 class="c1">block1</h1>-->
       <h1 class="c2">block2</h1>-->
   <span class="c1">inline1</span>
   <span class="c2">inline2</span>
    <span class="c3">inline3</span>
```








```
<body>
     <span class="c1">inline1</span>
     <span class="c2">inline2</span>
     <span class="c3">inline3</span>
     <div style="display: inline">block -> inline</div>
     <span style="display: block">inline -> block</span>
</body>
```



3. font size color


```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
   <style>
     .c1{
       color: indianred;
       font-size: 30px;
       font-weight: 300;
       font-family: Chiller;
   </style>
</head>
<body>
   <div class="c1">font color size</div>
   <div>font color size</div>
</body>
</html>
```



font color size


4. Text alignment

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <title>Title</title>
  <style>
    .c1{
     height: 50px;
      width: 300px;
      border: 5px solid indianred;
    .c2{
      height: 50px;
      width: 300px;
      border: 5px solid seagreen;
      text-align: center;
    }
    .c3{
      height: 50px;
      width: 300px;
      border: 5px solid cornflowerblue;
      line-height: 59px;
    }
    .c4{
      height: 50px;
      width: 300px;
      border: 5px solid darkorange;
      text-align: center;
      line-height: 59px;
  </style>
</head>
<body>
    <div class="c1">no alignment setting</div>
    <div class="c2">horizontal alignment setting</div>
    <div class="c3">vertical alignment setting</div>
   <div class="c4">h+v alignment setting</div>
</body>
</html>
```



5. Floating

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
</head>
<body>
   <div>
     <span>left text</span>
     <span>right text</span>
   </div>
   <div>
     <span>left text</span>
     <span style="float: right">right text</span>
</body>
</html>
```




if using float style in <div></div>:

🖺 Title

```
<!DOCTYPE html>
<html lang="en">
```

```
<meta charset="UTF-8">
   <title>Title</title>
   <style>
     .c1{
       float: left;
       height: 200px;
       width: 200px;
       border: 5px solid brown;
   </style>
</head>
<body>
   <div style="border: 5px solid blue">aaa</div>
   <div style="border: 5px solid blue">bbb</div>
    <div class="c1"></div>
   <div class="c1"></div>
   <div class="c1"></div>
   <div style="border: 5px solid blue">ccc</div>
</body>
</html>
```






add <div style="clear: both"></div>

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <title>Title</title>
   <style>
     .c1{
       float: left;
       height: 200px;
       width: 200px;
       border: 5px solid brown;
    </style>
</head>
<body>
   <div style="border: 5px solid blue">aaa</div>
   <div style="border: 5px solid blue">bbb</div>
    <div class="c1"></div>
   <div class="c1"></div>
   <div class="c1"></div>
   <div style="clear: both"></div>
    <div style="border: 5px solid blue">ccc</div>
```


```
</body>
</html>
```



6. padding

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
   <style>
      .c1{
       height: 100px;
       width: 300px;
       border: 5px solid darkseagreen;
      .c2{
       height: 100px;
       width: 300px;
       border: 5px solid firebrick;
       padding-top: 10px;
      .c3{
       height: 100px;
       width: 300px;
       border: 5px solid darkcyan;
       padding-left: 10px;
     }
      .c4{
       height: 100px;
       width: 300px;
       border: 5px solid palevioletred;
       padding-right: 10px;
   </style>
</head>
<body>
 <div class="c1">
   <div style="background-color: chocolate">Pumas are large, cat-like </div>
   <div>animals which are found in America.</div>
 </div>
 <div class="c2">
   <div style="background-color: chocolate">Pumas are large, cat-like </div>
   <div>animals which are found in America.</div>
 </div>
 <div class="c3">
   <div style="background-color: chocolate">Pumas are large, cat-like </div>
   <div>animals which are found in America.</div>
 </div>
 <div class="c4">
   <div style="background-color: chocolate">Pumas are large, cat-like </div>
```





7. margin

```
<div style="height: 50px; background-color: cornflowerblue"></div>
<div style="height: 50px; background-color: seagreen; margin-right: 10px"></div>
<div style="height: 50px; background-color: cornflowerblue"></div>
<div style="height: 50px; background-color: seagreen; margin: 10px"></div>
</body>
</html>
```

