ManageVaccinations domain model

Team
- email string ∗ U
- name text ∗ U
- ods_code string ∗ U
- phone string ∗
- privacy_policy_url string
- reply_to_id string

Campaign
- academic_year integer ∗
- active boolean ∗
- end_date date ∗
- name string ∗ U
- start_date date ∗
- team_id integer ∗ FK
- type string ∗

User
- current_sign_in_at datetime (6,0)
- current_sign_in_ip string
- email string ∗ U
- encrypted_password string ∗
- failed_attempts integer ∗
- family_name string ∗
- full_name string
- given_name string ∗
- last_sign_in_at datetime (6,0)
- last_sign_in_ip string
- locked_at datetime (6,0)
- provider string
- registration string
- remember_created_at datetime (6,0)
- reset_password_sent_at datetime (6,0)
- reset_password_token string
- sign_in_count integer ∗
- uid string
- unlock_token string

DPSExport
- campaign_id integer (8) ∗ FK
- filename string ∗
- message_id string
- sent_at datetime
- status string ∗

ImmunisationImport
- campaign_id integer (8) ∗ FK
- csv text ∗
- user_id integer (8) ∗ FK

Location
- address text
- county text
- imported_from_id integer (8) FK
- locality text
- name text ∗
- ods_code string ∗ U
- postcode text
- town text
- type integer ∗
- url text
- urn string ∗ U

Parent
- contact_method integer
- contact_method_other text ∗
- email string ∗
- name string ∗
- phone string
- recorded_at datetime (6,0)
- relationship integer
- relationship_other string ∗

Patient
- address_line_1 string
- address_line_2 string
- address_postcode string
- address_town string
- common_name string
- date_of_birth date ∗
- first_name string ∗
- gender_code integer ∗
- home_educated boolean
- imported_from_id integer (8) FK
- last_name string ∗
- nhs_number string U
- parent_id integer (8) FK
- school_id integer (8) FK
- sent_consent_at datetime (6,0)
- sent_reminder_at datetime (6,0)
- session_reminder_sent_at datetime (6,0)

Session
- campaign_id integer (8) ∗ FK
- close_consent_at date ∗
- date date ∗
- draft boolean
- imported_from_id integer (8) FK
- location_id integer (8) ∗ FK
- send_consent_at date
- send_reminders_at date
- time_of_day integer

Consent
- campaign_id integer (8) ∗ FK
- health_answers jsonb
- parent_id integer (8) FK
- patient_id integer (8) ∗ FK
- reason_for_refusal integer
- reason_for_refusal_notes text ∗
- recorded_at datetime (6,0)
- recorded_by_user_id integer (8) FK
- response integer
- route integer ∗

Vaccine
- brand text ∗ U
- discontinued boolean ∗
- dose decimal ∗
- gtin text U
- manufacturer text ∗
- method integer ∗
- nivs_name text ∗
- snomed_product_code string ∗ U
- snomed_product_term string ∗ U
- type string ∗

HealthQuestion
- follow_up_question_id integer (8) FK
- hint string
- metadata jsonb ∗
- next_question_id integer (8) FK
- question string
- vaccine_id integer (8) ∗ FK

Batch
- expiry date ∗
- name string ∗
- vaccine_id integer (8) ∗ FK

PatientSession
- created_by_user_id integer (8) FK
- patient_id integer (8) ∗ FK
- session_id integer (8) ∗ FK
- state string

ConsentForm
- address_line_1 string ∗
- address_line_2 string
- address_postcode string ∗
- address_town string ∗
- common_name string ∗
- consent_id integer (8) FK
- contact_injection boolean
- date_of_birth date ∗
- first_name text ∗
- gp_name string ∗
- gp_response integer
- health_answers jsonb ∗
- last_name text ∗
- parent_id integer (8) FK
- reason integer ∗
- reason_notes text ∗
- recorded_at datetime (6,0)
- response integer ∗
- session_id integer (8) ∗ FK
- use_common_name boolean

VaccinationRecord
- administered_at datetime (6,0)
- batch_id integer (8) ∗ FK
- delivery_method integer
- delivery_site integer
- dose_sequence integer
- imported_from_id integer (8) FK
- notes text
- patient_session_id integer (8) ∗ FK
- performed_by_user_id integer (8) FK
- reason integer
- recorded_at datetime (6,0)
- uuid uuid ∗
- vaccine_id integer (8) ∗ FK

Triage
- notes text
- patient_session_id integer (8) FK
- performed_by_user_id integer (8) FK
- status integer

GillickAssessment
- assessor_user_id integer (8) ∗ FK
- gillick_competent boolean
- notes text ∗
- patient_session_id integer (8) ∗ FK
- recorded_at datetime (6,0)

Audited::Audit
- action string
- associated_id integer FK
- associated_type string
- auditable_id integer FK
- auditable_type string
- audited_changes jsonb
- comment string
- remote_address string
- request_uuid string
- user_id integer FK
- user_type string
- username string
- version integer

Flipper::Adapters::ActiveRecord::Feature
- key string ∗

Flipper::Adapters::ActiveRecord::Gate
- feature_key string ∗ FK
- key string ∗
- value text

GoodJob::BatchRecord
- callback_priority integer
- callback_queue_name text
- description text
- discarded_at datetime (6,0)
- enqueued_at datetime (6,0)
- finished_at datetime (6,0)
- on_discard text
- on_finish text
- on_success text
- serialized_properties jsonb

GoodJob::Process
- lock_type integer (2)
- state jsonb

GoodJob::Job
- active_job_id uuid FK
- batch_callback_id uuid FK
- batch_id uuid FK
- concurrency_key text
- cron_at datetime (6,0)
- cron_key text
- error text
- error_event integer (2)
- executions_count integer
- finished_at datetime (6,0)
- job_class text
- labels text
- locked_at datetime (6,0)
- locked_by_id uuid FK
- performed_at datetime (6,0)
- priority integer
- queue_name text
- scheduled_at datetime (6,0)
- serialized_params jsonb

GoodJob::DiscreteExecution
- active_job_id uuid ∗
- duration interval
- error text
- error_backtrace text
- error_event integer (2)
- finished_at datetime (6,0)
- job_class text
- process_id uuid
- queue_name text
- scheduled_at datetime (6,0)
- serialized_params jsonb

GoodJob::Execution
- active_job_id uuid ∗ FK
- duration interval
- error text
- error_backtrace text
- error_event integer (2)
- finished_at datetime (6,0)
- job_class text
- process_id uuid
- queue_name text
- scheduled_at datetime (6,0)
- serialized_params jsonb

GoodJob::Setting
- key text
- value jsonb

OfflinePassword
- password string ∗