البحث المخصص للكور

504

Silver Light

Silver light Research

FOR CORE 504


10-10-2015
DATE


2:08 PM
TIME

كريم رفعت


Silverlight 4 using C#

إضافة مشروع







أداة الليبل والتعديل على الخصائص مثل حجم الخط ونوعه



أداة التيكست بجانبها أداة الليبل



أداة المفتاح





```
rid x:Name="LayoutRoot" Background="White">
  <Grid.RowDefinitions>
      <RowDefinition Height="auto"/>
      <RowDefinition Height="auto"/>
      <RowDefinition Height="auto"/>
  </Grid.RowDefinitions>
  <Grid.ColumnDefinitions>
      <ColumnDefinition Width="auto"/>
      <ColumnDefinition Width="*"/>
  </Grid.ColumnDefinitions>

  <TextBlock Grid.Row="0" Grid.Column="0" Text="Label:"/>
  <sdk:Label Grid.Row="0" Grid.Column="1" Name="_lblResult" Content="" FontSize="20"
  <TextBlock Grid.Row="1" Grid.Column="0">Button: </TextBlock>
  <Button Grid.Row="1" Grid.Column="1" Name=" btnClick">ClickMe</Button>
```


السيتر للتعديل علي خصائص الأدوات الموجودة بداخل السلفر لايت

```
<UserControl.Resources>
    <Style TargetType="TextBlock">
        <Setter Property="FontSize" Value="20"/>
    </Style>
</UserControl.Resources>
```


لإضافة كود الي المفتاح يتم الضغط عليه دبل كليك فيظهر كود السي شارب الذى يتم كتابته




يقوم الكود التالي بتغير النص الذى يظهر على أداة الليبل



لإظهار الخطوط في الجرد






اختيار الثلاث حالات لإداة الشيك بوكس

```
<CheckBox Grid.Row="2" Grid.Column="1"
          Click="CheckBox_Checked"
          IsThreeState="True"></CheckBox>
```

الكود الذى ينفذ عند الاختيار ما بين الثلاث حالات

```
private void CheckBox_Checked(object sender, RoutedEventArgs e)
{
    CheckBox chk = sender as CheckBox;
    if (chk.IsChecked == null)
    {
        _lblResult.Content = "CheckBox in third state";
    }
    else if (chk.IsChecked.Value)
    {
        _lblResult.Content = "CheckBox Checked";
    }
    else if (!chk.IsChecked.Value)
    {
        _lblResult.Content = "CheckBox Un Checked";
    }
```


أداة الكومبو بوكس




```
        <TextBlock Grid.Row="0" Grid.Column="0" Text="Label:"/>
        <sdk:Label Grid.Row="0" Grid.Column="1" Name="_lblResult" Content="" FontSize="20" FontFamily="Trebuchet MS" Foregrou
        <TextBlock Grid.Row="1" Grid.Column="0" >Button: </TextBlock>
        <Button Grid.Row="1" Grid.Column="1" Name="_btnClick" Click="_btnClick_Click">ClickMe</Button>
        <TextBlock Grid.Row="2" >Check Box: </TextBlock>
        <CheckBox Grid.Row="2" Grid.Column="1" Click="CheckBox_Checked" IsThreeState="True"></CheckBox>
        <TextBlock Grid.Row="3">Combo Box:</TextBlock>
        <ComboBox Grid.Row="3" Grid.Column="1" Name="_cbox" DisplayMemberPath="Value" SelectedValuePath="Key"  />

    </Grid>
</UserControl>
```

أداة الليست بوكس




```
        <TextBlock Grid.Row="0" Grid.Column="0" Text="Label:"/>
        <sdk:Label Grid.Row="0" Grid.Column="1" Name="_lblResult" Content="" FontSize="20" FontFamily="Trebuchet MS" Foregrou
        <TextBlock Grid.Row="1" Grid.Column="0" >Button: </TextBlock>
        <Button Grid.Row="1" Grid.Column="1" Name="_btnClick" Click="_btnClick_Click">ClickMe</Button>
        <TextBlock Grid.Row="2" >Check Box: </TextBlock>
        <CheckBox Grid.Row="2" Grid.Column="1" Click="CheckBox_Checked" IsThreeState="True"></CheckBox>
        <TextBlock Grid.Row="4">Combo Box:</TextBlock>
        <ComboBox Grid.Row="4" Grid.Column="1" Name="_cbox"
                  DisplayMemberPath="Value" SelectedValuePath="Key" SelectionChanged="_cbox_SelectionChanged" />
        <TextBlock Grid.Row="3">List Box: </TextBlock>
        <ListBox Grid.Row="3" Grid.Column="1" SelectionMode="Multiple"
                 Name="_lst" SelectionChanged="_cbox_SelectionChanged"
                 DisplayMemberPath="Value" SelectedValuePath="Key"></ListBox>
    </Grid>
</UserControl>
```

اكواد الكومبو بوكس والليست بوكس


```
private void _cbox_SelectionChanged(object sender, SelectionChangedEventArgs e)
{

    if (sender is ComboBox)
    {
        KeyValuePair<int, string> keyVal = (KeyValuePair<int, string>)_cbox.SelectedItem;

        _lblResult.Content = "You choosed: " + keyVal.Value + " with the key number: " + _cbox.SelectedValue;
    }
    else if (sender is ListBox)
    {
        string query = string.Empty;

        foreach (var item in _lst.SelectedItems)
        {
            KeyValuePair<int, string> keyVal = (KeyValuePair<int, string>)item;
           query += "List Box Result is : Key =\"" +
                _lst.SelectedValue + "\" , Value = \"" + keyVal.Value + "\"\n";
        }
        _lblResult.Content = query;
    }


}
```



اكواد ربط أداة مع أداة اخري

```
<sdk:Label Grid.Row="7" Grid.Column="1" Content="{Binding ElementName=txt,Path=Text}"></sdk:Label>
```


يتم ربط أداة الليبل مع أداة التيكست بوكس بحيث يتغير عند إدخال قيمة جديدة




أداة التاب كونترول



شكل الأداة عند التغير ما بين الصفحات







كود إظهار تلميح عند المرور بالماوس فوق الأداة

```
private void _btnClick_Click(object sender, RoutedEventArgs e)
{
    _lblResult.Content = "Button Clicked";
    Border border = new Border();
    border.BorderThickness = new Thickness(2);
    border.BorderBrush = new SolidColorBrush(Colors.Orange);
    TextBlock txtBlock = new TextBlock();
    txtBlock.Text = "Button ToolTip";
    border.Child = txtBlock;
    ToolTipService.SetToolTip(_btnClick, border);


}
```




أداة السكرول بار



الشاشة الملحقة بالشاشة الرئيسية






كود إظهار الشاشة عند الضغط على المفتاح


```
private void _btnClick_Click(object sender, RoutedEventArgs e)
{
    _lblResult.Content = "Button Clicked";
    Border border = new Border();
    border.BorderThickness = new Thickness(2);
    border.BorderBrush = new SolidColorBrush(Colors.Orange);
    TextBlock txtBlock = new TextBlock();
    txtBlock.Text = "Button ToolTip";
    border.Child = txtBlock;
    ToolTipService.SetToolTip(_btnClick, border);

    ChildPopUp pop = new ChildPopUp();
    pop.Show();
}
```


شكل الشاشة عند التشغيل





أداة السبلتر





RadControls_for_
Silverlight5_2013_
1_0403_Trial.msi



Telerik RadControls for Silverlight Q1 2013 SP1 Setup Wizard
SL
telerik
deliver more than expected
WELCOME
CUSTOMIZATION
INSTALLATION
SUMMARY
Welcome!
Thank you for choosing Telerik RadControls for Silverlight Q1 2013 SP1
Setup Wizard will install Telerik RadControls for Silverlight Q1 2013 SP1 on your computer. If you have any problems during installation please contact us at: clientservice@telerik.com.
By installing this product, you agree you have read and accepted the Telerik RadControls license agreement.
Read License Agreement
I Agree - Continue
Cancel
Version: Q1 2013 SP1
Release Date: 2013/04/03


Telerik RadControls for Silverlight Q1 2013 SP1 Setup Wizard
SL
WELCOME
CUSTOMIZATION
INSTALLATION
SUMMARY
Ready to install
telerik
deliver more than expected
The following components will be installed:
RadControls for Silverlight
Components
Silverlight 5 assemblies
Themes
Blend Toolbox Items
Visual Studio Extensions
Visual Studio 2010
Visual Studio 2012
Telerik RadControls will be installed in:
C:\Program Files (x86)\Telerik\RadControls for Silverlight Q1 2013\
Customize
Version: Q1 2013 SP1
Release Date: 2013/04/03
Back
Install
Cancel



Telerik RadControls for Silverlight Q1 2013 SP1 Setup Wizard
SL
WELCOME
CUSTOMIZATION
INSTALLATION
SUMMARY
Installation Successful
telerik
deliver more than expected
Click Finish to exit.
Industry-leading support is yours!
• 24-hour turnaround support
• Growing community forums
• You have questions; we have answers....and solutions.
FORUMS
BLOGS
APPS WITH FREE SOURCE CODE
EXAMPLES
Version: Q1 2013 SP1
Release Date: 2013/04/03
Back
Finish
Cancel


اختيار مشروع جديد







اختيار مكان مجلد المشروع






مسار المجلد ثم نقوم باختيار جميع الادوات








اختيار شكل





إضافة الدوميون سيرفير






opkarim116939
MainPage.xaml*
Drag a column header and drop it here to group by that column
Document Outline
Data Sources
Server Explorer
Toolbox
67%
Design
XAML
xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="" />
<telerik:RadGridView Name="grd"/>
</Grid>
</UserControl>



roductDomainService.cs
MainPage.xaml
MainPage.xaml*
Drag a column header and drop it here to group by that column
Design
XAML
opkarim116939
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
xmlns:local="clr-namespace:RadControlsSilverlightApp2"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="GetProduct" AutoLoad="True">
</riaControls:DomainDataSource>
<telerik:RadGridView Name="grd"/>



ProductDomainService.cs
MainPage.xaml
MainPage.xaml*
Drag a column header and drop it here to group by that column
67%
Design
XAML
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
xmlns:local="clr-namespace:RadControlsSilverlightApp2"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="GetProduct" AutoLoad="True">
</riaControls:DomainDataSource>
<telerik:RadGridView Name="grd"/>



ductDomainService.cs
MainPage.xaml
MainPage.xaml*
Drag a column header and drop it here to group by that column
Design
XAML
<UserControl xmlns:riaControls="clr-namespace:System.Windows.Controls;assembly=System.Windows.Controls.DomainServices" x:Cla
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="GetProduct" AutoLoad="True">


MainPage.xaml.cs
ProductDomainService.cs
MainPage.xaml
MainPage.xaml*
Drag a column header and drop it here to group by that column
67%
Design
XAML
<UserControl xmlns:riaControls="clr-namespace:System.Windows.Controls;assembly=System.Windows.Controls.DomainServices" x:Clas
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
xmlns:local="clr-namespace:SilverlightRIA.Web"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
MainPage.xaml.cs
ProductDomainService.cs
MainPage.xaml
MainPage.xaml
Drag a column header and drop it here to group by that column
67%
Design
XAML
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
xmlns:local="clr-namespace:SilverlightRIA.Web"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="GetProduct" AutoLoad="True">
</riaControls:DomainDataSource>
<telerik:RadGridView Name="grd"/>
</Grid>


ProductDomainService.cs
MainPage.xaml
MainPage.xaml
Drag a column header and drop it here to group by that column
Design
XAML
opkarim116939
xmlns:telerik="http://schemas.telerik.com/2008/xaml/presentation"
xmlns:local="clr-namespace:SilverlightRIA.Web"
mc:Ignorable="d" d:DesignWidth="640" d:DesignHeight="480">
<Grid x:Name="LayoutRoot">
<riaControls:DomainDataSource Name="pDS" QueryName="GetProduct" AutoLoad="True">
<riaControls:DomainDataSource.DomainContext>
<local:ProductDomainContext/>
</riaControls:DomainDataSource.DomainContext>
</riaControls:DomainDataSource>


ProductDomainService.cs
MainPage.xaml
MainPage.xaml
Drag a column header and drop it here to group by that column
Design
XAML
<riaControls:DomainDataSource.DomainContext>
<local:ProductDomainContext/>
</riaControls:DomainDataSource.DomainContext>
</riaControls:DomainDataSource>
<telerik:RadGridView Name="grd" ItemsSource="{Binding ElementName=pDS,Path=Data}"/>
</Grid>
</UserControl>


karim116939
MainPage.xaml.cs
ProductDomainService.cs
MainPage.xaml
MainPage.xaml
Drag a column header and drop it here to group by that column
Solution Explorer
Search Solution Explorer (Ctrl+;)
References
Bin
Generated_Code
obj
App.xaml
MainPage.xaml
SilverlightRIA.Web
Properties
References
ClientBin
RadControlsSilverlightApp2.xap
SilverlightRIA.xap
InvokeDomainService.cs
packages.config
ProductDomainService.cs
ProductDomainService.metadata.cs
ProductModel.edmx
RadControlsSilverlightApp1TestPage.asp
RadControlsSilverlightApp1TestPage.htr
RadControlsSilverlightApp2TestPage.asp
RadControlsSilverlightApp2TestPage.htr
Silverlight.js
SilverlightRIATestPage.aspx
SilverlightRIATestPage.html
Web.config
67%
Design
XAML
<riaControls:DomainDataSource.DomainContext>
<local:ProductDomainContext/>
</riaControls:DomainDataSource.DomainContext>
</riaControls:DomainDataSource>
<telerik:RadGridView Name="grd" ItemsSource="{Binding ElementName=pDS,Path=Data
</Grid>
</UserControl>


karim116939
MainPage.xaml.cs
ProductDomainService.cs
MainPage.xaml
MainPage.xaml
//v2.0.30511.0
if(!window.Silverlight)window.Silverlight={};Silverlight._silverlightCount=0;Silverligh
Solution Explorer
Search Solution Explorer (C
SilverlightRIA
Properties
References
Bin
obj
App.xaml
ClientBin
InvokeDomain
packages.conf
Silverlight.js
SilverlightRIATestPage.aspx
SilverlightRIATestPage.html
Open
Open With...
View Code
View Designer
View Markup
View Component Design
View Code Gen File
View in Browser (Internet
View in Page Inspector
Browse With...
Set As Start Page
Check Accessibility...
Scope to This
New Solution Explorer Vie
Exclude From Project
Cut
Copy
Delete
Rename
Properties

Category	Category1	Details	ID	Name	Prise
Laptop		iCore 5	1	Lenovo B560	3500
Laptop		iCore 5	2	HP X-50	4000
Laptop		iCore 3	3	HP R-1	2400
laptop		iCore 7	4	DELL N5520	5000
Tablet		Core 2 Duo	5	SAMSUNG T1	2000
Mouse & Keyboard		Wireless Mouse & Keyboard	6	Microsoft	200
Motherboard		Free	7	Gigabyte EP40	340
Case		Black,White	8	Apple Black	300
Mouse & Keyboard		Wireless	9	DELL	100
Mouse & Keyboard		Wireless	10	HP	140
Tablet		iCore 3	11	MOTOROLA	3300
Laptop		iCore 5	12	Apple G-5	14000