

Assignment 2: Coding Basics

Karina Leung

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on coding basics.

Directions

1. Rename this file `<FirstLast>_A02_CodingBasics.Rmd` (replacing `<FirstLast>` with your first and last name).
2. Change “Student Name” on line 3 (above) with your name.
3. Work through the steps, **creating code and output** that fulfill each instruction.
4. Be sure to **answer the questions** in this assignment document.
5. When you have completed the assignment, **Knit** the text and code into a single PDF file.
6. After Knitting, submit the completed exercise (PDF file) to Sakai.

Basics Day 1

1. Generate a sequence of numbers from one to 100, increasing by fours. Assign this sequence a name.
2. Compute the mean and median of this sequence.
3. Ask R to determine whether the mean is greater than the median.
4. Insert comments in your code to describe what you are doing.

```
#1. I'm using seq(1, 100, 4) since the format is seq(starting number, ending number, interval number),  
#and assigning this function to seq100.  
seq100 <- seq(1, 100, 4)
```

```
#2. I used the mean and median function on the object seq100 I made up above and assigned them both to  
#a mean_seq100 and median_seq100 respectively so I could call them later on.  
mean_seq100 <- mean(seq100)  
median_seq100 <- median(seq100)  
  
mean_seq100
```

```
## [1] 49
```

```
median_seq100
```

```
## [1] 49
```

```
#3. I typed this command to see if the output if R was true or false, and the output was false.  
#This means the mean is not greater than the median.  
mean_seq100 > median_seq100
```

```
## [1] FALSE
```

Basics Day 2

5. Create a series of vectors, each with four components, consisting of (a) names of students, (b) test scores out of a total 100 points, and (c) whether or not they have passed the test (TRUE or FALSE) with a passing grade of 50.
6. Label each vector with a comment on what type of vector it is.
7. Combine each of the vectors into a data frame. Assign the data frame an informative name.
8. Label the columns of your data frame with informative titles.

```
#5.  
names_of_students <- c("Karina", "Nadia", "Abby", "Emma")  
test_scores <- c(43, 59, 89, 98)  
passed_test <- c(FALSE, TRUE, TRUE, TRUE)
```

```
#6.  
class(names_of_students) #This is a character vector
```

```
## [1] "character"
```

```
class(test_scores) #This is a numeric vector
```

```
## [1] "numeric"
```

```
class(passed_test) #This is a logical vector
```

```
## [1] "logical"
```

```
#7 and 8.  
student_test_scores.df <- data.frame("Student Name"=names_of_students, "Test Scores"=test_scores, "Pass"  
student_test_scores.df
```

```
##   Student.Name Test.Scores Pass  
## 1      Karina         43 FALSE  
## 2       Nadia         59  TRUE  
## 3        Abby         89  TRUE  
## 4        Emma         98  TRUE
```

9. QUESTION: How is this data frame different from a matrix?

Answer: In a matrix, all of the values have to be the same “mode” or type of vector (e.g. have to all be characters or numeric or logical), but in a data frame you can have multiple columns which can be different vector types.

10. Create a function with an if/else statement. Your function should take a **vector** of test scores and print (not return) whether a given test score is a passing grade of 50 or above (TRUE or FALSE). You will need to choose either the **if** and **else** statements or the **ifelse** statement.
11. Apply your function to the vector with test scores that you created in number 5.

```
#10.  
did_student_passv.2 <- function(x) {P <- ifelse(x>=50,TRUE,FALSE)  
                                     print(P)}
```

```
#11.  
did_student_passv.2(test_scores)
```

```
## [1] FALSE  TRUE  TRUE  TRUE
```

12. QUESTION: Which option of **if** and **else** vs. **ifelse** worked? Why?

Answer: 'if' and 'else' statements only run the first value in the vector. When I ran the code with 'if' and 'else' (not featured), it had an error because I had more than one value of numbers I wanted it to check. So, 'ifelse' works because I'm asking R to tell me if multiple test scores are over 50 and pass.