

Self test: Natural Language Processing

1 Multiple choice 1 point

How do different tokenisers split hyphenated terms such as 'state-of-the-art'?

- ☐ one token
- ☐ It depends on the setup of the tokeniser
- ☒ four tokens
- ☐ three tokens

2 Multiple choice 1 point

What type of approaches were used in early NLP tools?

- ☐ Rules
- ☐ Deep learning
- ☐ Statistical models
- ☐ Hybrid approaches

3 Multiple choice 1 point

How many words in the English language can be used to make reference to movements according to WordNet?

- ☐ between 30 and 300
- ☐ between 3 and 30
- ☐ more than 3000
- ☐ between 300 and 3000

4 Multiple choice 1 point

Which statement best describes the structure of NLP pipelines?

- ☐ NLP pipelines typically consist of entirely distinct modules for different tasks without any shared components
- ☐ NLP pipelines always process text directly without requiring preprocessing steps
- ☐ NLP pipelines are rigid sequences of modules that cannot be modified or customized
- ☐ NLP pipelines are likely to share basic processing steps (such as tokenization) while including specific modules for higher-level interpretations

5 Multiple choice 1 point

Which of the following is an example of language variation rather than ambiguity?

- ☐ A sentence that can be interpreted in two ways due to its structure
- ☐ Differences in how British and American English spell the word "color/colour"
- ☐ The phrase "I saw her duck" referring to either an action or an animal
- ☐ The word "bank" meaning both a financial institution and the side of a river

6 Multiple choice 1 point

What is the key difference between inline annotations and stand-off annotations?

- ☐ Inline annotations are inserted directly within the text, while stand-off annotations are stored in a separate file or a different layer
- ☐ Inline annotations are used for image data, while stand-off annotations are used for text data
- ☐ Inline annotations are stored in a separate file or a different layer, while stand-off annotations are embedded directly within the text
- ☐ Inline annotations require no additional processing, while stand-off annotations require more complex processing to be applied

7 Multiple choice 1 point

What is the difference between Gold, Silver, and Bronze data?

- ☐ Gold data is data used for training, Silver data is used for validation, and Bronze data is used for testing machine learning models
- ☐ Gold data is manually labeled by humans, Silver data is semi-automatically labeled with some human verification, and Bronze data is automatically labeled with minimal or no human intervention
- ☐ Gold data is the data collected through user feedback, Silver data is generated using machine learning algorithms, and Bronze data is the data gathered from surveys
- ☐ Gold data refers to the raw, unprocessed data, Silver data refers to the processed data, and Bronze data refers to aggregated data

8 Multiple choice 1 point

What can be considered as features of a text in Natural Language Processing (NLP)?

- ☐ Author's handwriting, page layout, text color
- ☐ Gold labels
- ☐ Number of pages, font style, print quality
- ☐ Sentence length, punctuation marks, part-of-speech tags



9 Multiple choice 1 point

What is the primary goal of feature engineering in Natural Language Processing (NLP)?

- ☐ To improve the quality of raw data by manually cleaning and correcting it
- ☐ To enhance the performance of the model by increasing its complexity
- ☐ To minimize the amount of data needed for analysis by reducing the data size
- ☐ To transform raw data into features that can be used for machine learning models

10 Multiple choice 1 point

What is a disadvantage of supervised machine learning in Natural Language Processing (NLP)?

- ☐ It needs annotated data, which can be expensive and time-consuming to create
- ☐ It requires a large amount of unannotated data for training
- ☐ It does not work well with text data
- ☐ It is unable to generalize well to unseen data

