
Zishi 自食其力, the robot that pays for itself

CI

Live: https://zishi-fintechathon.vercel.app

A wallet for machines. An agricultural drone on hire purchase earns per mu sprayed, repays its lender from every fee, fills a bond that is slashed only on cryptographic proof of a rule break, and owns itself when the lease reaches zero. Money decisions are made in code. The model explains, it never decides.

Entry to the 2026 Shenzhen International FinTech Competition, International Track, Topic F, "AI as a Financial Participant". English and Simplified Chinese, light and dark.



By the numbers

Every figure is measured, not estimated. The engine ones come from `pnpm test`, `pnpm bench` and `pnpm charts` on fixed seeds; the chain ones from Base Sepolia receipts.


What	Number
Contracts on Base Sepolia, source verified	4, deployed in one block for 4.49 M gas (addresses)
Foundry tests	43, three fuzzed over amounts, nonces and payees, 256 runs each
One full demo run, simulated	293 events, 15 signed intents, 113 policy rule lines checked, 25 transactions, 1.3 s
One full demo run, real chain	15 IntentLog commits and about 30 calldata anchors, 0.000013 ETH in gas
IntentLog commit	69,288 gas, one `Committed` event, simulated before sending so a duplicate costs nothing
Event anchor	28,880 gas at 0.006 gwei

What	Number
Policy rules	21 lines over 7 intent kinds, 4 trust tiers
Attack set, run at request time	52 of 52 blocked, 7 of 7 benign pass, a naive wallet falls to 51 of 52
Message classifier, held out	401 messages plus 124 paraphrases, 100 held out: accuracy 95.0%, recall 95.5%, false alarm 5.4%
Telemetry oracle, held out	2,000 flights, 312 tampered, 500 held out: 100% detection on five tamper classes at 3.0% false alarm
Kalman smoothing	false alarms at full detection cut from 13.8% to 0.0%
Lease MDP	46,800 states, 26 weeks, 200 seasons: 41 to 215 yuan a season over the greedy rule
Bond stress test	2,000 seasons: p95 loss given default 25,593 yuan without bonds, 19,739 with
Drift monitor	alarm 5 observations after a shift, 0 false alarms in 600 benign scores
Replay log	293 events hash chained, same head on the same seed, tamper caught at position 7
Code	10,294 lines: engine 4,921, interface 3,179, Solidity 593, no backend framework
Charts drawn from the engine	9, in `docs/charts`
Languages, themes	2 and 2

Why it is different


What everyone else built	What Zishi adds
An assistant proposes, code decides, a human confirms	The machine has its own money at risk. A bond is slashed by proof, with no trusted party deciding
One agent acting for one human	Two sides with opposite incentives: the drone's agent and the lender's agent, plus the farmer who pays and confirms
Reputation scores	Economic consequences. The vendor bond pays for the agent's mistakes, the pilot bond for the pilot's cheating. The pilot never pays for the AI
Insurance priced from telemetry	Telemetry proves work happened. Nothing prices risk from it
A chatbot over a database	Four contracts, an intent log, EIP-712 signed intents, a policy engine with its rules as data, and learned components with held out metrics

Architecture




The browser draws what the stream says and computes nothing. Every run is a sequence of typed events (`narration`, `gate`, `plan`, `intent`, `policy`, `chain`, `proof`, `machine`, `job`, `done`) from one async generator, so the dashboard, the live feed and the bring your own data page are the same engine with different inputs.

How one task flows



A 1,000 yuan fee for 100 mu splits by rule: 40% instalment to the lender (inside the 20 to 45% band, moved by the pilot's credit score), a fixed rail fee, a bond top up until the bond covers a quarter of the next job, the rest to the pilot. The drone keeps nothing it cannot explain.

Who holds which key



Tiers are checked on the signed intent, not on the conversation, so a jailbroken model cannot move one. A failed operator rule on a valid machine intent escalates to the button. Any other failure denies.


The policy engine

Rules are data in `DEFAULT_POLICY`. Every signed intent passes all of them before any mirror or contract moves money. The same numbers live in the Solidity.

Rule	Applies to	Check
signature, replay	all	Recovered signer equals the actor's key; the signature hash was never seen
amount	money kinds	Finite, positive, two decimals
provenance	pay, pay_instalment	Neither the amount nor the payee came from message text

Rule	Applies to	Check
allowlist, lookalike	pay, pay_instalment	Payee is on the allowlist; a payee within 3 characters of an allowlisted address is named and denied
instalment payee	pay_instalment	Payee is the lender
per transaction cap, daily cap, rate limit	pay, pay_instalment	At most 1,000 yuan per payment, 5,000 per day, 12 per hour
deviation	pay, pay_instalment	Within 25% of the reference amount
rate band	pay_instalment	Instalment share between 20 and 45% of the fee
geofence, contact, listing band, economics	accept_job	Known field, known requester, fee inside the listing band, margin clears the reserve rule
job, job geofence, solvency	start_task	Job is locked, same geofence, bond plus floor covers a quarter of the fee
confirmation	claim_done	The verifier confirmed on the board, not the agent
operator only	set_cap, top_up	Signed by the operator key, L3

Slashing by proof, not by us



Two bonds, two fault lines. The vendor bond pays for agent rules (allowlist, caps, provenance) with a fixed penalty and a daily cap, so the pilot never pays for the AI. The pilot bond pays for pilot rules (a held flight log, a skipped instalment). Hunters are paid only on shadow jobs, which move no lease money, so there is no bounty on a real farmer's fee.

Contracts on Base Sepolia


Deployed from the demo wallet, source verified on Sourcify with an exact match, 43 Foundry tests behind them. Addresses are also in `contracts/deployments/base-sepolia.json`; the deploy script is `contracts/script/Deploy.s.sol`.

Contract	Address	Gas	What it holds
IntentLog	0x093eD0DD8E4bE4b0205a6e39d0c5988f5Cd8ad51	197,751	Append only intent hashes per job, committed before the engine decides
Bond	0x14cDb3Dd28C9F2F39Fe49FE8c319f113a3F58754	1,931,237	Pilot bond and vendor bond, EIP-712 digest, `slashByProof`, daily penalty cap

Contract	Address	Gas	What it holds
Lease	0x0D21c8f6C1e6e6EA2ae5fF073F51fC4d57AC5ed2	800,050	Hire purchase balance, instalment per released fee, freeze, title at zero
JobBoard	0xB4C2A66F3CD59b9D2BF4D4D070BB07eB6f11Bb4A	1,517,852	Fee locks on post, start needs cover, release on the verifier's confirmation, split by rule, 24 hour hold


Deployed in block 48,335,911 for 4.49 M gas in total. In real mode the engine calls the deployed IntentLog for every intent it signs (`IntentLog.commit(jobId, intentHash)`, before the policy engine decides, blocked intents included), and anchors every money event on the same chain as a transaction carrying the event as calldata, for example 0x0589e27f…. The engine mirrors the four contracts in TypeScript with the same rules and numbers, so the demo also runs with no chain and labels every hash as simulated. Bond, JobBoard and Lease calls from the engine are the next step; today their rules run in the mirrors.

The five moments of the live demo



1. A job is declined because the margin per mu is below the reserve rule.
2. A paid flight: the farmer confirms, the fee splits, the instalment reaches the lender.
3. A faked flight log is caught by the plausibility model and the fee is held.
4. A compromised intent is slashed by proof from the vendor bond; the harmed party is paid, the submitter gets no bounty.
5. The lease reaches zero and the title moves to the pilot on chain.

The same run in Chinese:




Smart where it counts, and measured

Ten components borrowed from other fields, each on a fixed seed with a held out set the agent cannot edit. `pnpm bench` recomputes the table, `pnpm charts` redraws the charts below, `pnpm test` asserts every number, and the Evidence page shows them live. None of them signs, pays or changes a cap: the classifier and the anomaly model can only hold, the planner only orders work, the MDP, ratchet and credit score only move knobs inside the policy band.


Component	Borrowed from	Before	After	Before result	After result
Message gate	Text classification	rules only (regex)	rules plus logistic classifier on hashed 1 to 3 grams	52 of 52 scripted attacks, no score on paraphrases	held out 100 messages: accuracy 95.0%, recall 95.5%, false alarm 5.4%
Telemetry check	Aerospace, Kalman and RTS smoother	raw GPS length	smoothed track, innovation gating, replay hash	false alarm 13.8% at full detection	false alarm 0.0% at full detection
Anomaly threshold	Statistics, split conformal	fixed z 4	calibrated z 2.60 for a 2% target	false alarm 0.0%, detection 100%	false alarm 3.0%, detection 100% with a stated guarantee
Lease strategy	Operations research, value iteration	greedy rule	MDP policy, 46,800 states, 26 weeks	7,471 yuan mean profit, title 84%	7,540 yuan, title 84%
Acceptance knobs	The autoresearch loop	baseline	hill climbing ratchet, 5 of 60 steps kept	246 yuan on the frozen week	926 yuan

Component	Borrowed from	Before	After	Before result	After result
Lender loss given default, p95	Bank risk, Monte Carlo over 2,000 seasons	no bonds	pilot and vendor bonds	25,593 yuan	19,739 yuan, bonds absorb 23.0%, default 9.0%
Pilot credit	Actuarial science, Buhlmann credibility	flat rate band	Beta posterior per component, weighted n to n plus k	no change with history	0.936 after 3 confirmed jobs, 0.882 after a held log
Drift detection	Manufacturing process control, CUSUM	none	CUSUM on classifier risk and deny rate	never	alarm 6 observations after the shift, 0 false alarms in 600
Day planner	Mechanism design	first come	knapsack plus second price tie break	an inflated bid buys priority	a bid inflated to 5 wins at 4.2 and loses 0.7 utility
Run integrity	Financial ledgers	no log	hash chained event log, `GET /api/replay`	not verifiable	two seeded runs, head 0x68c3abcf, equal; tamper caught at position 7


Every chart below is recomputed from the engine by `pnpm charts` on the same fixed seeds, so the numbers in the table and the pictures cannot drift apart.




The Kalman smoothed track catches every tampered flight before a single honest one is flagged. The raw track length needs 13.8% false alarms to get close.




Honest flights sit under z 2.6, tampered ones spread to 12 and beyond. The conformal line is placed by the calibration set, the fixed line by hand.




Stated false alarm rate against the held out rate at eight targets. The points sit on the diagonal, which is what the conformal guarantee promises.




p95 loss given default as instalment skips rise from 2% to 14% a week. The two bonds take about 6,000 yuan off the lender's tail at every skip rate.




The lease MDP beats the greedy rule at every balance, and by more when the lease is heavier and a wrong week costs more.




Sixty proposals on a frozen week. Grey ones did not beat the best so far, hollow ones broke the reserve rule, gold ones were kept. Profit goes from 246 to 926 yuan.




Three pilots over thirty jobs. A single held log costs a tier for a while; a pattern of them keeps the pilot in tier B and the instalment share higher.




Five hundred benign risk scores, then attacks. The CUSUM statistic stays near zero through the benign spikes and crosses the alarm line five observations after the shift.



The message classifier on the held out set across the whole threshold range. The gate labels at 0.5 and holds for the operator at 0.8.





Streams and endpoints


Every route is dynamic. A best effort limiter of 10 requests per minute and one open stream per IP runs in each server instance; the funded key is guarded by the demo token, not by the limiter. Streams are `text/event-stream`, one `EngineEvent` per line.

Route	Input	Output
`GET /api/run`	`scenario` (`fleet`, `neighbour`, `attack`), `fast`, `lang`; header `x-zishi-demo` for real chain	the scripted run, up to 300 s
`GET /api/live`	`scenario`, `lang`, `seed`	a seeded job every few seconds, in 290 s segments the client chains until you stop
`POST /api/run-custom`	JSON run object, or multipart `file` (JSON or jobs CSV) plus optional `flights` CSV	the same stream over your data, or `400 { issues: [{ path, reason }] }`

Route	Input	Output
`GET /api/samples`	none	sample files for the Live page
`POST /api/judge`	`{ text }`	gate verdict, framed text, what was understood, a shadow intent and the engine's decision, what a naive wallet would have done
`GET /api/attacks`	none	52 attack cases and 7 benign messages, run now, with the naive baseline
`GET /api/metrics`	none	gate, plausibility, conformal, credit, economics (MDP, stress), drift, ratchet, planner, chain and model mode
`GET /api/replay`	none	the hash chained log of the last runs and its verification
`POST /api/button`	`{ what: top_up | set_cap, amount }`	the operator action, L3


What is real, what is simulated

Layer	Status
Contracts	Deployed and source verified on Base Sepolia, 43 Foundry tests. In real mode the engine calls IntentLog; Bond, JobBoard and Lease rules run in the TypeScript mirrors, their calls are next
Signatures	Real EIP-712 typed intents, domain `Zishi` v1 chain 84532, one secp256k1 key per actor, nonce and replay checks, same digest as `Bond.digestOf`
Chain	Simulated and labelled by default. With the demo token, every event is anchored on Base Sepolia with an explorer link; a public link can never spend the key
Model	Scripted explanations by default. An AI gateway key lets the model write the explanations and read the farmer's message into a schema; decisions stay in code
Learned components	Trained on seeded synthetic corpora, not on live drone logs. Held out metrics are asserted in CI
Telemetry and confirmations	Signed by demo keys. Production: the drone's secure element and the farmer's app





Try it on your data, or watch it live


The Live page runs the same engine on a seeded feed of new jobs every few seconds, with the odd injection attempt at the wallet, or on jobs, flight logs and messages you bring as JSON or CSV. Samples are one click away, schema errors come back in plain words, and nothing you upload is stored. Schema, CSV columns and limits are in `TECHNICAL.md`, section 9.



Dashboard, phone, dark







Run it

```
cd web
pnpm install
pnpm dev          # app on localhost:3000
pnpm test         # 52 attacks blocked, 7 benign pass, learned metrics asserted, replay heads
equal, about 10 s
pnpm bench        # before and after table for the ten components
```

```
pnpm charts       # redraws docs/charts from the engine
pnpm report       # rewrites docs/EXECUTION_EVIDENCE.md, docs/RED_TEAM.md and docs/EVALUATIO
N.md
pnpm evidence     # writes a full run and the attack results to evidence/
pnpm verify       # checks every hash in evidence/ against the chain or the labelled set
cd ../contracts
forge test        # 43 tests including three fuzz tests, forge-std vendored in contracts/lib
forge script script/Deploy.s.sol --rpc-url https://sepolia.base.org --private-key $SURETY_PRI
VATE_KEY --broadcast
```

Environment is optional, see `web/.env.example`. Real chain needs a funded Base Sepolia key and a demo token; one anchor costs about 0.00000015 ETH. Full technical documentation in `TECHNICAL.md`, how the app is laid out in `web/README.md`.

Folder map

```
README.md              this file
TECHNICAL.md           architecture, data model, rules, learned components, contracts, API, B
YOD
SELF_ASSESSMENT.md     security self assessment
DESIGN.md              product design, economics, demo story
CONTRIBUTING.md        setup, checks, commit style
LICENSE                MIT
THIRD_PARTY_NOTICES.md dependency licences
web/                   Next.js app: engine, API routes, UI, i18n (map in web/README.md)
  src/engine/          policy, gate, agents, planner, ratchet, oracle, mirrors, chain, schema
  src/engine/ml/       classifier, corpus, plausibility model
  src/engine/fusion/   Kalman smoother, conformal threshold
  src/engine/economics/ pricing, lease MDP, bond stress test
  src/engine/credit/   Buhlmann credit score
  src/engine/drift/    CUSUM monitor
  src/engine/replay/   hash chained log
  src/app/api/         run, run-custom, live, samples, judge, attacks, button, metrics, ratch
et, replay
  src/components/      RunView, LiveView, EvidenceView, DashboardView, LandingView, Learned,
Monitors
  src/i18n/            en.ts, zh.ts, LangProvider
  scripts/             evidence.ts, verify.ts, bench.ts, charts.ts
  evidence/            committed runs
contracts/             Foundry: IBonded, IntentLog, Bond, JobBoard, Lease, 43 tests, Deploy s
cript, deployments/
docs/                  JUDGES_GUIDE, EXECUTION_EVIDENCE, RED_TEAM, EVALUATION with results/,
DECK, DEMO_VIDEO_SCRIPT, pdf/
docs/screenshots/      the images above
docs/charts/           nine SVG charts drawn by pnpm charts
.github/workflows/     ci.yml: lint, type check, self check, build, forge test
```

Deliverables

1. Judges' guide, ten minutes in order: `docs/JUDGES_GUIDE.md`
2. Technical documentation: `TECHNICAL.md`
3. Security self assessment: `SELF_ASSESSMENT.md`, with the attack set run at generation time in `docs/RED_TEAM.md`

4. Execution evidence: `docs/EXECUTION_EVIDENCE.md` (one real run, every receipt fetched back from Base Sepolia), the Evidence page at request time, `web/evidence/`
5. Evaluation of the learned components: `docs/EVALUATION.md` and `docs/results/`, charts in `docs/charts/`
6. Deck text and the video script: `docs/DECK.md`, `docs/DEMO_VIDEO_SCRIPT.md`
7. Contracts and deployment: `contracts/README.md`, `contracts/deployments/base-sepolia.json`
8. Design and economics: `DESIGN.md`
9. PDF copies of all of the above: `docs/pdf/`. Third party licences: `THIRD_PARTY_NOTICES.md`

Status

- [x] Idea chosen and scoped to one machine
- [x] Engine, gate, policy, intent log, two bonds, proof, title transfer
- [x] Contracts tested, deployed to Base Sepolia and source verified
- [x] Funded key, real hashes in production
- [x] English and Chinese, light and dark
- [x] Technical doc, self assessment, charts
- [x] Bring your own data and a live feed
- [x] Ten measured components with a benchmark
- [ ] Demo video recorded
- [ ] Deck exported
- [ ] Registered