



PLUGIN YOUR GAMES

ПОДКЛЮЧАЙТЕ СВОИ ИГРЫ

2.0



Yandex Ads in Mobile Applications

For the ad mediation module, you need to install [Plugin Your Games 2.0](#). The mandatory documentation sections to study are [Getting Started](#) and [Platforms](#).

You can get the ad mediation module on [Boosty](#).

Description of Yandex Mobile Ads

Yandex Mobile Ads is an SDK for connecting the Yandex Advertising Network to a mobile application on Android or iOS. Moreover, Yandex Mobile Ads is a mediation platform. This means that other ad networks can also be connected to the game. The platform automatically manages various ad networks, such as Google AdMob, Unity Ads, and others. You can connect all the most popular ad networks to your game, and the smart waterfall will select an ad from the most profitable ad network at the moment the banner is loaded. Thanks to mediation and the waterfall, you can increase revenue and cover more regions for displaying advertisements.

The SDK allows you to use such types of ads in the application as: interstitial ads, rewarded video, and banners. Using real-time auction algorithms, the most profitable ad is selected to be shown to the user.

Ads will work in Google Play, Ru Store, and all other mobile stores. To configure the plugin module, you only need to insert the application key into the corresponding field. The rest is installing the Yandex Mobile Ads SDK itself, installing the EDM package, and configuring the project according to the official documentation. Below you will find a brief explanation of how to do this!

To [connect various ad networks](#), in addition to the Yandex Advertising Network, you need to register accounts in the corresponding networks and fill in the network identifiers in the Yandex Advertising Network account. Payments will be made separately from each connected network.

If you are an indie developer, the option of connecting one additional network, for example Unity Ads, may suit you. Payments can be received to an account that supports SWIFT and IBAN transfers. Users from CIS regions will most likely see banners from the Yandex Advertising Network, while other users will see ads from Unity Ads.

Help with Installing the Yandex Mobile Ads SDK

In addition to reading this documentation, also review the [official Yandex documentation for mobile ads](#), where you will find detailed information, including videos on setting up the SDK and connecting all networks. The original source may also contain up-to-date and important information that is not yet available here.

To avoid running into an error while importing the required packages, check through Unity Package Manager whether the **Advertisement/Advertisement Legacy Package Manager** package is installed in your project. If it is installed, remove it.

For the **Yandex Mobile Ads** module to work, you need to install:

- **Modules for the Android and iOS platforms** — installed in Unity Hub for the Unity Editor you are using. Even if you are not porting the game to iOS, install the module; without it, errors will appear in the project.
- **External Dependency Manager for Unity (EDM)** — this is a tool for Unity that manages plugin dependencies and automatically downloads the required libraries for Android and iOS.
- **Yandex Mobile Ads plugin for Unity** — the Yandex Ads SDK for mobile applications.

Next, we will look at two options for installing EDM and the Yandex SDK:

1. Manual installation
2. Installation via OpenWeb

The Yandex Mobile Ads plugin module uses the Yandex Mobile Ads for Unity SDK API version 8. Any eighth version of the Yandex SDK (8.x) should be suitable. Older versions, for example version 7.x, are no longer supported by the plugin module.

Manual Installation

Install **EDM** specifically in the **.tgz** format of the latest version by [following this link](#). The **.tgz** package is installed through **Unity Package Manager**: click + and select the **Install package from tarball...** option.

Install the **Yandex Mobile Ads SDK** from GitHub. To do this, go to the [Releases](#) list, select a version, and download the package named yandex-mobileads-lite.

The yandex-mobileads-lite package contains the Yandex ad network, and it will work by default. If you want to connect other mediations as well, import the corresponding packages. You also need to register with the service of the ad network you plan to connect, copy the required IDs, and fill them in in the Yandex Advertising Network account.

Installation via OpenWeb

Open in Unity: **Edit → Project Settings → Package Manager**. Please note: this is not the Package Manager window, but the settings in Project Settings.

In the **Scoped Registries** section, add a new registry:

- Name: OpenUPM
- URL: `https://package.openupm.com`
- Scopes:
- `com.yandex`
- `com.google`

Click Apply.

Installing **External Dependency Manager**:

1. Window → Package Manager
2. Click the + button and select:
3. Install package by name...
4. Enter the package name: `com.google.external-dependency-manager`
5. Install the package.

After installation, the following menu should appear in Unity: **Assets → External Dependency Manager**

Install the **Yandex Mobile Ads SDK** in the same way, package name: `com.yandex.mobileads`

Yandex Mobile Ads SDK contains the Yandex ad network, and it will work by default. If you want to connect other mediations as well, import the corresponding packages in the same way you imported EDM and the SDK. Example link: `com.yandex.mobileads.unityads-mediation` You also need to register with the service of the ad network you plan to connect, copy the required IDs, and fill them in in the Yandex Advertising Network account.

Configuring Dependencies

After switching to Unity, EDM will most likely offer you to install dependencies; agree to it. If you do not see such a window, you can request an update manually. In the top Unity menu, click **Assets → External Dependency Manager → Android Resolver → Force Resolve**.

During the dependency download process, there is a chance that it will not finish successfully. There can be many reasons for this, and it is not possible to describe all solutions here. If there are problems, we can recommend:

- Check the log from the dependency download window.
- Create a new project, or clean all possible caches of the old project.
- Look for working combinations of all dependency versions: Unity, EDM, Yandex SDK, JDK.

Make sure that the **Custom Main Gradle Template** and **Custom Gradle Properties Template** options are enabled in **Editor → Project Settings → Player → Publishing Settings**.

When connecting the **Google AdMob** network, you need to create a Custom Main Manifest [following the Yandex Advertising Network documentation](#). When using **mobileads-mediation** or when importing a separate **Google AdMob** adapter, you must fill in the network identifier; otherwise, various problems may occur!

To quickly and conveniently build Android builds, I recommend paying attention to my tool [Android Wi-Fi Connect \(ADB Build\)](#)

After importing and configuring EDM and the Yandex SDK, install the Yandex Mobile Ads platform module from PluginYG and follow the instructions below.

Module Settings

Create an application and the necessary ad units for it in the Yandex Advertising Network. Insert the ad unit IDs into the corresponding fields in the platform settings:

Project settings for the platform YandexMobileAds

☒ Show First Adv

☐

☒ Use Yandex Metrica

☐

☐ Metrica Counter ID

☒ Save Local

☒

☒ Save Cloud

☐

☒ Auto Pause Game

☐

☒ Archiving Build

☐

Common options

Yandex Mob Ads Testing Mode

☒

Yandex Mob Auto Load Ads

☒

Yandex Mob Inter Ad ID

Yandex Mob Reward Ad ID

Yandex Mob Banner Ad ID

Yandex Mob App Open Ad Enable

☒

Yandex Mob App Open Ad ID

`Show First Adv` — ad on the first launch of the game. You need to create an ad unit of the **"App Open Ad"** type and insert its ID into the `Yandex Mob App Open Ad`

ID field. `Save Cloud` and `Save Local` — if one of the saving parameters is enabled, the saving modules will work and save data to `PlayerPrefs` on mobile devices. `Auto Pause Game` — can be turned off because the Yandex SDK has its own implementation for muting sound and pausing the game while an ad is being watched. `Archiving Build` — build archiving is not required for mobile applications.

`Yandex Mob Ads Testing Mode` — leave this option enabled during development and testing. Before release, uncheck this box. `Yandex Mob Auto Load Ads` — the plugin itself will load the ad unit before showing the ad when the ad call method is executed. `Yandex Mob Inter Ad ID` — interstitial ad unit ID. `Yandex Mob Reward Ad ID` — rewarded ad unit ID. `Yandex Mob Banner Ad ID` — banner ad unit ID. `Yandex Mob App Open Ad Enable` — ad on app open after it has been hidden. When the app is opened, an ad that is easy to close is shown. You need to create an ad unit of the “**App Open Ad**” type and insert its ID into the `Yandex Mob App Open Ad ID` field. `Yandex Mob App Open Ad ID` — app open ad unit ID.

In the Yandex SDK, before showing interstitial and rewarded ads, you need to execute the ad loading method. By default, the `Yandex Mob App Open Ad Enable` option is enabled in the plugin platform settings, which means you will not need to manually call the ad loading method. However, you can still prepare an advertisement in advance if you know that an ad should be shown soon in the game. To do this, use the loading methods:

```
YG2.optionalPlatform.LoadInterAdv() YG2.optionalPlatform.LoadRewardedAdv()
```

At the same time, it is not necessary to turn off the `Yandex Mob App Open Ad Enable` option. It will help if, after executing the loading method, the ad unit does not have time to load and the ad call method is already being executed. In that case, when the ad is called, if the banner has not yet been loaded, loading will continue to be awaited, and after loading, the ad will be shown. When executing the ad loading method, if the unit has already been loaded, a new unit will not be requested; the one in the cache will be used instead.

Events for subscribing to the successful completion of ad unit loading: `YG2.optionalPlatform.onLoadedInterAdv`
`YG2.optionalPlatform.onLoadedRewardedAdv`

There are also ad click events: `YG2.optionalPlatform.onClickedInterAdv` `YG2.optionalPlatform.onClickedRewardedAdv`

More details about optional methods and events are in the [Platforms](#) section.

To use an ad banner, you need to import the [BannerAdv](#) module. This module allows you to display an ad banner on the screen at the bottom, top, left, or right. You need to execute the method for opening the banner with a parameter that indicates in which part of the screen the ad should be placed. For this platform, the banner placement works well only at the top and bottom. The banner loading method can be ignored; it does not affect anything for the Yandex network module. The methods for removing and hiding the banner perform the same function — the banner disappears. Use either of the methods.

More details about [which modules are supported by each platform](#)

User Privacy

In the Yandex documentation, pay attention to the “User Privacy” documentation section, namely [GDPR](#) and [COPPA](#). According to the rules, on the first launch of the application, you must notify the user that the application may collect personal data to display ads. You must also provide an option to refuse data transfer.

Example notification:

```
[su_box title="Privacy Policy"]We use data to show ads and improve the application.  
You can accept or decline the use of personalized advertising.
```

More details — in the privacy policy (link)

Specify your age:

- ☐ I am under 13 years old
☐ I am 13 years old or older

Personalized advertising:

- ☐ Decline
☐ Accept[/su_box]

Pass the values selected by the user to the corresponding methods. Example:

- `YG2.optionalPlatform.SetUserConsent(bool consent)` — Passes the user’s consent for collecting personal data for analytics and ad targeting to the Yandex Mobile Ads SDK.
- `YG2.optionalPlatform.SetAgeRestricted(bool ageRestricted)` — Passes the user’s age restriction flag to the Yandex Mobile Ads SDK. If true, personal data collection is disabled.

It is recommended to translate the message text into the system language installed on the user’s device. It is also advisable to provide an option in the application settings for the user to change their choice regarding the transfer of personal data and age. The notification must be shown on the first launch; on all subsequent launches, it is only necessary to execute the methods by passing information about the user’s personal data and age.