Karl Ehlhardt

10229 Coral Reef Way, Indianapolis, IN Email: karlehlhardt@gmail.com
Cell Phone: 317-457-8638

Education

Bachelor of Science May 2014

Major: Chemistry

Minors: Physics and Foundations of Management

Ball State University, Muncie, IN

Course Work

Chemistry Analysis* Physical Chemistry 1&2*

Organic Chemistry 1&2* Principles of Biochemistry 1&2

General Chemistry 1&2* *=lab

Laboratory Skills

Titrations Mass Spec Gas/Liquid Chromatography UV Spec

NMR IR

Windows and Macintosh OS Excel, PowerPoint, Word, and Outlook

Extractions Distillation
Viscosity pH/Lime

Employment and Activities

BioStorage Technologies

September 2015- October 2015

Contract Operations Technician

- Sorted inbound samples into the storage system and condensed old samples to take up less space in the freezers
- Top priority was accuracy when processing over 1500 samples a day
- Clean lab environment and training in handling bio, and chemical hazards
- Strict rules to be followed on the handling of samples and general procedure

Sure-Tech Laboratories

April 2015- May 2015

Contract Lab Technician

- Measure, prepare, test, and dispose of soil samples during the pH and Lime testing process
- Learned how to produce large quantities of samples a day, over 2000
- Managed four robots used in taking the pH and Lime of samples
- Took on more parts of the testing process as the contract continued

Boy Scouts of America

Eagle Scout

- Designed, constructed, installed handicapped accessible planters at a nursing home.
- Sought out a need by inquiring of area nursing facilities. Worked with nursing home staff to determine what was desired.
- Planned and coordinated acquisition of funds and supplies, organized work teams, and directed several work days to get the project done.

References

Alexis Neufelder

Soil Lab Supervisor Phone: 1-800-206-4477

Email: aaneufelder@landolakes.com

Tyler Heckman

Manager McDonalds Phone: 1-217-440-2524

Email: bsucompgeek@aol.com

Alex Forrest

Franchise Manager College Pro Painters

Phone: 1-765-238-9190