

aATFL

– Automata Theory and Formal Language

CASE STUDY

A Hydroponic Simulation Integrated with Finite Automaton Algorithms for Agricultural Enhancement

Prepared by:

Caballero, Mark Joshua

Landingin, Rayster P.

Lucero, Neil Chirstian B.

Panigbatan, Karl Chirstian P.

Submitted To:

Rengel V. Corpuz

Instructor

October 15, 2023

Table of Contents

I. INTRODUCTION.....3

II. BACKGROUND OF THE STUDY.....7

III. METHODOLOGY.....10

IV. PROJECT TIMELINE.....11

V.CHALLENGED FACED.....11

VI.SOLUTION.....11

VII.RESULT.....12

VIII.CONCLUSION.....13

IX. RECOMENDATION.....14

X.REFERENCE.....15

I. INTRODUCTION

Project Content

The challenge of land scarcity and the impact of climate on agricultural productivity are recognized as significant issues, particularly affecting farmers. This concern is pronounced in the Philippines, where agricultural land is diminishing due to transformations into residential subdivisions.

Despite the industrialization of the Philippine archipelago, it continues to be globally acknowledged as an agricultural nation. Its equatorial location ensures a harmonious balance of sunlight, temperature, and rainfall. However, the agricultural sector faces considerable challenges from climate change, necessitating a closer examination of its adverse impacts.

This project stems from the realization that certain plants encounter growth difficulties due to physical or biological constraints, compounded by the space demands of traditional farming. The primary objective is to optimize the cultivation capacity of specific locations.

The proposed solution involves the integration of hydroponics, a novel plant cultivation method that diverges from traditional soil-based procedures. Hydroponics employs a controlled environment where plants receive essential nutrients through a water-based solution, akin to administering customized nourishment. This innovative approach, combined with technology, provides an efficient and regulated method for cultivating plants. The simulation of hydroponics, coupled with Finite Automaton Algorithms, aims to enhance growth conditions, potentially resulting in expedited growth and higher yields compared to traditional soil-based gardening techniques.

Objectives

The objectives of the simulation study align with the overarching goal of enhancing agricultural practices through the integration of hydroponics and Finite Automaton Algorithms, focusing on a simplified simulation model.

1. Automated Nutrient Delivery Systems:
 - a. Conceptualizing a simplified system for the automated delivery of nutrients to plants within the simulation, this can be done using a button.
 - b. Emphasizing collaboration with engineers for potential future updates while considering the use of basic sensors for nutrient delivery simulation.
2. Environmental Simulations:
 - a. Developing a basic simulation of environmental factors, such as simplified day-night cycle, to provide a foundational context for plant growth.
 - b. Acknowledging the absence of real-time regulation and focusing on the simulation aspect without direct control over temperature and lighting.
3. User-Friendly Monitoring Interface:

- a. Creating a conceptual mobile app with a user-friendly design for easy simulation monitoring and control.
 - b. Laying the groundwork for potential future collaboration with developers and engineers for improved user interfaces and expanded functionalities.
4. Crop Health Monitoring Simulation:
 - a. Proposing the development of a conceptual crop health monitoring system using basic sensors within the simulation
 - b. Recognizing the simplicity of the simulation and the potential for collaboration with engineers for more sophisticated health monitoring in future iterations.

SCOPE

Hydroponic Simulation:

- Develop a comprehensive simulation model incorporating hydroponics and finite automaton algorithms.
- Focus on a conceptual automated nutrient delivery system using basic sensors and microcontroller-based concepts.

Finite Automaton Algorithm Integration:

- Integrate finite automaton algorithms to simulate plant responses to varying nutrient conditions within the hydroponic simulation.

Environmental Simulation:

- Implement a simplified environmental simulation, including a basic day-night cycle, providing foundational context for plant growth.

User Interface Development:

- Design a user-friendly interface for monitoring and basic control of simulated hydroponic parameters.
- Lay the groundwork for potential collaboration with engineers for future interface enhancements.

Collaborative Potential:

- Acknowledge potential collaboration with engineers for future updates and real-world applications.
- Establish a foundation for communication and collaboration between developers and engineers.

LIMITATIONS:

Simplified Environmental Simulation:

- The simulation will have a simplified day-night cycle; real-time regulation of temperature and lighting is not implemented.

Conceptual Nutrient Delivery System:

- The nutrient delivery system will be conceptual, emphasizing simulated principles rather than actual hardware integration.

Basic Crop Health Monitoring:

- Utilize basic sensors for a conceptual understanding of plant health within the simulation.

No Real-Time Control Over Nutrient Delivery:

- The simulation will not have real-time control over nutrient delivery; scenarios will be predetermined.

Limited User Interface Functionality:

- The user interface will have basic monitoring and control functionality, with potential for future enhancements through collaboration with engineers

Conceptual Framework:




Figure 1. Conceptual Framework

In the development of a hydroponic system, there are distinct phases: input, process, output, and evaluation. Researchers must possess a profound understanding of plant biology, programming, and algorithm development during the input stage. The necessary hardware includes a desktop computer for system design.

During the process stage, it is essential to define specific objectives, giving priority to system monitoring and automation. System analysis highlights the creation of an intuitive user interface, developed using the versatile and robust C# programming language.

The output stage focuses on simulating a hydroponic system that mirrors real-world conditions, with an emphasis on efficiency and practicality in agriculture.

In the evaluation stage, objectives include achieving a comprehensive simulation of plant growth, simulating targeted nutrient delivery, and ensuring resource efficiency that surpasses conventional methods. Evaluation rigorously assesses the system's performance.

By integrating these stages and emphasizing plant biology, programming, planning, design, and thorough evaluation, there is the potential to revolutionize farming practices and promote sustainable agriculture.

II. BACKGROUND OF THE STUDY

The Philippines, an agricultural nation, grapples with climate change and limited land resources. This study explores a potential solution: optimizing crop growth through a simulated hydroponic environment powered by finite automaton algorithms.

In the Study made by Pascual, M. P., Lorenzo, G. A., & Gabriel, A. G. (2018). Examining the potential of Vertical Farming using Hydroponic Technology (VFH) for onion production in Nueva Ecija, Philippines where in it is well known as the Onion Capital of Southeast Asia. The Study focused on evaluating the sustainability and acceptability of VFH among onion farmers, considering the strain on farmlands due to food and industrial needs.[2]

Through experimental methods, interviews, and Focused Group Discussions (FGD), the study conducted three phases of field experiments. Our results revealed a significant difference in onion growth per week compared to traditional farming, indicating the big potential of VFH. However, the study also identified concerns about the initial investment cost, suggesting the necessity for government subsidies to make this sustainable technology more accessible to onion growers. [2]

While field implementation with farmers isn't currently feasible, this research delves into the theoretical framework and algorithmic design for such a system. By simulating a hydroponic setup and integrating finite automaton algorithms, we aim to:

- Model and analyze complex plant-nutrient-environment interactions.
- Identify optimal growth parameters based on specific plant and environmental conditions.
- Lay the groundwork for future real-world application with farmers.

This case study focuses on the development and testing of simulation and algorithms. It serves as a crucial steppingstone towards a future where farmers can leverage this technology to enhance their agricultural practices.

Our simulation is like the small step and a wakeup call for Digital Agriculture. It refers to the incorporation of advanced technologies like artificial intelligence, machine learning, remote sensing, usage of modern types of sensors, and the Internet of Things into a unified system that will be beneficial to the future of the agricultural sector. [1][3]

Featured Matrix

	 Built In UI	 Pest Detection	 pH Level Detection	 Finite Automation	 Mobility	 Compact Form	 Price Point
 Hydrophone	●	●		●	●	●	●
 Traditional Hydrophone			●	●	●	●	●
 Traditional Farmland		●					

Tabel 1. Featured Matrix

Hardware Specification

HARDWARE	SPECIFICATION
Desktop Computer	Windows 10 1.8 GHz Dual-Core CPU. 2GB RAM Integrated graphics

The table contains all the hardware that you will be using including their names and specifications. The desktop computer will be the hub for end-to-end project development, covering UI design, algorithm simulation, implementation, and testing.


Software Specification

Software Development Requirements

SOFTWARE	DESCRIPTION
Visual Code	Visual Code is where the developers will develop the code and functions of the program
Canva	Canva is an image editing software that the developer used. It is much easier to generate, edit, manipulate images using Canva
GitHub	GitHub for version control and collaboration of the developers. This is where we update the code so that the developers can work asynchronously

Visual Studio will be utilized as the Integrated Development Environment (IDE). C# will be the programming language the game and its scripts will be written. Canva is a graphic design platform that allows users to create a wide range of visual content, including social media graphics, presentations, posters, documents, and more. It's not a traditional programming or coding tool but rather a user-friendly design platform. GitHub is an integral part of the modern software development workflow, fostering collaboration, version control, and project management. It's used by individual developers, small teams, and large organizations for both private and open-source projects.

System Architecture



III. Methodology

The developers have decided to use the Waterfall development methodology to put into practice the "Integration of Hydroponics and Finite Automaton Algorithms for Agricultural Enhancement." The Waterfall model is a highly organized and methodical strategy that utilizes a step-by-step order of various phases. Before moving on to the next phase, this methodology makes sure that each one has been completed completely. The Waterfall model's clearly defined stages make it especially appropriate for our project. The clearly defined phases enable us to concentrate on each component of the project separately, ensuring that all requirements are satisfied before proceeding. The implementation process can be streamlined by using the Waterfall model, which is broken down into five phases.

- **Communication phase:** In this initial phase, we establish clear and open communication within our project team. This involves defining project objectives, understanding requirements, and creating a shared vision for the integration of hydroponics and finite automaton algorithms in agriculture.
- **Planning phase:** In the planning phase, the project scope, scheduling, and resource requirements are determined. The process involves the identification of important targets, the allocation of responsibilities, and the development of a complete project plan that encompasses all the necessary actions required to accomplish our objectives.
- **Modeling phase:** During the modeling phase, we will establish the system architecture and the integration of hydroponics and finite automaton algorithms. This involves the development of complete blueprints, schematics, and flowcharts to visually represent the processes and components that will be implemented.
- **Construction phase:** The construction phase covers the execution of the development activities. The hydroponics system and finite automaton algorithms are implemented in accordance with the designs made during the modeling phase. The tasks encompassed in this process involve the establishment of the hydroponics infrastructure, the execution of the algorithms, and their integration into the agricultural system.
- **Deployment phase:** The deployment phase includes the processes of testing and implementing the integrated system. A comprehensive range of tests, encompassing functional, performance, and compatibility testing, is carried out to ascertain the system's adherence to its intended functionality. After successful testing, the system is deployed in the designated agricultural environment.

IV. Project Timeline




Figure 2. Project Timeline

V. CHALLENGE FACED

While initially planning to leverage the strengths of multiple programming languages, including Flutter, Python, HTML, CSS, and JReact, the development team faced a critical decision-making challenge. Due to unforeseen constraints or project dynamics, the team had to pivot and exclusively use Visual Studio for the implementation. This shift introduces the challenge of adapting the project's architecture and functionalities to align with the capabilities of Visual Studio alone.

VI. SOLUTION

In the process of selecting the most suitable programming language for our hydroponics system, various challenges and considerations arose. After careful analysis and deliberation, the team arrived at the decision to utilize C# programming language as the final choice for developing the system. Despite encountering obstacles during the selection process, the adoption of C# is expected to yield the best possible version for our hydroponics system.

The exploration of different programming languages presented a multitude of factors to contemplate. These included the language's compatibility with the existing infrastructure, its capacity to facilitate seamless integration of new features, and its potential for scalability as the system evolves. Additionally, the team investigated the availability of robust support resources and a thriving community within the chosen programming language's ecosystem. Through a comprehensive assessment, C# emerged as the most adept language to meet these criteria and address the complex requirements of our hydroponics system.

The decision to employ C# as the primary programming language for our hydroponics system reflects the culmination of extensive evaluation and discernment. This choice signifies a pivotal step towards achieving an optimal technological framework that aligns with our aspirations for the system's functionality and adaptability. By leveraging the capabilities inherent to C#, we anticipate the realization of a refined, efficient, and versatile hydroponics system, capable of meeting our present and future needs with proficiency and reliability.

VII. RESULT

Exploring the simulation of a hydroponics system introduces a captivating and user-friendly approach to understanding plant growth. Upon entering the system, users encounter a well-organized main menu featuring three buttons – "home," "my plants," and "profile." These buttons lead to specific sections, ensuring a smooth user experience.

Choosing the "home" option redirects users to the main menu, simplifying navigation. Opting for "my plants" directs users to the "garden" page, showcasing a plant box. This interface allows users to engage with a plant box, offering insights into growth rate and days since planting.

Clicking on a plant box reveals additional options for managing plant growth. The "simulates a day" button lets users observe the plant's progress, aiding informed decisions about nurturing. The "harvest" button becomes active at 100% growth, allowing users to collect

produce at the optimal time. "Add nutrients" enhances growth with fertilizer and "add seedling" initiates the growth of a new plant from a seed, adding continuity to the gardening experience.

Navigating to the "profile" section leads to the "greenhouse" page. Here, users find information like total harvests, providing a comprehensive overview of their gardening achievements. The option to reset a plant allows users to start afresh, enhancing the interactive nature of the system.

In conclusion, the hydroponics system simulation, with its user-friendly navigation and rich features, provides an engaging experience for those interested in plant cultivation. The seamless integration of functionalities like simulating plant growth, harvesting, and applying nutrients highlights the system's potential for education and entertainment. By offering a platform for active participation in plant growth and management, the hydroponics simulation system serves as a valuable and immersive tool for learning and enjoyment.

VIII. CONCLUSION

The project addresses the pressing challenges of land scarcity and climate impact on traditional farming methods, particularly in regions like the Philippines. The need for innovative solutions is evident as agricultural lands diminish due to urbanization. The hydroponic simulation system, crafted with meticulous planning and technological integration, emerges as a promising approach to optimize crop growth. By leveraging controlled environments and nutrient-rich water solutions, hydroponics provides a sustainable alternative to traditional soil-based cultivation.

As we reflect on the journey from conceptualization to implementation, the hydroponic simulation system stands as a testament to the fusion of technology and agriculture. It not only addresses immediate challenges but paves the way for a sustainable and efficient future in plant cultivation. The strides made in this project contribute to the broader landscape of digital agriculture, offering a glimpse into the possibilities of technology-driven advancements in farming practices.

IX. RECOMENDATION

I. Regular Updates and Maintenance

Establish a plan for regular updates and maintenance of the simulation system. This ensures the inclusion of new features, improvements, and bug fixes, maintaining the relevance and effectiveness of the hydroponic simulation over time.

II. Continuous Collaboration with Engineers:

Establish ongoing collaboration with engineers to enhance the automated nutrient delivery system. Regular communication ensures adaptability to emerging technologies and continuous improvement.

III. Advanced Crop Health Monitoring:

Explore the potential for advanced crop health monitoring systems in collaboration with engineers. Implementing more sophisticated sensors can provide in-depth insights into plant health within the simulation.

X. References

- [1] angre, J., & Mandloi, S. (2023, October). DIGITAL AGRICULTURE: The future of Indian Agriculture. *ResearchGate*.
https://www.researchgate.net/publication/375029422_DIGITAL_AGRICULTURE_The_Future_of_Indian_Agriculture
- [2] Pascual, M. P., Lorenzo, G. A., & Gabriel, A. G. (2018). Vertical farming using Hydroponic System: Toward a Sustainable onion production in Nueva Ecija, Philippines. *Open Journal of Ecology*, 08(01), 25–41. <https://doi.org/10.4236/oje.2018.81003>
- [3] Maulana, D., & Afriantoro, I. (2023). Implementation of temperature and humidity control devices in IOT-Based Hydroponic peppermint cultivation at SufiAgrifarm Slawi. *J AIS (Journal of Applied Intelligent System)*, 8(1), 58–68. <https://doi.org/10.33633/jais.v8i1.7171>
- [4] Van Ginkel, S. W., Igou, T., & Chen, Y. (2017). Energy, water and nutrient impacts of California-grown vegetables compared to controlled environmental agriculture systems in Atlanta, GA. *Resources, Conservation and Recycling*, 122, 319–325.
<https://doi.org/10.1016/j.resconrec.2017.03.003>
- [5] Ayuba, V.O. (2018). Effects of different growth media on water quality and plant yield in a catfish-pumpkin aquaponics system. *Journal of King Saud University – Science*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1018364718300326>
- [6] Bakiu et al. (2017). First study about aquaponics systems in Albania. Retrieved from <https://doi.org/10.1016/j.egypro.2017.12.694>
- [7] Wayua, W. L. (2015). Design of an aquaponics system. Kenya, Nairobi. Retrieved from <https://ebe.uonbi.ac.ke/sites/default/files/cae/engineering/ebe/REPORT%20L:YDIA.pdf>
- [8] Okumuş, A. (2019). Hydroponic agriculture in the world. *ResearchGate*.
https://www.researchgate.net/publication/337827935_Hydroponic_Agriculture_in_the_World