

ICPSR 13646

**Project on Human Development
in Chicago Neighborhoods
(PHDCN): Post-Traumatic Stress
Disorder, Lifetime (Primary
Caregiver), Wave 2, 1997-2000**

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 6

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. To protect respondent privacy, certain identifying information is restricted from general dissemination. Specifically variable PGP4 (year when traumatic event happened) is restricted. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director,

National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the values for variables SUBID2 and BASISID2 have been reassigned from the original variables SUBID and BASISID in order to protect respondent privacy. Users interested in acquiring these data will need to request the restricted data file (see note #4).
6. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
7. The following abbreviations are used in the codebook and setup files:

PC = Primary Caregiver
PTSD = Post Traumatic Stress Disorder
SUB = Subject
TRM EV = traumatic event

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 579)		Percent of Cases with Missing Values
4.3% (4 of 93 variables)	have 0% Missing Values	
0.0% (0 of 93 variables)	have 0% - 1% Missing Values	
0.0% (0 of 93 variables)	have 1% - 3% Missing Values	
1.1% (1 of 93 variables)	have 3% - 5% Missing Values	
0.0% (0 of 93 variables)	have 5% - 10% Missing Values	
0.0% (0 of 93 variables)	have 10% - 20% Missing Values	
0.0% (0 of 93 variables)	have 20% - 40% Missing Values	
72.0% (67 of 93 variables)	have 40% - 99% Missing Values	
BASISID2	ICPSR Wave 2 basis ID for multi-kid household	89.3%
PGP2	traumatic event(only 1) happen more than once before year ago?	81.2%
PGP2A	talked about traumatic events before year ago?	90.3%
PGP2B	thought about traumatic events before year ago?	91.2%
PGP3	traumatic events(more than 1) happen at same time?	45.8%
PGP3A	talked about traumatic events, before year ago?	45.3%
PGP3B	thought about traumatic events, before year ago?	54.9%
PGP3D	often thought about traumatic event afterwards?	86.9%
PGP3F	often thought about traumatic event afterwards?	90.0%
PGP3_OC	traumatic event occurrence code	83.6%
PGP3_TE	traumatic event event code	83.1%
PGP4	year when traumatic event happened	94.0%
PGP5A	location 1 where traumatic event happened	94.0%
PGP6	SP afraid might die from traumatic event?	93.4%
PGP7	how likely traumatic event could happen again?	93.8%
PGP8_1	person 1 to whom traumatic event happened	93.6%
PGP9_1	person 1 who perpetrated traumatic event	96.7%
PGP10	traumatic event accidental or intentional?	96.5%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 579)		Percent of Cases with Missing Values
PGP11	alone during traumatic event?	96.7%
PGP12_1	person 1 with SP during traumatic event	97.1%
PGP12_2	person 2 with SP during traumatic event	98.3%
PGP12_3	person 3 with SP during traumatic event	99.0%
PGP13	felt any people could protect?	97.4%
PGP14A	proximity of SP to traumatic event	97.9%
PGP15	felt very afraid at traumatic event?	93.8%
PGP16	felt helpless at traumatic event?	93.8%
PGP17	felt like going crazy at traumatic event?	93.8%
PGP19	unwanted thoughts about traumatic event afterwards?	92.9%
PGP19A	thought alot about traumatic event even with others?	94.8%
PGP19B	upset a lot thinking about traumatic event?	94.6%
PGP20	often play game mimicking traumatic event afterwards?	92.9%
PGP21	trouble sleeping after traumatic event?	92.9%
PGP21A	more trouble sleeping than before traumatic event?	97.9%
PGP22	had alot nightmares after traumatic event?	92.7%
PGP22A	nightmares about traumatic event?	98.6%
PGP23	ever relived traumatic event after traumatic event	93.1%
PGP24	certain things reminded of traumatic event afterwards?	93.3%
PGP24A	very upset when reminded of traumatic event?	97.1%
PGP24B	felt faint when reminded of traumatic event?	96.9%
PGP25	tried not to think about traumatic event afterwards?	92.7%
PGP26	avoided place reminding traumatic event afterwards?	92.7%
PGP27	avoided people reminding traumatic event afterwards?	92.7%
PGP28	no memory of parts of traumatic event afterwards?	92.9%
PGP29	less interested in enjoyments afterwards?	92.9%
PGP30	often felt separate from people afterwards?	92.7%
PGP31	hard to feel strongly about people,past yr?	92.7%
PGP32	stopped thinking about future afterwards?	92.7%
PGP33	lost temper a lot after traumatic event?	92.7%
PGP34	hard to concentrate after traumatic event?	92.7%
PGP34A	hard to concentrate change since traumatic event?	98.6%
PGP35	jumpy/nervous after traumatic event?	92.7%
PGP35A	jumpy/nervous change since traumatic event?	98.8%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 579)		Percent of Cases with Missing Values
PGP36	jumpy at noises after traumatic event?	93.1%
PGP37	bothered by symptoms as long as a month?	97.2%
PGP37A	bothered by symptoms 2 days or longer?	98.6%
PGP37B	bothered by symptoms 3 months or longer?	97.6%
PGP38	how soon after traumatic event bothered by symptoms?	97.6%
PGP39	family annoyed by worst symptoms?	97.6%
PGP40	symptoms kept SP from family activities?	97.6%
PGP41	symptoms kept SP from children activities?	97.6%
PGP42	worst symptoms cause schl/wrk prob?	97.8%
PGP43	worst symptoms annoy teacher/boss?	97.9%
PGP44	worst symptoms upset SP after traumatic event?	97.6%
PGP44A	severity of upset SP after traumatic event	98.4%
PGP45	see MD/counselor for PTSD?	97.8%
PTPLACUT	acute PTSD(lifetime) dx pos? PC report	97.6%
PTPLCHRN	chronic PTSD(lifetime) dx pos? PC report	97.6%
22.6% (21 of 93 variables)		have 100% missing values
PGP2D	often thought about traumatic event afterwards?	99.3%
PGP5B	location 2 where traumatic event happened	99.8%
PGP5C	location 3 where traumatic event happened	100%
PGP8_2	person 2 to whom traumatic event happened	99.3%
PGP8_3	person 3 to whom traumatic event happened	99.5%
PGP8_4	person 4 to whom traumatic event happened	99.7%
PGP9_2	person 2 who perpetrated traumatic event	99.7%
PGP9_3	person 3 who perpetrated traumatic event	100%
PGP9_4	person 4 who perpetrated traumatic event	100%
PGP12_4	person 4 with SP during traumatic event	99.5%
PGP29A	less interest in enjoy change from traumatic event?	99.1%
PGP30A	separation from people change from traumatic event?	99.5%
PGP31A	lack of feeling change since traumatic event?	99.8%
PGP32A	lack future thought change since traumatic event?	100%
PGP33A	frequency lost temper change since traumatic event?	99.7%
PGP36A	jumpy at noises change since traumatic event?	99.3%
PGP39A	frequency family annoyed by worst symptoms	100%
PGP40A	frequency symptoms kept SP from family activities	99.7%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 579)		Percent of Cases with Missing Values
PGP41A	frequency symptoms kept SP from children activities	99.3%
PGP42A	severity of schl/work probs afterwards?	99.7%
PGP43A	frequency symptoms annoyed teacher/boss?	100%

Codebook for ICPSR 13646

Project on Human Development in Chicago Neighborhoods (PHDCN): Post-Traumatic Stress Disorder, Lifetime (Primary Caregiver), Wave 2, 1997-2000

Dataset0001: Cohort 6

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID2	ICPSR Wave 2 subject ID				
--------	-------------------------	--	--	--	--

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
579	2000009.00	2006226.00	2003042.19	1795.21

BASISID2	ICPSR Wave 2 basis ID for multi-kid household			
----------	---	--	--	--

Start: 8
End: 14
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2000062	1	0.2 %	1.6%
2000099	1	0.2 %	1.6%
2000279	1	0.2 %	1.6%
2000324	1	0.2 %	1.6%
2000399	1	0.2 %	1.6%
2000479	1	0.2 %	1.6%
2000508	1	0.2 %	1.6%
2000558	1	0.2 %	1.6%
2000867	1	0.2 %	1.6%
2000920	1	0.2 %	1.6%
2000937	1	0.2 %	1.6%
2001049	1	0.2 %	1.6%
2001163	1	0.2 %	1.6%
2001375	1	0.2 %	1.6%
2001469	1	0.2 %	1.6%
2001499	1	0.2 %	1.6%
2001509	1	0.2 %	1.6%
2001581	1	0.2 %	1.6%
2001678	1	0.2 %	1.6%
2002423	1	0.2 %	1.6%
2002455	1	0.2 %	1.6%

- ICPSR 13646 -

Variable	Variable Description
----------	----------------------

BASISID2	ICPSR Wave 2 basis ID for multi-kid household (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2002457	1	0.2 %	1.6%
2002531	1	0.2 %	1.6%
2002742	1	0.2 %	1.6%
2002865	1	0.2 %	1.6%
2002927	1	0.2 %	1.6%
2002946	1	0.2 %	1.6%
2002958	1	0.2 %	1.6%
2002974	1	0.2 %	1.6%
2003049	1	0.2 %	1.6%
2003393	1	0.2 %	1.6%
2003452	2	0.3 %	3.2%
2003507	1	0.2 %	1.6%
2003512	1	0.2 %	1.6%
2003699	1	0.2 %	1.6%
2003728	1	0.2 %	1.6%
2003766	1	0.2 %	1.6%
2003786	1	0.2 %	1.6%
2003964	1	0.2 %	1.6%
2004082	1	0.2 %	1.6%
2004123	1	0.2 %	1.6%
2004187	1	0.2 %	1.6%
2004372	1	0.2 %	1.6%
2004471	1	0.2 %	1.6%
2004667	1	0.2 %	1.6%
2004719	1	0.2 %	1.6%
2004990	1	0.2 %	1.6%
2005119	1	0.2 %	1.6%
2005194	1	0.2 %	1.6%
2005217	2	0.3 %	3.2%
2005268	1	0.2 %	1.6%
2005422	1	0.2 %	1.6%
2005484	1	0.2 %	1.6%
2005645	1	0.2 %	1.6%

- ICPSR 13646 -

Variable	Variable Description
----------	----------------------

BASISID2	ICPSR Wave 2 basis ID for multi-kid household (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2005673	1	0.2 %	1.6%
2005703	1	0.2 %	1.6%
2005763	1	0.2 %	1.6%
2005837	1	0.2 %	1.6%
2005882	1	0.2 %	1.6%
2006025	1	0.2 %	1.6%
. (M)	517	89.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
62	2000062.00	2006025.00	2003167.76	1822.70

WAVE	wave #
------	--------

Start: 15
End: 17
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
2	-	579	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
579	2.00	2.00	2.00	0.00

COHORT	cohort
--------	--------

Start: 18
End: 20
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	579	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (cont.)
--------	----------------

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
579	6.00	6.00	6.00	0.00

PGP1	traumatic event happen before year ago?
------	---

Start: 21
End: 23
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	151	26.1 %	27.3%
1	1:yes	402	69.4 %	72.7%
. (M)	-	25	4.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
553	0.00	1.00	0.73	0.45

PGP2	traumatic event(only 1) happen more than once before year ago?
------	--

Start: 24
End: 26
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	59	10.2 %	54.1%
1	1:yes	50	8.6 %	45.9%
. (M)	-	470	81.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
109	0.00	1.00	0.46	0.50

Variable	Variable Description
----------	----------------------

PGP2A	talked about traumatic events before year ago?
-------	--

Start: 27
End: 29
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	49	8.5 %	87.5%
1	1:yes	7	1.2 %	12.5%
. (M)	-	522	90.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
56	0.00	1.00	0.12	0.33

PGP2B	thought about traumatic events before year ago?
-------	---

Start: 30
End: 32
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	51	8.8 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	527	91.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
51	0.00	0.00	0.00	0.00

PGP2D	often thought about traumatic event afterwards?
-------	---

Start: 33
End: 35
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP2D often thought about traumatic event afterwards? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	0.5 %	75.0%
1	1:yes	1	0.2 %	25.0%
. (M)	-	575	99.3 %	-

Valid	Min	Max	Mean	Stdev
4	0.00	1.00	0.25	0.50

PGP3 traumatic events(more than 1) happen at same time?

Start: 36
End: 38
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	304	52.5 %	96.8%
1	1:yes	10	1.7 %	3.2%
. (M)	-	262	45.3 %	-

Valid	Min	Max	Mean	Stdev
314	0.00	1.00	0.03	0.18

PGP3A talked about traumatic events, before year ago?

Start: 39
End: 41
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.3 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	252	43.5 %	79.5%
1	1:yes	65	11.2 %	20.5%

Variable	Variable Description
----------	----------------------

PGP3A talked about traumatic events, before year ago? (*cont.*)

Value	Label	Frequency	%	Valid %
. (M)	-	259	44.7 %	-
Valid	Min	Max	Mean	Stdev
317	0.00	1.00	0.21	0.40

PGP3B thought about traumatic events, before year ago?

Start: 42
End: 44
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.3 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	242	41.8 %	92.7%
1	1:yes	19	3.3 %	7.3%
. (M)	-	315	54.4 %	-
Valid	Min	Max	Mean	Stdev
261	0.00	1.00	0.07	0.26

PGP3D often thought about traumatic event afterwards?

Start: 45
End: 47
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	39	6.7 %	51.3%
1	1:yes	37	6.4 %	48.7%
. (M)	-	502	86.7 %	-
Valid	Min	Max	Mean	Stdev
76	0.00	1.00	0.49	0.50

Variable	Variable Description
----------	----------------------

PGP3F	often thought about traumatic event afterwards?
-------	---

Start: 48
End: 50
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	49	8.5 %	84.5%
1	1:yes	9	1.6 %	15.5%
. (M)	-	521	90.0 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
58	0.00	1.00	0.16	0.37

PGP3_OC	traumatic event occurrence code
---------	---------------------------------

Start: 51
End: 53
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:single	82	14.2 %	86.3%
2	2:multiple	13	2.2 %	13.7%
. (M)	-	483	83.4 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
95	1.00	2.00	1.14	0.35

PGP3_TE	traumatic event event code
---------	----------------------------

Start: 54
End: 56
Width: 3
Type: numeric (ISO)
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
-96	-96:refused	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PGP3_TE	traumatic event event code (<i>cont.</i>)
---------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-95	-95:doesn't understand	0	0.0 %	0.0%
-94	-94:no money	0	0.0 %	0.0%
-93	-93:uncodeable	0	0.0 %	0.0%
0	0:not understand	0	0.0 %	0.0%
1	1:saw chased	4	0.7 %	4.1%
2	2:saw hit	10	1.7 %	10.2%
3	3:saw attacked	1	0.2 %	1.0%
4	4:saw shot w gun	0	0.0 %	0.0%
5	5:saw shot at	0	0.0 %	0.0%
6	6:saw bad accid	4	0.7 %	4.1%
7	7:saw killing	1	0.2 %	1.0%
8	8:saw threats	0	0.0 %	0.0%
9	9:found dead bod	0	0.0 %	0.0%
10	10:chased	2	0.3 %	2.0%
11	11:hit	0	0.0 %	0.0%
12	12:attacked weap	0	0.0 %	0.0%
13	13:shot with gun	0	0.0 %	0.0%
14	14:shot at	0	0.0 %	0.0%
15	15:bad accident	6	1.0 %	6.1%
16	16:sexual molest	1	0.2 %	1.0%
17	17:threatened	1	0.2 %	1.0%
18	18:heard gunfire	10	1.7 %	10.2%
19	19:natural disas	3	0.5 %	3.1%
20	20:heard shootng	4	0.7 %	4.1%
21	21:heard killing	6	1.0 %	6.1%
22	22:heard suicide	2	0.3 %	2.0%
23	23:heard death	30	5.2 %	30.6%
24	24:heard raped	0	0.0 %	0.0%
25	25:other	13	2.2 %	13.3%
. (M)	-	481	83.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
98	1.00	25.00	17.38	8.05

Variable	Variable Description
----------	----------------------

PGP4	year when traumatic event happened
------	------------------------------------

Start: 57
End: 61
Width: 5
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	35	6.0 %	100.0%
0	0:not understand	0	0.0 %	0.0%
. (M)	-	543	93.8 %	-

Valid	Min	Max	Mean	Stdev
35	-90.00	-90.00	-90.00	0.00

PGP5A	location 1 where traumatic event happened
-------	---

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:own home	9	1.6 %	25.7%
2	2:other home	2	0.3 %	5.7%
3	3:school	3	0.5 %	8.6%
4	4:neighborhood	8	1.4 %	22.9%
5	5:outside neigh	13	2.2 %	37.1%
. (M)	-	544	94.0 %	-

Valid	Min	Max	Mean	Stdev
35	1.00	5.00	3.40	1.65

Variable	Variable Description
----------	----------------------

PGP5B	location 2 where traumatic event happened
-------	---

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:own home	0	0.0 %	0.0%
2	2:other home	0	0.0 %	0.0%
3	3:school	0	0.0 %	0.0%
4	4:neighborhood	1	0.2 %	100.0%
5	5:outside neigh	0	0.0 %	0.0%
. (M)	-	578	99.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	4.00	4.00	4.00	0.00

PGP5C	location 3 where traumatic event happened
-------	---

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:own home	0	0.0 %
2	2:other home	0	0.0 %
3	3:school	0	0.0 %
4	4:neighborhood	0	0.0 %
5	5:outside neigh	0	0.0 %
. (M)	-	579	100.0 %

Variable	Variable Description
----------	----------------------

PGP6	SP afraid might die from traumatic event?
------	---

Start: 71
End: 73
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	3.6 %	55.3%
1	1:yes	17	2.9 %	44.7%
. (M)	-	541	93.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
38	0.00	1.00	0.45	0.50

PGP7	how likely traumatic event could happen again?
------	--

Start: 74
End: 76
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:very likely	7	1.2 %	19.4%
2	2:likely	7	1.2 %	19.4%
3	3:not likely	11	1.9 %	30.6%
4	4:very unlikely	11	1.9 %	30.6%
. (M)	-	541	93.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
36	1.00	4.00	2.72	1.11

PGP8_1	person 1 to whom traumatic event happened
--------	---

Start: 77
End: 79
Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP8_1 person 1 to whom traumatic event happened (*cont.*)

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	10	1.7 %	27.0%
2	2:parent	5	0.9 %	13.5%
3	3:sibling	5	0.9 %	13.5%
4	4:other relative	12	2.1 %	32.4%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	1	0.2 %	2.7%
7	7:friend/acquain	1	0.2 %	2.7%
8	8:neighbor	1	0.2 %	2.7%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	1	0.2 %	2.7%
11	11:gang member	1	0.2 %	2.7%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	542	93.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
37	1.00	11.00	3.38	2.44

PGP8_2 person 2 to whom traumatic event happened

Start: 80
End: 82
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PGP8_2 person 2 to whom traumatic event happened (*cont.*)

Value	Label	Frequency	%	Valid %
1	1:subject	0	0.0 %	0.0%
2	2:parent	2	0.3 %	50.0%
3	3:sibling	1	0.2 %	25.0%
4	4:other relative	1	0.2 %	25.0%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	575	99.3 %	-

Valid	Min	Max	Mean	Stdev
4	2.00	4.00	2.75	0.96

PGP8_3 person 3 to whom traumatic event happened

Start: 83
End: 85
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	0	0.0 %	0.0%
3	3:sibling	2	0.3 %	66.7%
4	4:other relative	1	0.2 %	33.3%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PGP8_3	person 3 to whom traumatic event happened (<i>cont.</i>)
--------	--

Value	Label	Frequency	%	Valid %
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	576	99.5 %	-

Valid	Min	Max	Mean	Stdev
3	3.00	4.00	3.33	0.58

PGP8_4	person 4 to whom traumatic event happened
--------	---

Start: 86
End: 88
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	1	0.2 %	50.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other relative	1	0.2 %	50.0%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PGP8_4 person 4 to whom traumatic event happened (*cont.*)

Value	Label	Frequency	%	Valid %
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	577	99.7 %	-

Valid	Min	Max	Mean	Stdev
2	2.00	4.00	3.00	1.41

PGP9_1 person 1 who perpetrated traumatic event

Start: 89
End: 91
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	4	0.7 %	21.1%
3	3:sibling	0	0.0 %	0.0%
4	4:other relative	0	0.0 %	0.0%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	3	0.5 %	15.8%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	7	1.2 %	36.8%
11	11:gang member	3	0.5 %	15.8%
12	12:cop	1	0.2 %	5.3%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	1	0.2 %	5.3%
. (M)	-	560	96.7 %	-

Valid	Min	Max	Mean	Stdev
19	2.00	14.00	8.16	3.82

Variable	Variable Description
----------	----------------------

PGP9_2	person 2 who perpetrated traumatic event
--------	--

Start: 92
End: 94
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other relative	1	0.2 %	50.0%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	1	0.2 %	50.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	577	99.7 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	4.00	10.00	7.00	4.24

PGP9_3	person 3 who perpetrated traumatic event
--------	--

Start: 95
End: 97
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %

Variable	Variable Description
----------	----------------------

PGP9_3	person 3 who perpetrated traumatic event (<i>cont.</i>)
--------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
0	0:not understand	0	0.0 %
1	1:subject	0	0.0 %
2	2:parent	0	0.0 %
3	3:sibling	0	0.0 %
4	4:other relative	0	0.0 %
5	5:best friend	0	0.0 %
6	6:classmate	0	0.0 %
7	7:friend/acquain	0	0.0 %
8	8:neighbor	0	0.0 %
9	9:teacher	0	0.0 %
10	10:stranger	0	0.0 %
11	11:gang member	0	0.0 %
12	12:cop	0	0.0 %
13	13:PC's partner	0	0.0 %
14	14:other	0	0.0 %
. (M)	-	579	100.0 %

PGP9_4	person 4 who perpetrated traumatic event
--------	--

Start: 98
End: 100
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:subject	0	0.0 %
2	2:parent	0	0.0 %
3	3:sibling	0	0.0 %
4	4:other relative	0	0.0 %
5	5:best friend	0	0.0 %
6	6:classmate	0	0.0 %
7	7:friend/acquain	0	0.0 %

Variable	Variable Description
----------	----------------------

PGP9_4 person 4 who perpetrated traumatic event (*cont.*)

Value	Label	Frequency	%
8	8:neighbor	0	0.0 %
9	9:teacher	0	0.0 %
10	10:stranger	0	0.0 %
11	11:gang member	0	0.0 %
12	12:cop	0	0.0 %
13	13:PC's partner	0	0.0 %
14	14:other	0	0.0 %
. (M)	-	579	100.0 %

PGP10 traumatic event accidental or intentional?

Start: 101
End: 103
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:accidental	4	0.7 %	20.0%
2	2:intentional	12	2.1 %	60.0%
3	3:not sure	2	0.3 %	10.0%
4	4:accid/intent	2	0.3 %	10.0%
. (M)	-	559	96.5 %	-

Valid	Min	Max	Mean	Stdev
20	1.00	4.00	2.10	0.85

PGP11 alone during traumatic event?

Start: 104
End: 106
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP11	alone during traumatic event? (cont.)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:always alone	2	0.3 %	10.5%
2	2:with others	16	2.8 %	84.2%
3	3:alone & w/others	1	0.2 %	5.3%
. (M)	-	560	96.7 %	-

Valid	Min	Max	Mean	Stdev
19	1.00	3.00	1.95	0.40

PGP12_1	person 1 with SP during traumatic event
---------	---

Start: 107
End: 109
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	11	1.9 %	64.7%
3	3:sibling	1	0.2 %	5.9%
4	4:other relative	4	0.7 %	23.5%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	1	0.2 %	5.9%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	562	97.1 %	-

- ICPSR 13646 -

Variable	Variable Description
----------	----------------------

PGP12_1	person 1 with SP during traumatic event (<i>cont.</i>)
---------	--

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	2.00	6.00	2.76	1.20

PGP12_2	person 2 with SP during traumatic event
---------	---

Start: 110
End: 112
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99: interviewer missed	0	0.0 %	-
-98 (M)	-98: doesn't know	0	0.0 %	-
-96 (M)	-96: refused	0	0.0 %	-
-95 (M)	-95: doesn't understand	0	0.0 %	-
-94 (M)	-94: no money	0	0.0 %	-
-93 (M)	-93: uncodeable	0	0.0 %	-
0	0: not understand	0	0.0 %	0.0%
1	1: subject	0	0.0 %	0.0%
2	2: parent	1	0.2 %	10.0%
3	3: sibling	6	1.0 %	60.0%
4	4: other relative	3	0.5 %	30.0%
5	5: best friend	0	0.0 %	0.0%
6	6: classmate	0	0.0 %	0.0%
7	7: friend/acquain	0	0.0 %	0.0%
8	8: neighbor	0	0.0 %	0.0%
9	9: teacher	0	0.0 %	0.0%
10	10: stranger	0	0.0 %	0.0%
11	11: gang member	0	0.0 %	0.0%
12	12: cop	0	0.0 %	0.0%
13	13: PC's partner	0	0.0 %	0.0%
14	14: other	0	0.0 %	0.0%
. (M)	-	569	98.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
10	2.00	4.00	3.20	0.63

PGP12_3	person 3 with SP during traumatic event
---------	---

Start: 113
End: 115
Width: 3
Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99: interviewer missed	0	0.0 %	-
-98 (M)	-98: doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP12_3 person 3 with SP during traumatic event (*cont.*)

Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	0	0.0 %	0.0%
2	2:parent	0	0.0 %	0.0%
3	3:sibling	3	0.5 %	50.0%
4	4:other relative	3	0.5 %	50.0%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	573	99.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6	3.00	4.00	3.50	0.55

PGP12_4 person 4 with SP during traumatic event

Start: 116
End: 118
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:subject	1	0.2 %	33.3%

Variable	Variable Description
----------	----------------------

PGP12_4	person 4 with SP during traumatic event (<i>cont.</i>)
---------	--

Value	Label	Frequency	%	Valid %
2	2:parent	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	33.3%
4	4:other relative	1	0.2 %	33.3%
5	5:best friend	0	0.0 %	0.0%
6	6:classmate	0	0.0 %	0.0%
7	7:friend/acquain	0	0.0 %	0.0%
8	8:neighbor	0	0.0 %	0.0%
9	9:teacher	0	0.0 %	0.0%
10	10:stranger	0	0.0 %	0.0%
11	11:gang member	0	0.0 %	0.0%
12	12:cop	0	0.0 %	0.0%
13	13:PC's partner	0	0.0 %	0.0%
14	14:other	0	0.0 %	0.0%
. (M)	-	576	99.5 %	-

Valid	Min	Max	Mean	Stdev
3	1.00	4.00	2.67	1.53

PGP13	felt any people could protect?
-------	--------------------------------

Start: 119
End: 121
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.3 %	13.3%
1	1:yes	13	2.2 %	86.7%
. (M)	-	563	97.2 %	-

Valid	Min	Max	Mean	Stdev
15	0.00	1.00	0.87	0.35

Variable	Variable Description
----------	----------------------

PGP14A	proximity of SP to traumatic event
--------	------------------------------------

Start: 122
End: 124
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:<1 foot	4	0.7 %	33.3%
2	2:1-5 feet	4	0.7 %	33.3%
3	3:6-30 feet	3	0.5 %	25.0%
4	4:>30 feet	1	0.2 %	8.3%
5	5:other	0	0.0 %	0.0%
. (M)	-	567	97.9 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
12	1.00	4.00	2.08	1.00

PGP15	felt very afraid at traumatic event?
-------	--------------------------------------

Start: 125
End: 127
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	25.0%
1	1:yes	27	4.7 %	75.0%
. (M)	-	542	93.6 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
36	0.00	1.00	0.75	0.44

Variable	Variable Description
----------	----------------------

PGP16	felt helpless at traumatic event?
-------	-----------------------------------

Start: 128
End: 130
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	2.1 %	33.3%
1	1:yes	24	4.1 %	66.7%
. (M)	-	542	93.6 %	-

Valid	Min	Max	Mean	Stdev
36	0.00	1.00	0.67	0.48

PGP17	felt like going crazy at traumatic event?
-------	---

Start: 131
 End: 133
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	5.0 %	80.6%
1	1:yes	7	1.2 %	19.4%
. (M)	-	542	93.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
36	0.00	1.00	0.19	0.40

PGP19	unwanted thoughts about traumatic event afterwards?
-------	---

Start: 134 End: 136 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table><tr><th><i>Value</i></th><th><i>Label</i></th><th><i>Frequency</i></th><th><i>%</i></th><th><i>Valid %</i></th></tr><tr><td>-99 (M)</td><td>-99:interviewer missed</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-98 (M)</td><td>-98:doesn't know</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-96 (M)</td><td>-96:refused</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-95 (M)</td><td>-95:doesn't understand</td><td>0</td><td>0.0 %</td><td>-</td></tr></table>	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-
<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>																						
-99 (M)	-99:interviewer missed	0	0.0 %	-																						
-98 (M)	-98:doesn't know	0	0.0 %	-																						
-96 (M)	-96:refused	0	0.0 %	-																						
-95 (M)	-95:doesn't understand	0	0.0 %	-																						

Variable	Variable Description
----------	----------------------

PGP19 unwanted thoughts about traumatic event afterwards? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.9 %	26.8%
1	1:yes	30	5.2 %	73.2%
. (M)	-	538	92.9 %	-

Valid	Min	Max	Mean	Stdev
41	0.00	1.00	0.73	0.45

PGP19A thought alot about traumatic event even with others?

Start: 137
End: 139
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.7 %	33.3%
1	1:yes	20	3.5 %	66.7%
. (M)	-	547	94.5 %	-

Valid	Min	Max	Mean	Stdev
30	0.00	1.00	0.67	0.48

PGP19B upset a lot thinking about traumatic event?

Start: 140
End: 142
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	29.0%
1	1:yes	22	3.8 %	71.0%

Variable	Variable Description
----------	----------------------

PGP19B upset a lot thinking about traumatic event? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	547	94.5 %	-
Valid	Min	Max	Mean	Stdev
31	0.00	1.00	0.71	0.46

PGP20 often play game mimicking traumatic event afterwards?

Start: 143
End: 145
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	38	6.6 %	92.7%
1	1:yes	3	0.5 %	7.3%
. (M)	-	537	92.7 %	-
Valid	Min	Max	Mean	Stdev
41	0.00	1.00	0.07	0.26

PGP21 trouble sleeping after traumatic event?

Start: 146
End: 148
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	33	5.7 %	80.5%
1	1:yes	8	1.4 %	19.5%
. (M)	-	537	92.7 %	-
Valid	Min	Max	Mean	Stdev
41	0.00	1.00	0.20	0.40

Variable	Variable Description
----------	----------------------

PGP21A	more trouble sleeping than before traumatic event?
--------	--

Start: 149
End: 151
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	0.7 %	33.3%
1	1:yes	8	1.4 %	66.7%
. (M)	-	567	97.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
12	0.00	1.00	0.67	0.49

PGP22	had alot nightmares after traumatic event?
-------	--

Start: 152
End: 154
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	34	5.9 %	81.0%
1	1:yes	8	1.4 %	19.0%
. (M)	-	537	92.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.19	0.40

PGP22A	nightmares about traumatic event?
--------	-----------------------------------

Start: 155
End: 157
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP22A	nightmares about traumatic event? (cont.)
--------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	8	1.4 %	100.0%
. (M)	-	571	98.6 %	-

Valid	Min	Max	Mean	Stdev
8	1.00	1.00	1.00	0.00

PGP23	ever relived traumatic event after traumatic event
-------	--

Start: 158
End: 160
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	34	5.9 %	85.0%
1	1:yes	6	1.0 %	15.0%
. (M)	-	538	92.9 %	-

Valid	Min	Max	Mean	Stdev
40	0.00	1.00	0.15	0.36

PGP24	certain things reminded of traumatic event afterwards?
-------	--

Start: 161
End: 163
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	24	4.1 %	61.5%
1	1:yes	15	2.6 %	38.5%

Variable	Variable Description
----------	----------------------

PGP24 certain things reminded of traumatic event afterwards? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	539	93.1 %	-
Valid	Min	Max	Mean	Stdev
39	0.00	1.00	0.38	0.49

PGP24A very upset when reminded of traumatic event?

Start: 164
End: 166
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.9 %	64.7%
1	1:yes	6	1.0 %	35.3%
. (M)	-	562	97.1 %	-
Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.35	0.49

PGP24B felt faint when reminded of traumatic event?

Start: 167
End: 169
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	3.1 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	561	96.9 %	-
Valid	Min	Max	Mean	Stdev
18	0.00	0.00	0.00	0.00

Variable	Variable Description
----------	----------------------

PGP25	tried not to think about traumatic event afterwards?
-------	--

Start: 170

End: 172

Width: 3

Type: numeric (ISO)

Interval: discrete

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	5.0 %	69.0%
1	1:yes	13	2.2 %	31.0%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.31	0.47

PGP26	avoided place reminding traumatic event afterwards?
-------	---

Start: 173
 End: 175
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	6.9 %	95.2%
1	1:yes	2	0.3 %	4.8%
. (M)	-	537	92.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.05	0.22

PGP27	avoided people reminding traumatic event afterwards?
-------	--

Start: 176 End: 178 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table><tr><th><i>Value</i></th><th><i>Label</i></th><th><i>Frequency</i></th><th><i>%</i></th><th><i>Valid %</i></th></tr><tr><td>-99 (M)</td><td>-99:interviewer missed</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-98 (M)</td><td>-98:doesn't know</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-96 (M)</td><td>-96:refused</td><td>0</td><td>0.0 %</td><td>-</td></tr><tr><td>-95 (M)</td><td>-95:doesn't understand</td><td>0</td><td>0.0 %</td><td>-</td></tr></table>	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-
<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>																						
-99 (M)	-99:interviewer missed	0	0.0 %	-																						
-98 (M)	-98:doesn't know	0	0.0 %	-																						
-96 (M)	-96:refused	0	0.0 %	-																						
-95 (M)	-95:doesn't understand	0	0.0 %	-																						

Variable	Variable Description
----------	----------------------

PGP27 avoided people reminding traumatic event afterwards? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	6.9 %	95.2%
1	1:yes	2	0.3 %	4.8%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.05	0.22

PGP28 no memory of parts of traumatic event afterwards?

Start: 179
End: 181
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	39	6.7 %	95.1%
1	1:yes	2	0.3 %	4.9%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
41	0.00	1.00	0.05	0.22

PGP29 less interested in enjoyments afterwards?

Start: 182
End: 184
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	36	6.2 %	87.8%
1	1:yes	5	0.9 %	12.2%

Variable	Variable Description
----------	----------------------

PGP29 less interested in enjoyments afterwards? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	538	92.9 %	-
Valid	Min	Max	Mean	Stdev
41	0.00	1.00	0.12	0.33

PGP29A less interest in enjoy change from traumatic event?

Start: 185
End: 187
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	5	0.9 %	100.0%
. (M)	-	574	99.1 %	-
Valid	Min	Max	Mean	Stdev
5	1.00	1.00	1.00	0.00

PGP30 often felt separate from people afterwards?

Start: 188
End: 190
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	39	6.7 %	92.9%
1	1:yes	3	0.5 %	7.1%
. (M)	-	537	92.7 %	-
Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.07	0.26

Variable	Variable Description
----------	----------------------

PGP30A	separation from people change from traumatic event?
--------	---

Start: 191

End: 193

Width: 3

Type: numeric (ISO)

Interval: discrete

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	3	0.5 %	100.0%
. (M)	-	576	99.5 %	-

Valid	Min	Max	Mean	Stdev
3	1.00	1.00	1.00	0.00

PGP31	hard to feel strongly about people,past yr?
-------	---

Start: 194
End: 196
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	41	7.1 %	97.6%
1	1:yes	1	0.2 %	2.4%
. (M)	-	537	92.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.02	0.15

PGP31A	lack of feeling change since traumatic event?
--------	---

Start: 197 End: 199 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP31A lack of feeling change since traumatic event? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.2 %	100.0%
. (M)	-	578	99.8 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

PGP32 stopped thinking about future afterwards?

Start: 200
End: 202
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	42	7.3 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	0.00	0.00	0.00

PGP32A lack future thought change since traumatic event?

Start: 203
End: 205
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %

Variable	Variable Description
----------	----------------------

PGP32A	lack future thought change since traumatic event? (<i>cont.</i>)
--------	--

Value	Label	Frequency	%
. (M)	-	579	100.0 %

PGP33	lost temper a lot after traumatic event?
-------	--

Start: 206
End: 208
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	6.9 %	95.2%
1	1:yes	2	0.3 %	4.8%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.05	0.22

PGP33A	frequency lost temper change since traumatic event?
--------	---

Start: 209
End: 211
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	577	99.7 %	-

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

Variable	Variable Description
----------	----------------------

PGP34	hard to concentrate after traumatic event?
-------	--

Start: 212
End: 214
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	33	5.7 %	78.6%
1	1:yes	9	1.6 %	21.4%
. (M)	-	537	92.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.21	0.42

PGP34A	hard to concentrate change since traumatic event?
--------	---

Start: 215
End: 217
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.3 %	25.0%
1	1:yes	6	1.0 %	75.0%
. (M)	-	571	98.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
8	0.00	1.00	0.75	0.46

PGP35	jumpy/nervous after traumatic event?
-------	--------------------------------------

Start: 218
End: 220
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP35 jumpy/nervous after traumatic event? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	35	6.0 %	83.3%
1	1:yes	7	1.2 %	16.7%
. (M)	-	537	92.7 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.17	0.38

PGP35A jumpy/nervous change since traumatic event?

Start: 221
End: 223
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	14.3%
1	1:yes	6	1.0 %	85.7%
. (M)	-	572	98.8 %	-

Valid	Min	Max	Mean	Stdev
7	0.00	1.00	0.86	0.38

PGP36 jumpy at noises after traumatic event?

Start: 224
End: 226
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	36	6.2 %	90.0%
1	1:yes	4	0.7 %	10.0%

Variable	Variable Description
----------	----------------------

PGP36 jumpy at noises after traumatic event? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	538	92.9 %	-
Valid	Min	Max	Mean	Stdev
40	0.00	1.00	0.10	0.30

PGP36A jumpy at noises change since traumatic event?

Start: 227
End: 229
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	25.0%
1	1:yes	3	0.5 %	75.0%
. (M)	-	575	99.3 %	-
Valid	Min	Max	Mean	Stdev
4	0.00	1.00	0.75	0.50

PGP37 bothered by symptoms as long as a month?

Start: 230
End: 232
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	1.0 %	37.5%
1	1:yes	10	1.7 %	62.5%
. (M)	-	563	97.2 %	-
Valid	Min	Max	Mean	Stdev
16	0.00	1.00	0.62	0.50

Variable	Variable Description
----------	----------------------

PGP37A	bothered by symptoms 2 days or longer?
--------	--

Start: 233
End: 235
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	0.5 %	37.5%
1	1:yes	5	0.9 %	62.5%
. (M)	-	571	98.6 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
8	0.00	1.00	0.62	0.52

PGP37B	bothered by symptoms 3 months or longer?
--------	--

Start: 236
End: 238
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	7	1.2 %	50.0%
1	1:yes	7	1.2 %	50.0%
. (M)	-	565	97.6 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
14	0.00	1.00	0.50	0.52

PGP38	how soon after traumatic event bothered by symptoms?
-------	--

Start: 239
End: 241
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP38 how soon after traumatic event bothered by symptoms? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:right away	12	2.1 %	85.7%
2	2:<1 month	1	0.2 %	7.1%
3	3:1-6 months	0	0.0 %	0.0%
4	4:>6 months	1	0.2 %	7.1%
. (M)	-	565	97.6 %	-

Valid	Min	Max	Mean	Stdev
14	1.00	4.00	1.29	0.83

PGP39 family annoyed by worst symptoms?

Start: 242
End: 244
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	2.4 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	565	97.6 %	-

Valid	Min	Max	Mean	Stdev
14	0.00	0.00	0.00	0.00

PGP39A frequency family annoyed by worst symptoms

Start: 245
End: 247
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %

Variable	Variable Description
----------	----------------------

PGP39A frequency family annoyed by worst symptoms (*cont.*)

Value	Label	Frequency	%
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:a lot of time	0	0.0 %
2	2:some of time	0	0.0 %
3	3:hardly ever	0	0.0 %
. (M)	-	579	100.0 %

PGP40 symptoms kept SP from family activities?

Start: 248
End: 250
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	2.1 %	85.7%
1	1:yes	2	0.3 %	14.3%
. (M)	-	565	97.6 %	-

Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.14	0.36

PGP40A frequency symptoms kept SP from family activities

Start: 251
End: 253
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:a lot of time	0	0.0 %	0.0%
2	2:some of time	2	0.3 %	100.0%
3	3:hardly ever	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PGP40A frequency symptoms kept SP from family activities (*cont.*)

Value	Label	Frequency	%	Valid %
. (M)	-	577	99.7 %	-
Valid	Min	Max	Mean	Stdev
2	2.00	2.00	2.00	0.00

PGP41 symptoms kept SP from children activities?

Start: 254
End: 256
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.7 %	71.4%
1	1:yes	4	0.7 %	28.6%
. (M)	-	565	97.6 %	-
Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.29	0.47

PGP41A frequency symptoms kept SP from children activities

Start: 257
End: 259
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:a lot of time	0	0.0 %	0.0%
2	2:some of time	3	0.5 %	75.0%
3	3:hardly ever	1	0.2 %	25.0%
. (M)	-	575	99.3 %	-

Variable	Variable Description
----------	----------------------

PGP41A	frequency symptoms kept SP from children activities (<i>cont.</i>)
--------	--

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4	2.00	3.00	2.25	0.50

PGP42	worst symptoms cause schl/wrk prob?
-------	-------------------------------------

Start: 260
End: 262
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.9 %	84.6%
1	1:yes	2	0.3 %	15.4%
. (M)	-	566	97.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	1.00	0.15	0.38

PGP42A	severity of schl/work probs afterwards?
--------	---

Start: 263
End: 265
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:very bad	0	0.0 %	0.0%
2	2:bad	2	0.3 %	100.0%
3	3:not too bad	0	0.0 %	0.0%
. (M)	-	577	99.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	2.00	2.00	2.00	0.00

Variable	Variable Description
----------	----------------------

PGP43	worst symptoms annoy teacher/boss?
-------	------------------------------------

Start: 266
End: 268
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	2.1 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	567	97.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
12	0.00	0.00	0.00	0.00

PGP43A	frequency symptoms annoyed teacher/boss?
--------	--

Start: 269
End: 271
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:a lot of time	0	0.0 %
2	2:some of time	0	0.0 %
3	3:hardly ever	0	0.0 %
. (M)	-	579	100.0 %

PGP44	worst symptoms upset SP after traumatic event?
-------	--

Start: 272
End: 274
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PGP44	worst symptoms upset SP after traumatic event? (cont.)
-------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.9 %	35.7%
1	1:yes	9	1.6 %	64.3%
. (M)	-	565	97.6 %	-

Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.64	0.50

PGP44A	severity of upset SP after traumatic event
--------	--

Start: 275
End: 277
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:very bad	1	0.2 %	11.1%
2	2:bad	4	0.7 %	44.4%
3	3:not too bad	4	0.7 %	44.4%
. (M)	-	570	98.4 %	-

Valid	Min	Max	Mean	Stdev
9	1.00	3.00	2.33	0.71

PGP45	see MD/counselor for PTSD?
-------	----------------------------

Start: 278
End: 280
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	1.4 %	61.5%

Variable	Variable Description
----------	----------------------

PGP45	see MD/counselor for PTSD? (cont.)
-------	------------------------------------

Value	Label	Frequency	%	Valid %
1	1:yes	5	0.9 %	38.5%
. (M)	-	566	97.8 %	-
Valid	Min	Max	Mean	Stdev
13	0.00	1.00	0.38	0.51

PTPLDX	PTSD(lifetime) dx positive? PC report
--------	---------------------------------------

Start: 281
End: 283
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	578	99.8 %	99.8%
1	1:yes	1	0.2 %	0.2%
Valid	Min	Max	Mean	Stdev
579	0.00	1.00	0.00	0.04

PTPLACUT	acute PTSD(lifetime) dx pos? PC report
----------	--

Start: 284
End: 286
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	2.4 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	565	97.6 %	-
Valid	Min	Max	Mean	Stdev
14	0.00	0.00	0.00	0.00

Variable	Variable Description
----------	----------------------

PTPLCHRN	chronic PTSD(lifetime) dx pos? PC report
----------	--

Start: 287
End: 289
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	2.2 %	92.9%
1	1:yes	1	0.2 %	7.1%
. (M)	-	565	97.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
14	0.00	1.00	0.07	0.27