Real World REST Hands-On Hypermedia

"When given a name, a coordinated set of architectural constraints

becomes an

architectural Style"

"REST is software design on

the scale of decades:

every detail is intended to promote software longevity and independent evolution.

Many of the constraints are directly opposed to short-term efficiency."

ReST: The Constraints

- Client-server
- Stateless
- Cacheable
- Layered System
- Code-on-demand
- Uniform interface
- Hypermedia as the engine of application state

ReST: The Constraints

- Client-server
- Stateless
- Cacheable
- Layered System

This bit is optional.

- Code-on-demand
- Uniform interface
- Hypermedia as the engine of application state

GET /profiles HTTP/1.1

```
200 OK
Content-Type: application/json
        "username": "ironman",
        "name": "Tony Stark",
```

```
POST /profiles HTTP/1.1
     "username" : "spidey"
     "name": "Peter Parker",
201 Created
Location: http://herobook.com/profiles/spidey
     "username": "spidey",
     "name": "Peter Parker"
```

```
GET /profiles HTTP/1.1
200 OK
 { "username":"ironman", "name":"Tony Stark" }
 { "username": "spidey", "name": "Peter Parker" },
 { "username": "blackwidow", "name": "Natasha Romanoff" },
 /* (2 million users omitted for clarity) */
 { "username": "howard", "name": "Howard the Duck" }
```

"Your API is using all our bandwidth!"

"Your stupid API is overloading our database!"


GET /profiles Ppage=1 HTTP/1.1


200 OK { "username":"ironman", "name":"Tony Stark" } { "username":"spidey", "name":"Peter Parker" }, { "username": "blackwidow", "name": "Natasha Romanoff" }, { "username": "cap", "name": "Steve Rogers" }, { "username": "hulk", "name": "Bruce Banner" }, { "username":"pepper", "name":"Pepper Potts" }


```
GET /profiles?page=2 HTTP/1.1
200 OK
GET /profiles?page=3
200 OK
GET
210
GET /profiles?page=5 HTTP/1.1
204 No Content
```


ReST: The Constraints


- Client-server
- Stateless
- Cacheable
- Layered System
- Code-on-demand
- Uniform interface
- Hypermedia as the engine of application state




















Wow! What an amazing talk. Suddenly, you understand everything there is to know about REST and hypermedia! You want to rush straight home and rewrite all your projects, but maybe you should sleep on it first... But hang on! Some of the gang are heading over the road to the Craftsman for a pint - maybe you should chat to them over a beer?

To go straight home and rewrite all the things, go to page **74**

If you decide to sleep on it first, go to page 23

To go to the Craftsman for a pint, turn to page 41

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links" : {
   "self" : { "href" : "http://herobook.co/profiles?index=0" },
   "next" : { "href" : "http://herobook.co/profiles?index=5" },
   "last" : { "href" : "http://herobook.co/profiles?index=220" }
  },
  "count" : 5,
  "index" : 0,
  "total" : 223,
  "items:" [
   { "username":"ironman", "name":"Tony Stark" }
    { "username":"spidey", "name":"Peter Parker" },
    { "username": "blackwidow", "name": "Natasha Romanoff" },
    { "username": "pepper", "name": "Pepper Potts" }
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links" : {
   "self" : { "href" : "http://herobook.co/profiles?index=0" },
    "next" : { "href" : "http://herobook.co/profiles?index=5" },
    "last" : { "href" : "http://herobook.co/profiles?index=220" }
  "count" : 5,
  "index" : 0,
  "total" : 223,
  "items:" [
  { "username":"ironman", "name":"Tony Stark" }
   { "username": "spidey", "name": "Peter Parker" },
   { "username": "blackwidow", "name": "Natasha Romanoff" },
   { "username":"pepper", "name":"Pepper Potts" }
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
     "username":"hulk", "name":"Bruce Banner" },
    { "username": "spidey", "name": "Peter Parker" },
    { "username": "blackwidow", "name": "Natasha Romanoff" },
    /* another 500 friends here... */
  "updates" : [
     { "id" : 1234,
       "update" : "Working a new Iron Man suit!",
       "posted": "2016-02-23T18:25:43.511Z"
      "id" : 1543,
       "update" : "New suit's gonna have a selfie stick! Oh yeah!",
       "posted": "2016-04-16T18:25:43.511Z"
     },
      "id" : 1782,
       "update" : "Selfie stick broke. Oh well. Back to the drawing board",
       "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
 "username": "ironman",
 "name": "Tony Stark",
 "friends" : [
   { "username": "hulk", "name": "Bruce Banner",
     },
   { "username": "spidey", "name": "Peter Parker",
     "updates" : [ { . . . }, { . . . } ]
     "username": "blackwidow", "name": "Natasha Romanoff",
     /* another 500 friends here... */
 "updates" : [
    { "id" : 1234,
      "update" : "Working a new Iron Man suit!",
      "posted": "2016-02-23T18:25:43.511Z"
    { "id" : 1543,
      "update" : "New suit's gonna have a selfie stick! Oh yeah!",
      "posted": "2016-04-16T18:25:43.511Z"
      "id" : 1782,
      "update" : "Selfie stick broke. Oh well. Back to the drawing board",
      "posted": "2016-04-17T08:26:13.511Z"
    }
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
   { "username": "hulk", "name": "Bruce Banner",
     "updates" : [ \{ \ . \ . \ . \ \}, \{ \ . \ . \ . \ \}, \{ \ . \ . \ . \ \} ],
     "friends" : [ { . . . }, { . . . } ],
   { "username":"spidey", "name":"Peter Parker",
     "updates": [\{ \ldots \}, \{ \ldots \}, \{ \ldots \}]
     "friends" : [\{\ldots,\},\{\ldots,\},\{\ldots,\}],
     "username": "blackwidow", "name": "Natasha Romanoff",
     /* another 500 friends here... */
  "updates" : [
    { "id" : 1234,
      "update": "Working a new Iron Man suit!",
      "posted": "2016-02-23T18:25:43.511Z"
      "id" : 1543,
      "update" : "New suit's gonna have a selfie stick! Oh yeah!",
      "posted": "2016-04-16T18:25:43.511Z"
    },
      "id" : 1782,
      "update" : "Selfie stick broke. Oh well. Back to the drawing board",
      "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
     "username": "hulk", "name": "Bruce Banner",
      "updates" : [\{\ldots\}, \{\ldots\}, \{\ldots\}],
      "friends" : [
               "updates" : { . . . }
              "updates" : { . . . }
              "updates" : { . . . }
     "username":"spidey", "name":"Peter Parker",
     "updates" : { . . . }
               "updates" : { . . . }
               "updates" : { . . . }
     "username": "blackwidow", "name": "Natasha Romanoff",
      "updates" : [\{...\}, \{...\}, \{...\}]
      "friends" : [
               "updates" : { . . . }
               "updates" : { . . . }
               "updates" : { . . . }
    /* another 500 friends here... */
 ],
"updates" : [
":d" : 1
    { "id" : 1234,
      "update" : "Working a new Iron Man suit!",
       "posted": "2016-02-23T18:25:43.511Z"
      "id" : 1543,
"update" : "New suit's gonna have a selfie stick! Oh yeah!",
       "posted": "2016-04-16T18:25:43.511Z"
      "id" : 1782,
"update" : "Selfie stick broke. Oh well. Back to the drawing board",
```

"Your API is using all our bandwidth...

AGAIN!"

"Your API is overloading the database. Again.

...I told you we should have just stuck with PHP..."

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/ nal+json
   "_links": {
     "self" : "http://herobook.io/profiles/1",
     "friends": "http://herobook.io/profiles/1/friends",
     "photos": "http://herobook.io/profiles/1/photos",
     "updates": "http://herobook.io/profiles/1/updates"
    "username" : "ironman",
   "name": "Tony Stark"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
GET /profiles/ironman/friends HTTP/1.1
200 OK
GET /profiles/ironman/updates HTTP/1.1
200 OK
GET /profiles/ironman/photos HTTP/1.1
200 OK
GET /profiles/ironman/photos/1234 HTTP/1.1
200 OK
GET /profiles/ironman/photos/1234/comments HTTP/1.1
200 OK
GET /profiles/ironman/photos/1345 HTTP/1.1
200 OK
GET /profiles/ironman/photos/1345/comments HTTP/1.1
200 OK
GET /profiles/ironman/photos/1456 HTTP/1.1
200 OK
GET /profiles/ironman/photos/1456/comments HTTP/1.1
200 OK
```

"I need to make 50 API calls just to draw a web page!"

"Our web server crashed because the IIS logs filled up the C: drive!

We never had this problem with PHP..."

GET /profiles/ironman? expand=updates HTTP/1.1

```
200 OK
Content-Type: application/json
  " links": {
    "self": "http://herobook.co/profiles/ironman",
    "friends" : "http://herobook.co/profiles/ironman/friends",
    "photos" : "http://herobook.co/profiles/ironman/photos",
    "updates" : "http://herobook.co/profiles/ironman/updates"
  },
  "username" : "ironman",
  "name" : "Tony Stark"
  " embedded" : {
      "updates" : [
          { "id" : 1234,
            "update" : "Working a new Iron Man suit!",
            "posted" : "2016-02-23T18:25:43.511Z"
          { "id" : 1543,
            "update" : "New suit's gonna have a selfie stick! Oh yeah!",
            "posted": "2016-04-16T18:25:43.511Z"
            "id" : 1782,
            "update" : "Selfie stick broke. Oh well. Back to the drawing board",
            "posted" : "2016-04-17T08:26:13.511Z"
```

Hypermedia support in JSON

JSON+Hypermedia Formats

JSON-LD

Web Standard - http://www.w3.org/TR/json-ld/

HYDRA

extends JSON-LD with available actions

JSONAPI

http://jsonapi.org/

Collection+JSON

http://amundsen.com/media-types/collection/

SIREN

https://github.com/kevinswiber/siren

HAL

http://stateless.co/hal_specification.html

JSON-LD

```
"@context": {
  "name": "https://schema.org/name",
  "alternateName": "https://schema.org/alternateName",
  "image": {
    "@id": "https://schema.org/image",
    "@type": "@id"
},
"@id": "https://herobook.io/profiles/ironman",
"name": "Tony Stark",
"alternateName": "ironman",
"image": "https://herobook.io/profiles/ironman/photos/avatar.png"
```

```
@id: "http://herobook.io/profiles",
@type: "http://www.w3.org/ns/hydra/core#Link",
description: "The collection of all superheroes",
label: "heroes",
range: "http://www.w3.org/ns/hydra/core#Collection",
supportedOperations: [
  {
    @id: " :id1",
    @type: "http://www.w3.org/ns/hydra/core#Operation",
    label: "Creates a new Issue entity",
    expects: "http://herobook.io/hydra/hero-api/vocab#Hero",
    method: "POST",
    returns: "http://herobook.io/hydra/hero-api/vocab#Hero",
    statusCodes: [ {
        @id: ":id2",
        description: "If the superhero was added successfully.",
        code: 201
    } ]
  },
    @id: ":id3",
    @type: "http://www.w3.org/ns/hydra/core#Operation",
    label: "Retrieves all superhero entities",
    expects: null,
    method: "GET",
    returns: "http://www.w3.org/ns/hydra/core#Collection",
    statusCodes: [ ]
```

Collection+JSON

```
{ "collection" :
   "version" : "1.0",
    "href" : "http://herobook.io/profiles/",
    "links" : [
     {"rel" : "feed", "href" : "http://herobook.io/blogs"},
     {"rel" : "queries", "href" : "http://herobook.io/profiles/?queries"},
   ],
    "items" : [
     {
       "href": "http://herobook.io/profiles/ironman",
        "data" : [
         {"name" : "username", "value" : "ironman", "prompt" : "Username"},
         {"name" : "name", "value" : "Tony Stark", "prompt" : "Full Name"}
       ],
        "links" : [
         {
             "rel" : "friends",
             "href" : "http://herobook.io/profiles/ironman/friends",
             "prompt" : "Friends"
          },
             "rel" : "photos",
             "href": "http://herobook.io/profiles/ironman/photos",
             "prompt" : "Photos",
             "render" : "image"
```

JSONAPI

```
"links": {
  "self": "http://herobook.io/posts",
  "next": "http://herobook.io/posts?page[offset]=2",
  "last": "http://herobook.io/posts?page[offset]=10"
},
"data": [{
  "type": "posts",
  "id": "1",
  "attributes": { "title": "Iron Man wows crowds with new selfie stick!" },
  "relationships": {
    "author": {
      "links": {
        "self": "http://herobook.io/posts/1/relationships/author",
        "related": "http://herobook.io/posts/1/author"
      },
      "data": { "type": "people", "id": "9" }
    },
    "comments": {
      "links": {
        "self": "http://herobook.io/posts/1/relationships/comments",
        "related": "http://herobook.io/posts/1/comments"
      },
      "data": [
        { "type": "comments", "id": "5" },
        { "type": "comments", "id": "12" }
  },
  "links": { "self": "http://herobook.io/posts/1" }
}]
```

SIREN

```
"class": [ "mission_list" ],
"properties": { "username": "ironman" },
"entities": [
     "class": [ "missions", "collection" ],
     "rel": [ "http://herobook.io/rels/missions" ],
      "href": "http://herobook.io/profiles/ironman/missions"
   },
     "class": [ "hero", "customer" ],
     "rel": [ "http://herobook.io/rels/hero" ],
      "properties": { "username": "ironman", "name": "Tony Stark" },
      "links": [ { "rel": [ "self" ], "href": "http://herobook.io/profiles/ironman" } ]
],
"actions": [
  { "name": "assign-mission", "title": "Assign Mission",
                        "href": "http://herobook.io/missions",
    "method": "POST",
     "type": "application/x-www-form-urlencoded",
     "fields": [
        { "name" : "hero", "type" : "hidden", "value" : "ironman" },
        { "name": "latitude", "type": "number" },
        { "name": "longitude", "type": "number" },
        { "name": "time", "type": "datetime" }
        { "name": "objective", "type": "text" }
],
```

```
GET /profiles/1 HTTP/1.1
```

```
200 OK
Content-Type: application/json
  " links": {
     "self" : "http://herobook.io/profiles/ironman",
    "friends": "http://herobook.io/profiles/ironman/friends",
    "photos": "http://herobook.io/profiles/ironman/photos",
    "updates" : "http://herobook.io/profiles/ironman/updates"
  },
"name"
            : "Tony Stark",
  "username"
            : "ironman",
  "height"
                 : 192,
                 : 85,
  "weight"
  "location"
                    : { "lat": 34.02, "lon": -118.77 },
                 : "Out saving the world. Again.",
  "status"
  "hometown"
                    : "Malibu, USA"
                 : "tony@stark.com",
  "email"
                    : "www.ironman.com",
  "website"
  "birthdate" : "1972-01-24",
  "last modified": "2015-08-12T19:45:43.511Z"
```

PUT /profiles/1 HTTP/1.1

```
Content-Type: application/json
 "name"
               : "Tony Stark",
 "username" : "ironman",
 "height"
               : 192,
 "weight"
               : 85,
 "location" : { "lat": 34.02, "lon": -118.77 },
  "status" : "Just got back from saving the world. Again.",
               : "Malibu, USA"
  "hometown"
 "email"
                : "tony@stark.com",
 "website" : "www.ironman.com",
  "birthdate" : "1972-01-24"
```

409 Conflict

"Why do I need to PUT the entire profile just to update location?

"My updates keep failing with a 409 Conflict! Help!"

PUT /profiles/ironman/status HTTP/1.1

"Finished saving the world. I need a drink."

204 No Content

The PATCH method requests that a set of changes described in the request entity be applied to the resource identified by the Request-URI.

The set of changes is represented in a format called a "patch document" identified by a media type.

PATCH /file.txt HTTP/1.1

Host: www.herobook.io

Content-Type: application/example

If-Match: "e0023aa4e"

Content-Length: 100

[description of changes]

PATCH /file.txt HTTP/1.1

Host: www.herobook.io

Content-Type: application/example

If-Match: "e0023aa4e"

Content-Length: 100

[description of changes]

```
PATCH /profiles/ironman HTTP/1.1
Content-Type: application/x-unix-diff
11c11
"status": "Just got home from saving the world.",
"status": "World saved. I need a drink.",
```

200 OK

```
PATCH /profiles/ironman HTTP/1.1
Content-Type: application/json-patch+json
If-Match: "abc123"
      "op": "test",
      "path": "/last-modified",
      "value": "2016-05-09T15:25:43.511Z"
     },
      "op": "replace",
      "path": "/status",
      "value": "Finished saving the world. I need a drink."
     },
```

200 OK

PATCH /profiles/1 HTTP/1.1 Content-Type: image/nickcage+png



202 Accepted

"We need to expose forenames and surname separately"

"We're replacing hometown with an ISO3166 country code"

```
GET /profiles/1 HTTP/1.1
200 OK
Content-Type: application/hal+json
{
 "name" : { "firstname" : "Tony", "lastname" : "Stark" },
 "username" : "ironman",
  "height" : 192,
 "weight" : 85,
 "location" : { "lat": 34.02, "lon": -118.77 },
 "status" : "Out saving the world. Again.",
  "hometown" : {
     "city" : "Malibu",
     "country" : "US"
  "email" : "tony@stark.com",
  "website" : "www.ironman.com",
  "birthdate" : "1972-01-24",
  "last modified": "2015-08-12T19:45:43.511Z"
```

"Hey! Your API broke our app!"

"Our website just stopped working"

"None of our reports work!"

"YOU BROKE THE INTERNET."

The easiest thing to do is ...never break anything!

·...but: "REST is software design on

the Scale of decades"

API Versioning Done Wrong

(with thanks to @troyhunt)

GET /v2/profiles/ironman Accept: application/json

```
200 OK { . . . }
```

GET /profiles/ironman
Accept: application/vnd.myapi.v2+json

```
200 OK { . . . }
```

GET /profiles/ironman
Accept: application/json
X-MyApi-Version: 2

```
200 OK { . . . }
```

"is **version 2** of a profile

the Same resource

as version 1?"

"Of course they are! They represent the same person!"

"Don't be daft.
They're completely different."

"Of course they are! They represent the same person!"



GET /api/profiles
Accept: application/vnd.myapi.v2+json

"Don't be daft. They're completely different."



GET /api/v2/profiles
Accept: application/json

"Oh, forget ReST! Let's just use custom headers"



GET /api/profiles
X-MyApi-Version: 2

...and on the server?

Branch the codebase for separate versions?

One codebase, many versions?

```
[VersionedRoute("api/profiles/{name}", 2)]
[Route("api/v2/profiles/{name}")]
public Profile GetV2(string name) {
    /* write your program here! */
}
```

THANK YOU!

Feedback:

https://confocal.io/

Code: bakery

@dylanbeattie
@TheDevBakery