
Real REST&

Hands-On

Hypermedia

@dylanbeattie



Dylan Beattie



y @dylanbeattie

- Systems architect at www.spotlight.com
- Building websites since 1992
- www.dylanbeattie.net

Slides & code:

www.github.com/dylanbeattie/RealWorldREST

я не говорю по-русски!



Roy T. Fielding



- Senior Principal Scientist at Adobe
- co-founded Apache
- authored the REST architectural style

"When given a name, a coordinated set of architectural constraints

becomes an

architectural Style"



"REST is software design on

the scale of decades:

every detail is intended to promote software longevity and independent evolution.






Representational State Transfer (REST)


"a coordinated set of architectural constraints..."

"...intended to promote software longevity and independent evolution"


1. Client-Server




1. Client-Server




2. Stateless



3. Cacheable



4. Layered System



4. Layered System (continued)

Client Server Security Appliance Caching Proxy Client


5. Uniform Interface

Identification of Resources

Manipulation through representations

Selfdescriptive messages Hypermedia as the engine of application state

6. Code on Demand



A Set of Architectural Constraints

- 1. Client-server
- 2. Stateless
- 3. Cacheable
- 4. Layered System
- 5. Uniformed Interface

6. Code-on-demand

OPTIONAL



Image © TeoGonzalez / http://teogonzalezcolors.deviantart.com/art/Marvel-vs-DC-poster-553067072

```
200 OK
Content-Type: application/json
{
    "message": "Welcome to Herobook!"
}
```


GET /profiles HTTP/1.1

```
200 OK
Content-Type: application/json
    "username": "ironman",
    "name": "Tony Stark",
```


```
POST /profiles HTTP/1.1
  "username" : "blackwidow"
  "name": "Наташа Романова",
201 Created
Location: http://api.herobook.local/profiles/blackwidow
  "username": "blackwidow",
  "name": "Наташа Романова"
```

"Hey- where's your API documentation?"

"How do I register a user on your new system?"



5. Uniform Interface



CHOOSE YOUR OWN ADVENTURE * 6

YOU'RE THE HERO OF THE STORY! CHOOSE FROM 40 POSSIBLE ENDINGS.

YOUR CODE NAME IS JONAH




BLEISTRATED BY PAUL GRANGER


CHOOSE YOUR OWN ADVENTURE® 6


THE CLASSIC SERIES IS BACK! CHOOSE FROM 20 POSSIBLE ENDINGS.

HOUSE OF DANGER

BY R. A. MONTGOMERY







PI ACEHOLDER SLIDE FOR "Choose Your Own Adventure"

```
200 OK
Content-Type: application/ json
{
```

```
"message": "Welcome to Herobook!"
```

```
200 OK
Content-Type: application/hal+json
{
```

```
"message": "Welcome to Herobook!"
```

```
200 OK
Content-Type: application/hal+json
  "_links": {
    "profiles" : {
      "href" : "/profiles"
  "message": "Welcome to Herobook!"
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
{
```

```
"items" : [
{ "username": "ironman", "name": "Топу Stark" },
{ "username": "blackwidow", "name": "Наташа Романова" }
]
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links" : {
    "create" : {
      "name": "Create a Profile",
      "type": "application/json",
      "href" : "/profiles",
      "method": "POST"
  "items" : [
     "username": "ironman", "name": "Tony Stark" },
    { "username": "blackwidow", "name": "Наташа Романова" }
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/vnd.herobook.hal+json
  " links" : {
    "create" : {
      "name": "Create a Profile",
      "type": "application/json",
      "href" : "/profiles",
      "method": "POST"
  "items" : [
     "username": "ironman", "name": "Tony Stark" },
    { "username": "blackwidow", "name": "Наташа Романова" }
```

```
GET /profiles HTTP/1.1
200 OK
 "_links" : { ... },
"items" : {
    { "username": "ironman", "name": "Tony Stark" }
    { "username":"blackwidow", "name":"Наташа Романова" },
    { "username": "spidey", "name": "Peter Parker" },
    { /* +2 million users! Wow! */ },
    { "username":"ducky", "name":"Howard the Duck" }
```

"Your API is using all our bandwidth!"

"Your stupid API is overloading our database!"

```
GET /profiles? page=1 HTTP/1.1
200 OK
  "_links" : { ... },
  "items" : [
    { "username": "ironman", "name": "Tony Stark" }
    { "username": "spidey", "name": "Peter Parker" },
    { "username":"blackwidow", "name": "Наташа Романова" },
    { "username": "cap", "name": "Steve Rogers" },
    { "username": "storm", "name": "Ororo Munroe" }
```

```
GET /profiles?page=2 HTTP/1.1
200 OK
GET /profiles?page=3 HT1
200 OK
GET /profiles
200 OK
GET /rofiles:page=5 HTTP/1.1
204 No Content
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  "_links" : {
  "items:" [
    { "username": "ironman", "name": "Tony Stark" }
    { "username": "spidey", "name": "Peter Parker" },
     "username":"blackwidow", "name":"Ната́ша Романов" },
    { "username": "pepper", "name": "Pepper Potts" },
    { "username": "storm", "name": "Ororo Munroe" }
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links" : {
    "self" : { "href" : "http://herobook/profiles?index=0" },
    "next" : { "href" : "http://herobook/profiles?index=5" },
    "last" : { "href" : "http://herobook/profiles?index=220" }
  "items:" [
    { "username": "ironman", "name": "Tony Stark" }
    { "username": "spidey", "name": "Peter Parker" },
      "username":"blackwidow", "name":"Ната́ша Романов" },
    { "username": "pepper", "name": "Pepper Potts" },
    { "username": "storm", "name": "Ororo Munroe" }
```

```
GET /profiles HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links" : {
    "self" : { "href" : "http://herobook/profiles?index=0" },
    "next" : { "href" : "http://herobook/profiles?index=5" },
    "last" : { "href" : "http://herobook/profiles?index=220" }
  "count" : 5,
  "index" : 0,
  "total" : 223,
  "items:"
    { "username": "ironman", "name": "Tony Stark" }
    { "username": "spidey", "name": "Peter Parker" },
    { "username":"blackwidow", "name":"Ната́ша Романов" },
    { "username": "pepper", "name": "Pepper Potts" },
    { "username": "storm", "name": "Ororo Munroe" }
```

Enough talk already... SHOW ME THE

https://github.com/tonsky/FiraCode

Enough talk already... SHOW ME THE

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
    { "username": "ironman", "name": "Tony Stark" },
    { "username": "spidey", "name": "Peter Parker" },
    { "username": "blackwidow", "name": "Ната́ша Романов" },
    /* another 500 friends here ... */
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
    { "username": "hulk", "name": "Bruce Banner" },
    { "username": "spidey", "name": "Peter Parker" },
    { "username":"blackwidow", "name":"Ната́ша Романов" },
    /* another 500 friends here ... */
  "updates" : [
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
    { "username": "hulk", "name": "Bruce Banner" },
    { "username": "spidey", "name": "Peter Parker" },
    { "username":"blackwidow", "name":"Ната́ша Романов" },
    /* another 500 friends here ... */
  "updates" : [
       "update" : "New suit's gonna have a selfie stick! Oh yeah!",
       "posted": "2016-04-16T18:25:43.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
    { "username": "hulk", "name": "Bruce Banner" },
    { "username": "spidey", "name": "Peter Parker" },
    { "username":"blackwidow", "name":"Ната́ша Романов" },
    /* another 500 friends here ... */
  "updates" : [
       "update": "New suit's gonna have a selfie stick! Oh yeah!",
       "posted": "2016-04-16T18:25:43.511Z"
       "update": "Selfie stick broke. Oh well. Back to the drawing board",
       "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
      "username": "hulk", "name": "Bruce Banner" },
      "username": "spidey", "name": "Peter Parker" },
      "username":"blackwidow", "name":"Ната́ша Романов" },
    /* another 500 friends here ... */
  "updates" : [
     { "id" : 1234,
       "update": "Working a new Iron Man suit!",
       "posted": "2016-02-23T18:25:43.511Z"
       "id" : 1543,
       "update" : "New suit's gonna have a selfie stick! Oh yeah!",
       "posted" : "2016-04-16T18:25:43.511Z"
       "id" : 1782,
       "update" : "Selfie stick broke. Oh well. Back to the drawing board",
       "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
                                                            "updates" : [ { . . . }, { . . . } ]
      "username": "hulk", "name": "Bruce Banner",
                                                            "updates" : [ { . . . }, { . . . }, { . . . } ]
      "username": "spidey", "name": "Peter Parker",
                                                            "updates" : [ { . . . }, { . . . . } ]
      "username":"blackwidow", "name":"Ната́ша Романов",
    /* another 500 friends here ... */
  "updates" : [
     { "id" : 1234,
       "update": "Working a new Iron Man suit!",
       "posted" : "2016-02-23T18:25:43.511Z"
      "id" : 1543,
       "update" : "New suit's gonna have a selfie stick! Oh yeah!",
       <u>"posted"</u>: "2016-04-16T18:25:43.511Z"
      "id" : 1782,
       "update" : "Selfie stick broke. Oh well. Back to the drawing board",
       "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
 "username": "ironman",
 "name": "Tony Stark",
 "friends" : [
   "friends" : [ { . . . }, { . . . } ],
    "username":"spidey", "name":"Peter Parker", "updates" : [ { . . . }, { . . . } ]
    "friends" : [ { . . . }, { . . . } ],
    "friends" : [ { . . . }, { . . . } ],
   /* another 500 friends here... */
  "updates" : [
   { "id" : 1234,
     "update" : "Working a new Iron Man suit!",
     "posted": "2016-02-23T18:25:43.511Z"
     "id" : 1543,
     "update" : "New suit's gonna have a selfie stick! Oh yeah!",
     "posted": "2016-04-16T18:25:43.511Z"
     "id" : 1782,
     "update" : "Selfie stick broke. Oh well. Back to the drawing board",
     "posted": "2016-04-17T08:26:13.511Z"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "username": "ironman",
  "name": "Tony Stark",
  "friends" : [
    { "username": "hulk", "name": "Bruce Banner",
      "updates" : [ \{ ... \}, \{ ... \}, \{ ... \} ],
      "friends" : [
            "updates" : { . . . } },
            "updates" : { . . . } },
           { "updates" : { . . . } }
     "username": "spidey", "name": "Peter Parker",
      "updates" : [\{...\}, \{...\}, \{...\}]
        "friends" : [
          { "updates" : { . . . } },
            "updates" : { . . . } },
          { "updates" : { . . . }
     "username":"blackwidow", "name":"Ната́ша Романов",
      "updates" : [ \{ ... \}, \{ ... \}, \{ ... \} ]
        "updates" : { . . . } },
          { "updates" : { . . . } }
    /* another 500 friends here... */
  "updates" : [
     { "id" : 1234,
       "update" : "Working a new Iron Man suit!",
       "posted": "2016-02-23T18:25:43.511Z"
     { "id" : 1543,
       "update" : "New suit's gonna have a selfie stick! Oh yeah!",
       "posted": "2016-04-16T18:25:43.511Z"
       "id": 1782,
       "update" : "Selfie stick broke. Oh well. Back to the drawing board",
       "posted": "2016-04-17T08:26:13.511Z"
```

BIG

"Your API is using all our bandwidth...
AGAIN!"

"Your API is overloading the database. Again.

...I told you we should have just stuck with PHP..."

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/hal+json
  " links": {
    "self": { "href" "/profiles/ironman" },
    "friends": { "href" : "/profiles/ironman/friends" },
    "photos": { "href" : "/profiles/ironman/photos" },
    "updates": { "href" : "/profiles/ironman/updates" }
  "username" : "ironman",
  "name" : "Tony Stark"
```

```
GET /profiles/ironman HTTP/1.1
200 OK
GET /profiles/ironman/friends HTTP/1.1
200 OK
GET /profiles/ironman/updates HTTP/1.1
200 OK
GET /profiles/ironman/photos HTTP/1.1
200 OK
GET /profiles/ironman/photos/1234 HTTP/1.1
200 OK
GET /profiles/ironman/photos/1234/comments HTTP/1.1
200 OK
GET /profiles/ironman/photos/1345 HTTP/1.1
200 OK
GET /profiles/ironman/photos/1345/comments HTTP/1.1
200 OK
GET /profiles/ironman/photos/1456 HTTP/1.1
GET /profiles/ironman/photos/1456/comments HTTP/1.1
200 OK
```

"I need to make 50 API calls just to draw one web page!"

"Our web server crashed because the IIS logs filled up the C: drive!
We never had this problem with PHP..."

```
GET /profiles/ironman?expand=updates HTTP/1.1
200 OK
Content-Type: application/json
{
    "_links": {
        "self" : "http://api.herobook.local/profiles/ironman",
        "friends" : "http://api.herobook.local/profiles/ironman/friends",
        "photos" : "http://api.herobook.local/profiles/ironman/photos",
        "updates" : "http://api.herobook.local/profiles/ironman/updates"
},
    "username" : "ironman",
    "name" : "Tony Stark"
    "_embedded" : {
```

```
GET /profiles/ironman?expand=updates HTTP/1.1
200 OK
Content-Type: application/json
  " links": {
    "self" : "http://api.herobook.local/profiles/ironman",
    "friends" : "http://api.herobook.local/profiles/ironman/friends",
    "photos": "http://api.herobook.local/profiles/ironman/photos",
    "updates" : "http://api.herobook.local/profiles/ironman/updates"
  "username" : "ironman",
  "name" : "Tony Stark"
  " embedded" : {
    "updates" : [
        "update" : "Working a new Iron Man suit - with a built-in selfie stick!",
        "posted": "2016-02-23T18:25:43.511Z"
        "update" : "Selfie stick broke. Oh well. Back to the drawing board",
        "posted" : "2016-04-17T08:26:13.511Z"
```

DEMO #2

Resource Expansion

```
GET /profiles/ironman HTTP/1.1
200 OK
Content-Type: application/json
  "_links": {
    "self" : "http://api.herobook.local/profiles/ironman",
    "friends" : "http://api.herobook.local/profiles/ironman/friends",
    "photos" : "http://api.herobook.local/profiles/ironman/photos",
    "updates" : "http://api.herobook.local/profiles/ironman/updates"
  },
  "name": "Tony Stark",
  "username": "ironman",
  "height": 192,
  "weight": 85,
  "location": { "latitude": 59.93, "longitude": 30.33 },
  "status": "Out saving the world. Again.",
  "hometown": "Malibu, USA"
  "email": "tony@stark.com",
  "website": "www.ironman.com",
  "last_modified": "2015-08-12T19:45:43.511Z"
```

```
PUT /profiles/ironman HTTP/1.1
Content-Type: application/json
  "name": "Tony Stark",
 "username": "ironman",
  "height": 192,
  "weight": 85,
  "location": { "lat": 34.02, "lon": -118.77 },
 "status": "Just got back from saving the world. Again.",
 "hometown": "Malibu, USA"
  "email": "tony@stark.com",
  "website": "www.ironman.com",
  "birthdate": "1972-01-24"
```

409 Conflict

"Why do I need to PUT the entire profile just to update location?

"My updates keep failing with a 409 Conflict! Help!"

```
PUT /profiles/ironman HTTP/1.1
Content-Type: application/json
  "status": "Thinking about a disco Iron Man suit."
  /* note JSON doesn't include ANY other fields */
```

204 No Content

PUT /profiles/ironman/status HTTP/1.1 "Finished saving the world. I need a drink."

204 No Content

The PATCH method requests that a set of changes

described in the request entity be applied to the resource identified by the Request URI.

The set of changes is represented in a format called a "patch document" identified by a media type.

PATCH /file.txt HTTP/1.1
Host: www.example.com
Content-Type: application/example
If-Match: "e0023aa4e"
Content-Length: 100

[description of changes]

PATCH /file.txt HTTP/1.1
Host: www.api.herobook.local
Content-Type: application/example
If-Match: "e0023aa4e"
Content-Length: 100

[description of changes]

```
PATCH /profiles/ironman HTTP/1.1
Content-Type: application/x-unix-diff
11c11
"status": "Just got home from saving the world.",
"status": "World saved. I need a drink.",
```

200 OK

```
PATCH /profiles/ironman HTTP/1.1
Content-Type: application/json-patch+json
If-Match: "abc123"
   "op": "replace",
    "path": "/status",
    "value": "Finished saving the world. I need a drink."
   "op": "move",
   "from": "/friends/hulk",
    "path": "/friends[0]"
```

PATCH /profiles/1 HTTP/1.1 Content-Type: image/nickcage+png



202 Accepted

Спасибо!

Slides & code:

www.github.com/dylanbeattie/RealWorldREST

@dylanbeattie