



Join us and get access to thousands of tutorials and a community of expert Pythonistas.

Unlock This Lesson

Course Contents



60%

- ☐ [A Beginner's Guide to pip \(Overview\) 02:37](#)
- ☐ [Scripts, Modules, Packages, and Libraries 05:20](#)
- ☐ [Why Can't Python Find My Modules? 06:40](#)
- ☒ [What Is a Package Manager? 01:55](#)
- ☐ [Getting Started With pip and PyPI 07:15](#)
- ☐ [Using Requirement Files 04:04](#)
- ☐ [Production vs Development Dependencies 03:11](#)
- ☐ [Uninstalling Packages 01:27](#)
- ☐ [Alternatives to pip 01:19](#)
- ☐ [A Beginner's Guide to pip \(Summary\) 00:42](#)

Using Requirement Files



A Beginner's Guide to pip
[Austin Cepalia](#) ⌚ 04:04

Mark as Completed

Supporting Material ▼

[Contents](#)[Transcript](#)[Discussion \(1\)](#)

A **requirements file** is a list of all of a project's dependencies. This includes the dependencies needed by the dependencies. It also contains the specific version of each dependency, specified with a double equals sign (`==`).

`pip freeze` will list the current projects dependencies to `stdout`.

This shell command will export this as a file named `requirements.txt`:

Shell



```
$ pip freeze > requirements.txt
```

Once you've got your requirements file, you can head over to a different computer or new virtual environment and run the following:

Shell



```
$ pip install -r requirements.txt
```

That's assuming you are working in the directory containing `requirements.txt`. This tells `pip` to install the specific versions of all the dependencies listed.

By modifying the requirements file to use `>=` instead of `==`, you can tell `pip` to install the latest stable version of the dependency, with the version specified acting as a minimum. This line would tell `pip` to install the latest version of `requests`, but never version 2.23.0: `requests>=2.22.0, != 2.23.0`.

To upgrade your installed packages, run the following:

Shell



```
$ pip install --upgrade -r requirements.txt
```