

ADDITION

ELEVATION

ADD ADDITIONAL
RICKET SPACING
LESS THAN
4" GAP

2x10x10
RIM BOARD PACKAGE
GAP

PROPOSED DECK
ADDITION 13'x10'

SCOPE OF WORK:

- BUILD 13'x10' DECK ADDITION TO EXISTING 10'x10' DECK
- SECURE 6"x6" (x2) POSTS TO 8"X10" FORTER WITH SURE FORM (16")
- FRAME 2x10 LEDGER BOARD TO HOME
- FRAME 2x10 RIM BOARD PACKAGE
- FRAME 2x8 JOISTS AT 16" O.C.
- ALL CONSTRUCTION IN ACCORDANCE WITH APPENDIX M DECK REQUIREMENTS

HVAC

2' DISTANCE HVAC TO NEIGHBOR

PRIVACY WALL

FROM SIDE OF ADDITION

10'

24" DEPTH
16"x16" FOOTERS
24" DEPTH

BETWEEN POSTS ON BOTH HALVES OF DECK

EXISTING DECK
10'x10'

DECK ADDITION FOR:

IAN + NATALIE KRAHL
1143 EPIPHANY RD.

MORRISVILLE NC 27560
PERMIT # 20104137

CONTRACTOR:

MR. + MRS. MAKERREADY LP
(480) 234-8649

isaiahm@brenner@gmail.com

10'

40"

