Task :4

VCS Task

Establish a new directory, populate it with script files, initiate an empty repository on GitHub, convert the local directory into a Git repository, and link it to GitHub for pushing the code into the repository.Perform merge, rebase, stash commands in following github repo.

Created a local directory into a git repo.

```
karna@DESKTOP-T8L498L:~$ mkdir gitrepo
karna@DESKTOP-T8L498L:~$ rm -rf gitrepo/
karna@DESKTOP-T8L498L:~$ mkdir gitlocalrepo
karna@DESKTOP-T8L498L:~$ ls
HTTPtest.sh  gitlocalrepo
karna@DESKTOP-T8L498L:~$ cd gitlocalrepo/
karna@DESKTOP-T8L498L:~/gitlocalrepo$ ls
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/karna/gitlocalrepo/.git/
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git branch
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim http.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$
```

link the GitHub for pushing the code into the repository

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git remote add origin https://github.com/Karna2111/Empty-repo.git
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git push -u origin main
Username for 'https://github.com': Karna2111
Password for 'https://Karna2111@github.com':
remote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls for
 information on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/Karna2111/Empty-repo.git/'
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git remote set-url origin https://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@github.com/Karna2111
/Empty-repo.git
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git push -u origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (9/9), 1.29 KiB | 658.00 KiB/s, done.
Total 9 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Karna2111/Empty-repo.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
karna@DESKTOP-T8L498L:~/gitlocalrepo$
```



Performing merge,

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git branch
* main
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git branch dev
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git branch
  dev
* main
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout dev
Switched to branch 'dev'
karna@DESKTOP-T8L498L:~/gitlocalrepo$ ls
http.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git add replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git commit -m "Added new file in dev branch for merge" replace.sh
[dev fb3c42b] Added new file in dev branch for merge
 1 file changed, 13 insertions(+)
 create mode 100644 replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git log
commit fb3c42b76743dc81c0cbcc3c10cfa2acccc03bdf (HEAD -> dev)
Author: karna <karnamaharajan.d@gmail.com>
Date:   Tue Sep 17 06:13:43 2024 +0530

    Added new file in dev branch for merge

commit 04350883b6297515463d9d2f2a6b4ad06c0c52df (main)
Author: karna <karnamaharajan.d@gmail.com>
Date:   Tue Sep 17 06:05:46 2024 +0530

    First commit for basic script
```

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout dev
HEAD        ORIG_HEAD   dev         main
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout dev
Switched to branch 'dev'
karna@DESKTOP-T8L498L:~/gitlocalrepo$ ls
http.sh  replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git add .
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git commit -m "added new line to test merge" replace.sh
[dev 9b981cf] added new line to test merge
 1 file changed, 4 insertions(+)
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout main
Switched to branch 'main'
karna@DESKTOP-T8L498L:~/gitlocalrepo$ ls
http.sh  replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim replace.sh
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git merge dev
Updating fb3c42b..9b981cf
Fast-forward
 replace.sh | 4 ++++
 1 file changed, 4 insertions(+)
```

GIT stash

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git add .
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git commit -m "added second line in testfile"
[dev 71b3b82] added second line in testfile
 1 file changed, 4 insertions(+), 1 deletion(-)
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test



3,Let see,this line will appear after stash.
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git stash
Saved working directory and index state WIP on dev: 71b3b82 added second line in testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test
karna@DESKTOP-T8L498L:~/gitlocalrepo$
```

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git stash list
stash@{0}: WIP on dev: 71b3b82 added second line in testfile
stash@{1}: WIP on node: decba71 Created for the stash test
stash@{2}: WIP on node: decba71 Created for the stash test
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git sta
stage    stash    status
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git stash apply
On branch dev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   testfile

no changes added to commit (use "git add" and/or "git commit -a")
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test



3,Let see,this line will appear after stash.
karna@DESKTOP-T8L498L:~/gitlocalrepo$
```

Git rebase

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test



3,Let see,this line will appear after stash.
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git add .
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git commit -m "testing for the rebase"
[main 0b65665] testing for the rebase
 1 file changed, 3 insertions(+)
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test



3,Let see,this line will appear after stash.


4,checking for the rebase
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout dev
Switched to branch 'dev'
```

```
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git checkout dev
Switched to branch 'dev'
karna@DESKTOP-T8L498L:~/gitlocalrepo$ ls
http.sh  replace.sh  testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cim testfile
Command 'cim' not found, but there are 18 similar ones.
karna@DESKTOP-T8L498L:~/gitlocalrepo$ vim testfile
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git rebase
HEAD          ORIG_HEAD     dev           main          node          origin/main
karna@DESKTOP-T8L498L:~/gitlocalrepo$ git rebase main
Successfully rebased and updated refs/heads/dev.
karna@DESKTOP-T8L498L:~/gitlocalrepo$ cat testfile
1, This file is for testing the stash command


2, Add second line for the file to test



3,Let see,this line will appear after stash.


4,checking for the rebase
```

----------+++++++-------+++++++++ ---------+++++++ ----