_	ELogo	0,Y
-0A236	STUDENT REPORT STUDENT REPORT	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	STUDENT REPORT STUDENT REPORT	
3	DOL 385132 ON 32 DOL 385132 ON 32 DOL 385132	22
BEDE		N
, I	Name of the state	-3CDOW.
200	KARUNAKAR REDDY G	
573CD08	Roll Number	- ari
	3BR23CD042 Reliment Reli	-0KJ 3*
EX	PERIMENT AND SERVICE OF SHAPE SHAP	.50
, OOM Tit	le 1236 CDOM 38F. CDOM 38F. CDOM 38F.	300
Ę	ELECTIONS 13CD 38ED 100 100 100 100 100 100 100 100 100 10	38R1
aR230	Description Description	, /
3 [*] [RPERIMENT AND ARRANGED ON A SHER AS COOM A SHER AS	CDOA2
	Tod die tile fledd of tile election committee in your village. Edon'r ontical party is dosociated with a diffique flamber and tile	, ,
235000	party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	0
Ž.V		AZ BEZ
000	Note: If only one vote is there he is the winner.	×
DOA2 38	Input Format:	c O
) [×]		8R13CD5
-13	input2: An integer array A representing the votes of the voters.	
3BR23(output Format:	₽.V.
	return arraneger value denoting the mining party or number. Neturn 1 there is no party mand majority	CDOAZ
236004	Example 1:	
230	Input:	123BR2
	6	×2°
00A23B	1 1 2 2 2 3 Output:	
00.	2	320
. (Explanation:	500
3BRJ3	As 2 got the most number of votes i.e 3.	2
	Example 2:	E BERTH
	Input:	×V
	6	28
	121122	223EV
	Output:	7
	-1	(A)
	Explanation:	BBA

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse =True) if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

0

,238R1 CDOA

BRD3CDL

OA2 3BK

COOAT

38273

6 / 6 Test Cases Passed | 100 %

-1300

38R

OAL

³³

-01

230

38R1

VY 3,